Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



A discount of 33 1-3% on the prices in this price list will be allowed to Nurserymen and dealers who purchase stock to sell again.

W. H. WYMAN & SON, Proprietors.

52,33

INCEASO DIEENTY - SEP 17 1924 * U. S. Dependment of Arriculture.

The Bay State Nurseries

W. H. WYMAN & SON, Proprietors

North Abington, Massachusetts

PRICE LIST, FALL 1924

The prices in this list cancel those in all previous lists.



GENERAL INDEX

| Terms and Condition | ıs | | | | | 2 |
|---------------------|----|--|--|----|--|----|
| Deciduous Shrubs | | | | | | 24 |
| Deciduous Trees | | | | | | 3 |
| Evergreen Shrubs | | | | | | 20 |
| Evergreen Trees | | | | | | 12 |
| Fruit Trees | | | | | | 39 |
| Perennials | | | | 1. | | 41 |
| Rhododendrons . | | | | | | 22 |
| Roses | | | | | | 37 |
| Vines and Climbers | | | | | | 35 |

Long Distance Telephone, Rockland 26. Telegraphic Address, North Abington, Mass.

THE PLANTING SEASON

Evergreens can be successfully transplanted during August and September. Herbaceous perennials do best whan moved during September and before the middle of October. Trees and shrubs can be safely planted any time after October 1st until freezing weather sets in.

Directions for Shipping

Parties ordering are requested to state explicitly the mode of conveyance by which they desire their stock forwarded.

When no route is designated, we exercise our judgment; but in no case do we assume any responsibility after packages are shipped, unless for our own mistakes. When losses occur by detention, claims should at once be made on the TRANSPORTATION COMPANY by the consignee.

INSPECTOR'S CERTIFICATE ACCOMPANIES EVERY SHIPMENT.

CONDITIONS OF SALE

First—The articles herein listed will be furnished at prices designated as per following schedule:

1 to 5 plants of one kind will be charged for at the single rate, whatever the aggregate of a list made up in numbers of less than 5 plants of a specific sort may be.

5 to 40 plants of one kind will be furnished at the ten rate.

40 to 250 plants of one kind will be furnished at the hundred rate when hundred rates are given except in the case of perennials when 25 of one kind will be given the hundred rate.

FROM THIS SCHEDULE WE WILL NOT VARY because of the fact that it takes considerable time to assemble a list of plants that are scattered over the nursery.

Second—We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell. No complaints will be considered that are not made within ten days after receipt of stock.

Third—The prices annexed do not include the boxes or bales. A charge for the actual cost of the boxes or the material used in baling is made. No charge for conveyance to freight station.

Our terms are cash, unless by special agreement. We can ship by express C. O. D., when desired, with charges for collection added to the bill—provided 20 per cent of the amount of the order accompanies the same as a guarantee. Said guarantee will be required only from parties with whom we have no business acquaintance. All bills remaining unpaid December 1,st in Fall, and June 1st in Spring, will be subject to sight draft without further notice.

BAY STATE NURSERIES.

North Abington, Mass.

Ornamental Department

NOTE — In compiling this list, we have endeavored to include only such varieties of stock as we have now in our nurseries, in sizes and quantities offered. In filling orders we shall grade stock according to these specifications. Should orders be received for sizes not found in this list, or should any specified grade be exhausted, we will send the nearest size we have in stock at the time the order is received and charge accordingly UNLESS OTHERWISE ADVISED.

| | · · | | | |
|-----|---|------------------------------|----------------------------------|----------------------------|
| | DECIDUOUS 7 | | 70 40 | 7 |
| ACE | ER campestre Hedg | Each ne Maple | Per 10 | Per 100 |
| ACE | 6 to 8 ft | \$1 25 1 75 2 50 | 11 00 15 00 22 00 27 00 | 120 00 150 00 200 00 |
| das | sycarpum Silve | r Maple | | |
| | 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. | | 12 00 15 00 22 00 | |
| d. | wieri Wie 5 to 6 ft | 3 50 | 40 00 | |
| | 3 to 5 in. cal. from \$9 to 21 00 | | -0 00 | |
| gin | nnala Amu 3 to 4 ft. | ur Maple 1 00 | 9 00 | |
| | 4 to 5 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. | | 11 00 16 00 21 00 24 00 | |
| nec | egundo Boxe | | 21 00 | |
| neg | 6 to 8 ft | | 9 00 | |
| | 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 14 to 16 ft. 16 to 20 ft. | | 12 00 18 00 22 00 30 00 | |
| pal | | inese Maple | | |
| · | 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. | | , | |
| p. | | dleaf Jap. Maple | | |
| | 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. | | | |
| p. | | r i se Maple | | |
| pe | ennsylvanicum Strip 6 to 8 ft. | ed Manle | | |
| pla | atanoides Nor | way Maple | | |
| | 8 to 10 ft., 1 to 1¼ in | 2 25 2 75 3 25 3 75 | 25 00 30 00 35 00 40 00 | 300 00 350 00 |

2½ to 3 in.

6 00

55 00

500 00

| ACER platanoides—continued | | Each | F | er 10 | Per | 100 |
|--|-------------|----------------|-----------------|-------------|-------|------------------|
| 3 to 3½ in. specimens | \$7 5 | 50 to 10 | 00 | $\{S_p\}$ | ecial | Prices |
| n ruhrum | Rloadl | leaf Nor | wau | Manle | cario | aa iois |
| 6 to 8 ft | | 2 | 50 | 7 | | |
| 8 to 10 ft | | | 3 00 3 50 | | | |
| n schwedleri | Schwei | dler Ma | | | | |
| 8 to 10 ft. 10 to 12 ft. | ••••• | § | 50 00 | | | |
| neoudonlatanus | Sucan | nore Ma | | | | |
| 8 to 10 ft | ••••• | 2 | 2 25 2 75 | | 00 | |
| 12 to 14 ft. | | | 3 50 | | 00 | |
| 14 to 18 ft | | | 00 | | 00 | |
| p. purpurascens 8 to 10 ft. | Purp | le Sycar | nore 3 00 | Maple | | |
| 10 to 12 ft | | 4 | 00 | | | |
| 12 to 14 ft | Red M | | 5 00 | | | |
| 6 to 8 ft | | 1 | 50 | 12 | 50 | |
| 8 to 10 ft | | | 2 50 | 97 | 00 | |
| 12 to 15 ft. | | | 50 | | 00 | |
| 12 to 15 ft | 9.00 to \$ | \$15.00 e | ach | | | |
| saccharum 10 to 12 ft., 11/4 to 11/4 in. | Sugar | Wapte | 25 | 21 | 00 | |
| 10 to 12 ft., 1¼ to 1½ in 12 to 14 ft., 1½ to 1¾ in | | 2 | 75 | 27 | 00 | 250 00 |
| 14 to 16 ft., 134 to 2 in | | à | 25 | | 00 | 270 00 360 00 |
| 14 to 16 ft., 134 to 2 in | | 6 | 00 | 55 | 00 | 500 00 |
| 3 to 3 ½ in | om \$12 (| 10 00 to 50 | 00 | 90 | 00 | 800 00 |
| tataricum | Tatari | ian Maj | ole | | | |
| 6 to 8 ft | | | 75 25 | | 00 | |
| 10 to 12 ft. | | 2 | 75 | | 00 | |
| AESCULUS hippocastanum 8 to 10 ft. | Horse | chestnut | 50 | າດ | 00 | |
| 10 to 12 ft. | | 4 | 50 | | 00 | |
| $2\frac{1}{2}$ to 3 in. specimens | | 6 | 00 | 55 | 00 | |
| 3 to 4 in. specimensh. alba florepleno | Dhla 1 | White I |) 00 Iorse | chestna | ı.t. | |
| 8 to 10 ft | | 5 | 00 | | | |
| 10 to 12 ft | | | 50 | | | |
| ruhicunda | Red H | loreaches | | | | |
| 6 to 7 ft. | | | 00 | | | |
| AILANTHUS glandulosa 5 to 6 ft | Ailant | thus | -0 | 10 | 00 | |
| 6 to 8 ft | ••••• | 2 | 50 | 12 | 00 | |
| 8 to 10 ft | | 2 | 50 | | | |
| ARALIA spinosa | | -walkin | | | 0.0 | |
| 4 to 5 ft | | | $\frac{00}{20}$ | 10 | 00 | 90 0 |
| 6 to 8 ft | | 1 | 50 | | 00 | |
| 8 to 10 ft | | ean Wh | ite I | 17 Birch | 90 | |
| 6 to 8 ft | . . | 1 | 50 | , iron | | |
| 8 to 10 ft | | 2 | 00 | | | |

| BETULA - | — continued | | Ea | ch | Per | 10 | Per | 100 |
|------------|---|---|----------------|-----------------|-----------|----|-----|-----|
| lutea | | Yellow Bir | ch | | | | | |
| | 10 to 12 ft | | | 50 00 | | | | |
| nigra | 8 to 10 ft | River Birch | 2 | 00 | | 00 | | |
| | 10 to 12 ft. 12 to 14 ft. | | 3 | 50 00 | 27 | 00 | | |
| | 14 to 16 ft | Canoe Bird | | 50 | 32 | 00 | | |
| papyrifer | a 6 to 8 ft | | | 75 | 16 | 00 | 150 | 00 |
| | 8 to 10 ft. 10 to 12 ft. | | 2 | 00 50 | | | | |
| pendula | gracilis | Cutleaf We | epin | g Birch | i | | | |
| | 6 to 8 ft | | | 50 | | | | |
| pendula | 5 to 6 ft | | 2 | 00 | ch | | | |
| pendula : | 6 to 8 ft youngi 6 to 8 ft | Youngs We | epin | 50 g Birch | h | | | |
| populifoli | | Gray Birch | | 00 | | | | |
| | 6 to 8 ft. 8 to 10 ft. | | 1 | $\frac{00}{25}$ | 9 11 | 00 | 75 | 00 |
| CARPINU | S betulus* 4 to 5 ft. | European | Hor 1 | nbeam 25 | 10 | 00 | | |
| | 5 to 6 ft | | | 00 | 18 | 00 | | |
| carolinia | | American | | | | | | |
| | 4 to 5 ft | | | 35 60 | 12 15 | | | |
| | 6 to 8 ft. 8 to 10 ft. | *************************************** | 2 | 00 50 | 18 22 | 00 | | |
| CATALPA | bignonioides nana(bungei) | | Catal | pa | | | | |
| | 3 yr. heads | | 3 | 00 | 27 | 00 | | |
| speciosa | | Western Co | - | | | | | |
| | 6 to 8 ft 8 to 10 ft | | | 25 50 | 10 14 | | | |
| | 10 to 12 ft. | | | 00 | 18 | | | |
| CELTIS of | | Hackberry | | | | | | |
| | 6 to 8 ft. 8 to 10 ft. 10 to 12 in. | | $\overline{2}$ | 00 50 00 | 18 | 00 | | |
| | | Katsura T | _ | 00 | | | | |
| | 5 to 6 ft | | 1 | 50 | | | | |
| | 6 to 8 ft | ••••• | | 00 50 | 18 22 | 00 | | |
| | 10 to 12 ft | • | 3 | 00 | 28 | 00 | | |
| | 12 to 14 ft | •••••• | | 00 | 35- 45 | | | |
| CERCIS ca | | American | Redb | | | | | |
| | 2 to 3 ft. 3 to 4 ft. | •••••• | 1 | 75 00 | | 00 | | |
| | | | | | | | | |

* If B. & B. 20 cents extra per tree.

| | | | Each | Per 10 | Per 100 |
|----------------|-------------------------------|---|---|----------------|------------------|
| CHIONAN | ITHUS virginica | White Fringe | | | |
| | 3 to 4 ft | | 1 50 | 12 00 | |
| | 4 to 5 ft | | 2 00 | 18 00 | |
| | 5 to 6 ft | | 2 50 3 00 | | |
| CLADRAS | | Yellow Wood | | | |
| | 4 to 5 ft | | 1 50 | 12 00 | |
| | 5 to 6 ft. | | 2 00 | 17 50 | |
| | 6 to 8 ft | | 2 50 | 24 00 | |
| | 8 to 10 ft | | 3 50 | | |
| CORNUS | | Flowering D | - | | |
| | 3 to 4 ft | | 75 | 6 50 | 60 00 |
| | 4 to 5 ft | | $\begin{array}{ccc} 1 & 25 \\ 1 & 75 \end{array}$ | 11 00 16 00 | 100 00 150 00 |
| | 6 to 8 ft. | | $\frac{1}{2} \frac{15}{25}$ | 20 00 | 100 00 |
| | 8 to 10 ft | | 3 50 | | |
| f. rubra | | Redflowering | Dogwood | d | |
| | 3 to 4 ft. | | 3 50 | 33 00 | |
| | 4 to 5 ft | | 4 50 | 42 00 | |
| | 5 to 6 ft. B.& B | | 5 50 | 50 00 | |
| | 6 to 7 ft. B. & B | *************************************** | 7 00 9 00 | 65 00 | |
| יים אותו איכור | | | | | |
| CRATAE | GUS coccinea | Thicket Hau | | 10 00 | |
| | 5 to 6 ft | | $\begin{array}{ccc} 1 & 75 \\ 2 & 00 \end{array}$ | 16 00 18 00 | |
| | 8 to 10 ft. | | 2 50 | 22 00 | |
| cordata | | Washington | | ı | |
| | 3 to 4 ft | | 1 25 | 10 00 | |
| | 4 to 5 ft | | 1 50 | 12 00 | |
| | 5 to 6 ft | | 1 75 | 16 00 | |
| crusgalli | | Cockspur Th | | | |
| | 5 to 6 ft | | $\begin{array}{ccc} 1 & 50 \\ 1 & 75 \end{array}$ | 14 00 | |
| | 6 to 7 ft | | $\begin{array}{ccc} 1 & 15 \\ 2 & 25 \end{array}$ | 16 00 20 00 | |
| | 8 to 10 ft. | | 3 00 | 27 00 | |
| | 10 to 12 ft | | 3 50 | 32 00 | |
| mollis | | Downy Hau | thorn | | |
| | 5 to 6 ft | | 1 75 | 15 00 | |
| oxycanth | ıa | English Hav | vthorn | | |
| | 3 to 4 ft | | 90 | 8 00 | |
| | 4 to 5 ft. | | 1 25 | 12 00 | |
| | 8 to 10 ft | | 2 50 3 00 | | |
| | 10 to 12 ft | | - • • | 7 | |
| o. flore a | - | Double Engl | | norn | |
| | 6 to 8 ft | •••••• | $\begin{array}{ccc} 3 & 00 \\ 3 & 75 \end{array}$ | | |
| | 10 to 12 ft. | | 4 50 | | |
| o. splend | | Paul Dble. S | | กาท | |
| o. ppicitu | 3 to 4 ft | | 2 00 | 01.10 | |
| FAGUS ar | | American Be | | | |
| ragus ar | nericana 6 to 7 ft. B. & B | | | | |
| | 7 to 8 ft. B. & B | | 3 00 4 00 | 36 00 | |
| | 8 to 10 ft. B. & B. | | 5 00 | 45 00 | |
| | 10 to 12 ft. B. &. B | | 7 00 | 60 00 | |

| FAGUS — | continued | | Each | Per 10 | Per 100 |
|--------------------|---|---------|---|-----------------------------------|---------|
| sylvatica | 6 to 8 ft. B. &. B | ••••••• | an Beec 3 50 4 50 6 00 9 00 | 33 00 42 00 54 00 85 00 | |
| s. hetero | phylla 5 to 6 ft. B. & B 6 to 8 ft. B. & B | Fernlea | f Beech 5 00 7 50 | | |
| s. incisa | 5 to 6 ft. B. & B | | | 48 00 75 00 90 00 | |
| s. pendu | a 6 to 8 ft. B. & B 8 to 10 ft. B. & B 10 to 12 ft. B. & B | | ean Wee 6 00 8 00 10 00 | ping. Beec | rh |
| s. purpu | rea 6 to 8 ft. B. &. B | | 5 25 7 00 | 50 00 65 00 90 00 140 00 | |
| s. riversi | 6 to 7 ft. B. & B. 7 to 8 ft. B. & B. 8 to 10 ft. B. & B. 10 to 12 ft. B. & B. 12 to 14 ft. B. & B. | •••••• | Beech 7 50 10 00 15 00 20 00 25 00 | | |
| FRAXINU | JS americana 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. | | Ash 1 25 1 50 2 00 2 50 | 12 00 14 00 18 00 24 00 | 175 00 |
| excelsior nigra | 10 to 12 ft | Bl | an Ash 2 50 ack Ash | 22 00 | |
| GINKGO | 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. | Maiden | 2 00 2 50 3 00 | ee 18 00 24 00 | |
| GLEDITS | 12 to 14 ft. IA triacanthos 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. | Common | 4 00 n Honey 60 75 90 1 25 | ylocust 5 00 7 00 8 00 10 00 | 60 00 |
| GYMNOC | LADUS dioica 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. | Kentuc | ky Coffe 1 50 1 75 2 00 | | |

| nigra 6 to 8 ft 8 to 10 ft 10 to 12 ft. KOELREUTERIA pa 5 to 6 ft | •••••• | Butte | 2 | 00 | 18 | 00 | |
|--|---|----------------|---------------|--------------|------|----|--|
| nigra 6 to 8 ft 8 to 10 ft 10 to 12 ft. KOELREUTERIA pa 5 to 6 ft | •••••• | Black Waln | _ | 00 | | | |
| 8 to 10 ft 10 to 12 ft. KOELREUTERIA pa 5 to 6 ft | • | | | | | | |
| 10 to 12 ft. KOELREUTERIA pa 5 to 6 ft | | | | 00 | | 00 | |
| KOELREUTERIA pa 5 to 6 ft | | | | 50 00 | 24 | 00 | |
| 5 to 6 ft | niculata | Goldenrain T | | 00 | | | |
| 6 to 8 ft | ••••• | | 1 | 75 | | 00 | |
| | ····· | | | 25 | 21 | 00 | |
| LABURNUM vulgare | ! | Goldenchair | | 50 | | | |
| | | ••••••• | $\frac{1}{2}$ | | | | |
| LARIX europea | | European L | arch | | | | |
| 6 to 8 ft | ••••• | | 2 | 50 00 | | | |
| | | ••••••• | | 00 | | | |
| 12 to 14 ft. | | | | 50 | | | |
| | | | 7 | 00 | | | |
| LIQUIDAMBAR styra | aciflua | Sweetgum | 1 | 50 | 12 | 00 | |
| 5 to 6 ft | | | 2 | 00 | | 00 | |
| 6 to 8 ft | | | 2 | 50 | 22 | | |
| | | /II -1' / | 3 | 00 | | | |
| LIRIODENDRON tul | ipiiera | Tuliptree | 2 | 00 | 18 | 00 | |
| 8 to 10 ft | | | | 00 50 | 10 | | |
| | | | | 00 | | | |
| MAGNOLIA acuminat | a | Cucumbertree | | 50 | | | |
| MALUS atrosanguinea | | Carmine Cra | | 50 | | | |
| 4 to 5 ft | • | | | 50 | 22 | 50 | |
| floribunda | | Japanese Flo | wer | ing (| Crab | | |
| 4 to 5 ft | • | | 2 | 50 | 22 | 00 | |
| ioensis plena | | Bechtel Crab | 4 | -0 | 1.4 | 00 | |
| | | | | 50 50 | | 00 | |
| niedzwetzkyana | | | | 50 | 24 | 00 | |
| • | | | | 00 | 18 | 00 | |
| 5 to 6 ft | • | | 3 | 00 | 27 | 00 | |
| 6 to 8 ft | | | | 00 | 36 | 00 | |
| parkmani | • | Parkman Cı | _ | 00 | | | |
| | | | | 00 | 18 | 00 | |
| | | | | 50 | 10 | 00 | |
| spectabilis | | Chinese Flor | veri | ng C | rab | | |
| | | | 3 | 00 | | | |
| | • | | | 00 | | | |
| MORUS alba pendula | | Teas Weepin | | 111106 50 | erry | | |
| 2 vr. heads. | • | | | 00 | | | |
| a. tatarica | | Russian Mu | | | | | |
| 4 to 5 ft | | | 1 | 25 | | | |
| 5 to 6 ft | | ••••• | 1 | 50 75 | | | |
| | | | 1 | 75 | | | |
| OXYDENDRON arbox | | Sourwood | 4 | | | | |
| 3 to 4 it | •••• | •••••• | 1 | 50 75 | | | |

| PHELLO | DENDRON amurense | Each Amur Corktree | Per 10 | Per 100 |
|-------------------|---|-----------------------|---------------|---------|
| | 6 to 8 ft | 1 50 | 12 50 | |
| | 8 to 10 ft | 2 00 | 18 00 | |
| | 10 to 12 ft | | 22 00 | |
| PLATANI | US occidentalis | American Planetre | e | |
| | 8 to 10 ft | 2 00 | • | |
| | 10 to 12 ft. | 2 50 | | |
| anian tali | | European Planetre | | |
| orientali | | | :e | |
| | 10 to 12 ft. 1 to 1½ in | | | |
| POPULUS | balsamifera | Balsam Poplar | | |
| | 10 to 12 ft | 2 00 | 18 00 | |
| | 12 to 14 ft | 2 50 | 22 00 | |
| canaden | | | | |
| canaden | 5 to 6 ft | 1 25 | 11 00 | |
| | 5 10 6 11 | | 11 00 | |
| eugenei | | Carolina Poplar | | |
| | 8 to 10 ft | 1 50 | 12 00 | |
| | 10 to 12 ft | 1 75 | 15 00 | |
| nigra ita | lica | Lombardy Poplar | | |
| 11161411 | | | | 00.00 |
| | 6 to 8 ft | 1 25 | | 90 00 |
| | 8 to 10 ft. | 1 50 | | 100 00 |
| PRUNUS | avium alba plena | Chinese Dble. Who | ite Flg. Cher | ry |
| | avium alba plena 4 to 5 ft | 3 50 | | |
| a. rosea | | Chinese Dble. Pini | c Fla Cherr | 21 |
| a. Tobca | 3 to 4 ft | 3 50 | or og. Choir | 9 |
| | | | | |
| cerasifer | a othello | (Improved Pissard | i) | |
| | 4 to 5 ft | | | |
| | 5 to 6 ft | 2 75 | 25 00 | |
| c. pissar | di | Purpleleaf Plum | | |
| | 4 to 5 ft | 2 00 | 18 00 | |
| | 5 to 6 ft | 2 50 | | |
| PTELEA | | Common Hoptree | 22 00 | |
| PIELEA | | Common Hopiree | | |
| | 6 to 8 ft | | | |
| | 8 to 10 ft | 1 00 | | |
| QUERCU | S bicolor | Swamp White Oak | | |
| | 5 to 6 ft | | | |
| | 6 to 8 ft | | | |
| | 8 to 10 ft. | 3 00 | | |
| | 10 to 12 ft | | 35 00 | |
| coccinea | | Scarlet Oak | | |
| | 8 to 10 ft | 3 00 | 27 00 | |
| palustris | | Pin Oak | | |
| To ave one of the | 8 to 10 ft | | 27 00 | |
| | 10 to 12 ft. | | | |
| | 12 to 14 ft | 4 50 | 42 00 | |
| | 14 to 16 ft | 6 00 | 57 00 | |
| | Specimens 3 to 8 in. calipe | er \$8 00 to 75 00 | | |
| robur | • | English Oak | | |
| 10041 | 6 to 8 ft | 2 00 | 18 00 | |
| | 8 to 10 ft. | 2 50 | | |
| | | | | |
| | 14 to 16 ft. | 5 00 | | |
| | 10 to 12 ft | 10 00 | 90 00 | |
| rubra | | Cmmon Red Oak | | |
| Tubia | 14 to 16 ft | 5 00 | | |
| | Large specimens 216 to 4 | in \$7.50 to 25.00 | | |
| | Large specimens 2½ to 4 Larger specimens, 4 to 6 i | n. 25 00 to 25 00 | | |
| | Larger specimens, 4 00 0 1 | | | |

| | • | | 1731- | D 10 | D. 100 |
|-----------|---|--------------|---|---|----------------|
| PORINIA | pseudoacacia | Common Lo | Each | Per 10 | Per 100 |
| ROBINIA | 6 to 8 ft | | | 15 00 18 00 24 00 27 00 | |
| SALIX all | | White Wille | | | |
| | 5 to 6 ft | | | 9 00 | |
| blanda | 6 to 8 ft | Wisconsin V | | Willow | |
| babylon | ica 6 to 8 ft | Babylon We | eping W 1 50 | illow | |
| elegantis | ssima 10 to 12 ft | Thurlow We | eeping W | illow | |
| pentand | ra | Laurel Will | low | | |
| | 4 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. Standards, 2½ ft. heads, 6 ft | •••••• | 75 90 1 00 1 50 2 00 5 00 | 7 00 8 00 9 00 14 00 18 00 45 00 | 60 00 75 00 |
| vitellina | | Golden Will | ow | | |
| | 5 to 6 ft | ••••• | 1 00 | 9 00 | |
| SASSAFR | AS variifolium 6 to 7 ft 7 to 8 ft | Common So | | | |
| SORBUS : | 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. | | Mountain 2 50 3 00 3 50 | a Ash | |
| SYRINGA | | Japanese T | ree Lilac | | |
| | 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. | | 1 50 2 00 2 50 | 12 50 17 50 | |
| TAXODIU | JM distichum 8 to 10 ft | Common Bo | aldcypres 4 00 5 00 | 8 | |
| TILIA am | | American 1 | • • • | | |
| | 8 to 10 ft. 10 to 12 ft. 12 to 14 ft., 2 to 2½ in. 12 to 14 ft. specimens 2½ to 14 to 15 ft. specimens 3 to 8 in 12 to 14 ft. | | 1 75 2 50 4 00 5 00 6 00 50 00 | 16 00 22 00 36 00 45 00 55 00 | |
| cordata | | Littleleaf E | uropean | Linden | |
| | 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 2 to 2½ in. 12 to 14 ft. 2½ to 3 in. Specimens 3 to 4 in. caliper | \$10 00 to | 2 50 4 00 5 00 6 00 25 00 | 22 00 36 00 45 00 55 00 | |

| TILIA — | continued | Each | Per 10 | Per 100 |
|-------------|--|----------------------|----------------|-------------------------|
| platyphy | rllos | Bigleaf European | n Linden | |
| | 10 to 12 ft. 12 to 14 ft. 14 to 16 ft. | |)) | |
| spectabi | | Showy Linden | , | |
| spectabl | 8 to 10 ft | 2 50 | 36 00 | |
| TIL MITTO - | 12 to 14 ft., 3 to 4 in | | , | |
| ULMUS a | mericana 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 4 to 8 in. cal. fr | | 18 00 27 00 | 135 00 150 00 |
| campest | ris | English Elm | | |
| • | 8 to 10 ft. 10 to 12 ft. | 2 25 3 00 | | |
| glabra | | Scotch Elm | | |
| | 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 12 to 14 ft. 14 to 16 ft. specimens. | | 20 00 27 00 | |
| g. fastigi | | Fastigiate Elm | | |
| hollandi | 8 to 10 ft | Dumont Elm 2 50 3 00 | 1 | |
| h. veget | | Huntingdon Eli | n | |
| - 3 | 10 to 12 ft. 12 to 14 ft. 14 to 16 ft. | | 45 00 | |

EVERGREEN TREES

These Evergreens are all thrifty and heavily rooted, and have been several times transplanted.

All Evergreens will be B & B (balled and burlapped), without extra charge.

| СНАМАЕ | CYPARIS — continued | , | Each | Per 10 | Per 100 |
|--------------------|---------------------------|--------------|--------------------------------|---|---------|
| p. plume | osa aurea | Goldenplume | Retinos | pora | |
| | 15 in. 18 in. 2 ft. | | 2 25 3 00 3 50 | 20 00 27 00 33 00 | |
| | 2½ ft. 3 ft. 9 ft. | | 4 50 5 00 18 00 | | |
| p. lutes | | Dwarf Retin | | | |
| | 12 in | | 2 75 3 50 4 50 5 50 | 25 00 32 00 | |
| p. squar | rosa | Moss Retino | spora | | |
| | 18 in. 3 ft. 4 ft. | | 4 00 5 50 7 00 | 36 00 | |
| p. sulph | | Sulphur Plu | me Retin | ospora | |
| | 18 in | | 3 00 | 27 00 | |
| | 2 ft. 2½ ft. | | 4 00 5 00 | 36 00 | |
| JUNIPER | US chinensis | Chinese Jun | 1 | | |
| | 3 ft. 5 ft. 6 ft. 7 ft. | | 5 00 8 00 10 00 12 00 | | |
| c. pfitze | eriana | Pfitzer Juni | per | | |
| | 18 to 24 in. spread | | 4 00 5 00 6 00 | 36 00 48 00 57 00 | |
| | 2½ to 3 ft | | 12 00 | 57 00 | |
| commun | is depressa | Common Spr | eading J | uniper | |
| | 15 to 18 in. spread | | 2 00 2 50 3 00 | 18 00 22 00 | |
| | 2½ to 3 ft. spread | | 4 00 5 00 | 36 00 45 00 | |
| c. aurea | 3 to 4 ft. spread | | 9 00 | | |
| c. craco | vica 4 ft 5 ft. | | 6 00 7 50 | | |
| c. hibern | | Irish Junip | | | |
| C. HIDCH | 2½ ft | * | 2 50 3 50 | 21 00 | |
| | 3 ft. 4 ft. 5 ft. | | 3 50 5 00 6 00 | 33 00 45 00 | |
| c suecica | | Swedish Jun | | | |
| e suecica | 2 ft | | 2 25 2 50 | $\begin{array}{ccc} 21 & 00 \\ 24 & 00 \end{array}$ | |
| e xcels a s | · - | Spiny Greek | Juniper 5 00 | | |

| JUNIPER | US — continued | | Each | Per 10 | Per 10 |
|------------|---|---------------------------------|----------------------|------------------------|-----------|
| horizonta | alis 2 to 2½ ft | Creeping Juni | per 4 00 | 36 00 | |
| japonica | 2 to 2½ ft | Japanese Juni | | 00 00 | |
| sabina | 2 00 2/2 10 | Savin Juniper | 0 00 | | |
| | 15 to 18 in | | 3 00 3 50 | 27 00 32 00 | |
| | 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. | | 4 00 | 32 00 | |
| s. tamari | · - | Tamarin Cani | n 4 00 | 36 00 | |
| macrocai | ·pa | Plum Juniver | 1 00 | 00 00 | |
| | 4 ft | | 7 00 | | |
| | 5 ft 6 ft | | 9 00 12 00 | | |
| virginalis | globosa | Globe Chinese | | | |
| | 18 to 24 in | •••••• | 6 00 7 50 | 56 00 70 00 | |
| virginian | a | Redcedar | 1 00 | 10 00 | |
| | 4 ft | | 4 00 | FF 00 | |
| | 5 ft | | 6 00 8 00 | 55 00 75 00 | |
| | 7 ft | | 10 00 | 95 00 | |
| NOTE: | We have a number of these feet from ground, but have third less than the above. | trees that have beautiful tops. | bare ster We will | ns for oa sell ther | ne or two |
| v. canna | | Cannart Redce | | | |
| | 7 ft | •••••• | 12 00 | | |
| v. glauca | | Silver Redceda | | | |
| | 2½ ft | | 5 00 6 00 | 48 00 55 00 | |
| v. schott | | Schott Redcedo | | | |
| | 2 ft | | 4 50 5 00 | 42 00 | |
| | 4 ft | | 6 50 | 60 00 | |
| | 5 ft. 8 ft | | 9 00 15 00 | | |
| PICEA ca | nadensis | White Spruce | | | |
| | 2 to 2½ ft. | | 2 25 | 20 00 | |
| | 3 ft | •••••• | 2 75 3 50 | 25 00 | |
| | 5 ft. | | 5 00 | | |
| | 6 ft 7 ft | | 6 50 7 50 | | |
| | 8 ft. | | 12 00 | | |
| | 10ft | | 15 00 | | |
| engelma | | Engl~mann S _I | | | |
| | 2 ft 9 to 12 ft. specimens | \$20 00 to 8 | 2 50 35 00 | 22 00 | |
| excelsa | | Norway Sprue | | | |
| | 3 ft | | 2 50 | 22 50 | |
| | 4 ft 5 ft | | 3 50 4 50 | 32 00 | |
| | 6 ft | | 6 00 | | |
| | 7 ft | ••••• | 7 00 | | |

PICEA — continued

Each Per 10 Per 100

The following varieties of Norway Spruce are very dwarf, except pendula.

| e. comp | | Globe Norway Spruce |
|-----------|--|-----------------------------|
| | 3 to 4 ft. spread | : } \$15 00 to 25 00 |
| e. conica | a 6 ft | Arrowhead Norway Spruce |
| e. grego | ryana | Gregory Spruce |
| | 3 ft. 4 ft. 5 ft. | \$20 00 to 50 00 |
| e. maxw | relli | Maxwell Spruce |
| | 15 to 18 in. spread | . 15 00 to 25 00 |
| e. pendu | ıla 8 ft | Weeping Norway Spruce 12 00 |
| e. procu | | Prostrate Norway Spruce |
| | 2½ to 3½ ft. spread Large specimens | .\$18 00 to 30 00 50 00 |
| e. pumil | a | Dwarf Spruce |
| | 2 to 2½ ft. spread | \$10 00 to 35 00 |
| mariana | | Black Spruce |
| | 4 ft | 5 00 |
| omorika | | Serbian Spruce |
| | 8 ft | |
| orientali | | Oriental Spruce |
| | 3 ft | |
| | 5 ft | |
| polita | | Tigertail Spruce |
| | 5 ft | |
| | 7 ft. 8 ft. | 9 00 |
| pungens | | Colorado Spruce |
| | 2 ft | |

| PICEA — continued | Ea | ch | Per | 10 | Per | 100 |
|--|--|--|----------------------------|----------------|-----|-----|
| p. glauca Blue Co | lorado | Spr | исе | | | |
| 3 ft. 4 ft. 5 ft. 6 ft. 7 ft. 8 ft. 9 ft. 10 to 16 ft. \$\$80 00 t | . 10 . 12 . 15 . 17 . 20 . 22 | 00 00 00 50 00 00 | | | | |
| p. kosteri Koster 1 | 3lue S | Spruc | e | | | |
| $\begin{array}{c} 2 \text{ ft.} \\ 2 \frac{1}{2} \text{ ft.} \\ 3 \text{ ft.} \\ 3 \frac{1}{2} \text{ ft.} \\ 7 \text{ ft.} \\ 8 \text{ ft.} \\ 9 \text{ ft.} \\ \text{Larger specimens.} \\ \$ 55 \text{ 00 t} \end{array}$ | . 15 . 18 . 21 . 24 . 27 | 00 00 00 00 00 00 00 | | | | |
| PINUS cembra Swiss S | | Pine | | | | |
| 2 ft. 3 ft. 4 ft. 5 ft. | . 4 . 5 | 00 00 00 00 | | | | |
| montana Swiss M | ounte | ain P | ine | | | |
| 3 ft. 4 ft. 5 ft. 6 ft. Large specimens \$20 00 te | 8 10 15 | | | | | |
| m. mughus Mugho | Pine | | | | | |
| 15 to 18 in. spread. 18 to 24 in. spread. 2 to 2½ ft. spread. 2½ to 3ft. 3 to 3½ ft. spread. 3½ to 4 ft. spread. 4 to 5 ft. spread. 5 to 6 ft. spread. 6 to 8 ft. spread. \$20 00 to | 3 4 5 6 7 8 . 10 | 00 00 00 00 00 00 00 00 00 | 38 57 66 78 96 | 00 00 00 | | |
| nigra (austriaca) Austria | | | | | | |
| 4 ft. 5 ft. 6 ft. 7 ft. 8 ft. | . 7 . 9 . 12 | | 45 65 80 110 | 00 | | |
| resinosa Red Pin | <i>1e</i> | | | | | |
| 5 ft | . 4 | 00 00 00 | | 00 00 00 | | |
| strobus White F | | 00 | | 00 | | |
| 3 ft. 4 ft. 5 ft. 6 ft. 7 ft. 8 ft. | 4 5 6 7 | | 27 35 45 55 65 | 00 00 00 | | |
| 9 ft. 10 ft. | 10 | 00 | 27 | 00 | | |

| PINUS—continued | Ea | ich l | Per 10 | Per 100 |
|---|----------------------|---------|----------------|---------|
| | Scotch Pine | | | |
| 3 ft. | | 50 | 22 00 | |
| 4 ft | 3 | 50 | 32 00 | |
| 5 ft | | | 45 00 | |
| 6 ft | 6 | 00 | 55 00 | |
| s. watereri 5 ft. specimens | waterer Pine 20 | 00 | | |
| Danie official and the second of the second | 10 1 77 | 00 | | |
| PSEUDOTSUGA douglasi 4 ft | Douglas-Fir | 00 | | |
| 5 ft. | | | | |
| 6 ft. | | 0 0 | | |
| 7 ft | | 00 | | · |
| 8 ft | | | | |
| 10 ft | | 00 | | |
| RETINOSPORA — See CHAMAECYPAR | | | | |
| | Umbrella- Pin | e | | |
| 2 ft | | 00 | | |
| 5 ft | | 00 | | |
| 6 ft. | | | | |
| TAXUS baccata elegantissima (15 in | ioiaen Englis | n rew | 27 00 | |
| 18 in. | | 50 | 33 00 | |
| b. repandens | Spreading E | | | |
| 12 in. spread | 3 | 00 | 27 00 | |
| 18 in. spread | 4 | 00 | 36 00 | |
| 24 in. spread | | | 45 00 | |
| 30 in. spread. | | 00 | | |
| b. washingtoni | Washington | Y ew | 27 50 | |
| 2 ft. | | | 33 00 | |
| 2½ ft | | 00 | 50 00 | |
| canadensis | Canada Yew | | | |
| 18 in. spread | 2 | | 22 00 | |
| 2 ft. spread | | 00 | | |
| cuspidata (spreading form) | Japanese Ye | w | 27 00 | |
| 15 in. spread | 3 | 00 25 | 27 00 40 00 | |
| 2 ft. | | | 60 00 | |
| 2½ ft. | 8 | 00 | | |
| 3 ft | 12 | | | |
| 3½ ft | 15 | | | |
| Large specimens | | | | |
| | Japanese Ye | | | |
| 2½ ft. 3 ft. | | 00 | | |
| 3 ½ ft. | | | | |
| 4 ft | 15 | | | |
| 4 ½ ft | | | | |
| c. nana | Dwa r f Japan | ese Yeu | , | |
| 12 in. upright compact form | | 60 | | |
| 12 in. spreading form | | | 32 00 | |
| 15 in. upright compact form | 4 | | 40 00 36 00 | |
| 18 in. compact form | | 00 | 50 00 | |
| 18 in. spreading form | 6 | | 57 00 | |
| 2 ft | 15 | | | |
| 2½ ft. | | 00 | | |
| Absolutely hardy—one of the best yew | S. | | | |

| | | | | | | Eac | eh | Pe | 10 | Per | 100 |
|-----|---------|-------------------|---|---|---|--------|------|---------|--------|-----|------|
| THU | JYA o | ccident | talis | | American | Arbon | vite | ае | | | |
| | | 3 ft | | | | . 2 | 50 | 22 | 50 | 20 | 00 |
| | | | | | ····· | | 25 | | 00 | | 00 |
| | | | | | | | | | | 411 | , 00 |
| | | | | | | | 00 | | 00 | | |
| | | | | | | | 00 | | 00 | | |
| | | | | | | | 00 | 88 | 00 | | |
| | | | | | | | 00 | | | | |
| | | 9 ft | | | | . 12 | 00 | | | | |
| | | 10 ft. | ••••• | | · · · · • • • • • · · · · · · · · · · · | . 15 | 00 | 140 | 00 | | |
| | | 11 ft. | | | · · · · • • • • • • · · · · · · · · · · | . 17 | 50 | 168 | 00 | | |
| | | | | | | | 00 | | 00 | | |
| | | | | | | | | | 00 | | |
| | | | | | | | 00 | | 00 | | |
| | | | | | · • • • • • • • • • • • • • • • • • • • | | 00 | | 00 | | |
| | | | | | | | | | 00 | | |
| | | | | | | | | | | | |
| | | | extra large | oroad spec | imens from \$ | | | | eacr | 1 | |
| oc | . comp | | | | Parsons A | | | | | | |
| | | 18 in. | | | | 3 | 50 | 30 | 00 | | |
| 00 | dona | laci nu | ramidalis | | Douglas I | Duram | ida | 1 Arho | rnita | , | |
| 00 | . uoug | | | | | | | | | | |
| | | | | | | | 50 | | 1 00 | | |
| | | | | | •••• | | 00 | | 7 00 | | |
| | | 3 ft | | | | . 3 | 50 | 38 | 3 00 | | |
| oc | . ellw | angeria | ana | | Tom Thur | nh Ar | hor | nitae | | | |
| • | | _ | | | | | | | | | |
| | | | | | | | 50 | | 00 | | |
| | | | | | ••••• | | 00 | | 7 00 | | |
| | | $2\frac{1}{2}$ ft | - /*, | | ••••• | . 3 | 50 | 38 | 3 00 | | |
| | | 3 ft | | • | | . 4 | 50 | | | | |
| | | 4 ft | | • | | . 6 | 00 | | | | |
| | | 5 ft | | | | . 9 | 00 | | | | |
| 00 | . globe | 159 | | | American | Globe | 41 | hornite | 10 | | |
| • | . 51000 | | | | | | | | | | |
| | | | | | •••••• | | 50 | | 2 50 | | |
| | | 18 in. | | | | . 3 | 00 | 2' | 7 00 | | |
| | | 2 ft | • | | • | . 4 | 50 | | | | |
| 0.0 | . hove | 57i | | | Hovey Ar | harnit | 70 | | | | |
| 00 | . nove | • | | | - 0 | | | | | | |
| | | | | | ••••• | | 50 | | 2 00 | | |
| | | | | | •••••• | | 00 | 2' | 7 00 | | |
| | | 3 ft | | | ••••• | 4 | 50 | 3 | 6 00 | | |
| | | 4 ft | | | ••••• | . 6 | 00 | 5 | 4 00 | | |
| | | 5 ft | | | •••••• | . 9 | 00 | | | | |
| 00 | . lutea | | | | George Pe | | 4 | rhornit | αe | | |
| 00 | · Iuica | | | | | | | | | | |
| | | | | | ••••• | | 50 | | 2 00 | | |
| | | | | | ••••• | | 00 | 2 | 7 00 | | |
| | | 8 ft. | | | | . 12 | 00 | | | | |
| 00 | . pum | ila (un | nbraculifera) | | Green Glob | he Art | orn | itae | | | |
| | . P | | | | | | 25 | | | | |
| | | | | | ••••• | | | | | | |
| | | | | | | | 50 | | | | |
| | | | | | ••••• | | | | | | |
| | | 2 ft | · • • · · · · · · · · · · · · • • · | | ••••• | . 4 | 00 | | | | |
| | | 21/2 ft | | | ••••• | . 5 | 00 | | | | |
| 00 | . nvra | midalis | | | American | | mic | lal Ar | hornit | ae | |
| 00 | . руга | | | | | | | | | uc | |
| | | | | | | | | | 2 00 | | |
| | | | | | | | | 4: | | | |
| | | | | | | | 50 | | 00 | | |
| | | 41/2 ft | L V• •••••• | | • | . 6 | 50 | 60 | 00 | | |
| | | | | | | | 50 | | | | |
| | | | | | • | | 00 | | | | |
| | | | | | ····· | | | | | | |
| | | 5 . 0 | | | ••••• | . 10 | 00 | | | | |

| | | Each | Per | 10 | Per | 100 |
|-----------|---|---|--|--|-----|-----|
| THUYA- | -continued | | | | | |
| oc. roser | nthali Rosenthal . | Arborvitae | | | | |
| | 18 in. 2 ft. 2½ ft. 3 ft. | 2 25 3 00 3 50 4 50 | 21 27 33 | 00 | | |
| oc. sibe | rica (See oc. wareana) | | | | | |
| oc. verv | aeneana aurea Vervaene | Arborvitae | | | | |
| | 2 ft | 3 00 4 00 20 00 25 00 0 50 00 | 27 | 00 | | |
| oc. ware | ana Ware Arbo | rvitae (Sib | erian | .) | | |
| | 18 in. 2 ft. 2½ ft. 3 ft. 4 ft. | 3 00 3 50 4 50 | 27 33 42 55 | 00 00 00 | | |
| or. semp | eraurescens Evergolden | Arborvita | e | | | |
| | 2 ft | 3 50 | | | | |
| standish | i Standish A | rborvitae | | | | |
| | 7 ft | 9 00 | | | | |
| TSUGA ca | nadensis Canada He | emlock | | | | |
| | 2 ft. 2 ½ ft. 3 ft. 3 ½ ft. 4 ft. 5 ft. 5 ft. extra broad. 6 ft. extra broad. 7 ft. 7 ft. extra broad. 8 ft. 8 ft. extra broad. 9 ft. | 3 00 3 75 4 50 5 50 7 00 9 00 11 00 11 00 14 00 14 00 18 00 18 00 20 00 | 27 35 42 52 65 85 105 105 130 160 190 190 | 00 00 50 00 00 00 00 00 | | |
| | 9 ft. extra broad 10 ft. | 25 00 30 00 | 240 280 | 00 | | |
| carolinia | na <i>Carolina H</i> | emlock | | | | |
| | 18 in. 2 ft. | 3 00 3 50 | 27 33 | | | |
| sieboldi | Siebold He | mlock | | | | |
| | 18 in. 2 ft. 2½ ft. 3 ft. | 3 50 4 50 5 00 7 00 | 33 42 | | | |

EVERGREEN SHRUBS

| | | | Each | Per | 10 | Per 100 |
|------------|---|--------------|---|----------------|----------------|----------------|
| AZALEA a | moena | Amoena Az | za lea | | | |
| | 15 in. 18 in. 2 ft. | | 2 75 3 25 5 00 | 25 30 48 | 00 | |
| BUXUS | | | | | | |
| sempervi | rens suffruticosa 6 to 7 in | Truedwarf | Box | | | 15 00 |
| CALLUNA | A vulgaris | Heather * | | | | |
| | 8 to 10 in | | 75 90 1 00 2 00 | 8 | 00 00 00 | 65 00 72 00 |
| v. alba | | White Heat | | | | |
| | 8 to 10 in | | 75 90 | | 50 00 | 60 00 75 00 |
| v. alba e | | Tall White | | | | |
| | 8 to 10 in. 10 to 12 in. | | 75 90 | | 50 00 | 60 00 75 00 |
| v. alport | ii 6 to 8 in . | Alport Hea | ther 60 | 5 | 50 | |
| v. aurea | 6 to 8 in | Golden Hea | ther 60 | 5 | 50 | |
| v. nana | | Moss Heath | ier | | | |
| | Field Grown clumps, 6 in. dia, | •••••• | 75 | 7 | 00 | |
| v. rubra | | Upright Hed | ather | | | |
| | 6 to 8 in. 8 to 10 in. | | 60 75 | | 50 50 | 50 00 60 00 |
| DAPHNE | | Rose Daph | | | | |
| | 6 to 8 in. spread 8 to 10 in. spread | ••••• | $\begin{array}{c} 75 \\ 1 \ 00 \end{array}$ | | 00 | 60 00 80 00 |
| ERICA va | = | C rnish H | | | | |
| | 8 to 10 ft | ••••• | 75 | 7 | 00 | |
| EUONYM | US radicans | Wintercree | | | | |
| | 3 yrs | | 50 60 | | 00 | 30 00 36 00 |
| r. argent | eo-marginatus | Silveredge V | Vintercre | eper | | |
| | 4 yrs | | 50 75 | | 00 | 36 00 |
| r. carrier | | Glossy Wir | - | | | |
| | 3 yrs | | 60 75 | | 00 | 40 00 48 00 |
| r. minim | us 4 in. pots | Baby Winte | ercreeper 60 | 5 | 00 | 39 00 |
| | P ~~~ | | 30 | ŭ | | |

| EUONYMUS — continued | | Each | Per | 10 | Per 1 | 00 |
|-----------------------------------|----------------|-----------------|----------|------------|-------|----|
| r. vegetus | Bigleaf Winte | ercreeper | r | | | |
| 2 yrs | ••••• | 50 | 4 | 00 | 30 | 00 |
| 3 yrs | | 60 | | 00 | 40 | |
| 4 yrs | | 70 | 6 | 00 | 48 | 00 |
| HEDERA helix | English Ivy | | | | | |
| 3½ in pots | | 60 | 5 | 50 | 50 | 00 |
| ILEX glabra | Inkberry | | | | | |
| 15 in. clumps | | 2 00 2 50 | 16 22 | | | |
| crenata microphylla | Littleleaf Jay | panese I. | Iolly | | | |
| 18 in | | 2 60 | 25 | 00 | | |
| KALMIA angustifolia | Lambkill | | | | | |
| 12 in | | 1 50 | | | | |
| latifolia | Mountain-Le | aurel | | | | |
| 18 in | | 2 50 | 24 | 0 0 | 225 | 00 |
| 2 ft | | 3 00 | 27 | | 250 | |
| 2½ ft | | 4 00 | 38 | | 360 | 00 |
| 3 ft LEUCOTHOE catesbaei | Drooping Le | 6 00 | 55 | 00 | | |
| | 1 . 0 | | | | | |
| 15 in. bushy | | 2 00 | 18 | | 160 | |
| 18 in. bushy | | 2 50 3 00 | 22 27 | | 210 | UU |
| PACHYSANDRA terminalis | Japanese Pa | | | 00 | | |
| from 2½ in. pots | | 25 | | 00 | 14 | 00 |
| from 3 in. pots | | 30 | | 40 | 16 | |
| field grown extra heavy | | 35 | 2 | 50 | 18 | 00 |
| PIERIS floribunda | Mountain A | ndrome | da | | | |
| 15 in. spread | | 4 00 | 35 | | | |
| 18 in. spread | ••••• | 6 00 | 55 | | | |
| 2 ft. spread | | 8 00 10 00 | 75 | 00 | | |
| | Japanese A | | ·~ | | | |
| japonica 2 ft | • | патотеа 7 00 | a 63 | ۸۸ | | |
| 2½ ft. | | 10 00 | 00 | 00 | | |
| · - | | | | | | |
| 3 ft | | 15 00 | | | | |
| VINCA minor | Common Per | | | | | |
| Pot grown and field grown | | 25 | 2 | 20 | 15 | 00 |
| Var. alba, field grown | | 35 | 3 | 00 | 25 | 00 |
| See conditions of sale on page 2. | | | | | | |

RHODODENDRONS

Rhododendrons are one of our specialties. At the present time the Hybrid varieties are becoming very scarce. We can still offer, however, a limited number of the Hybrid and Dwarf Alpine varieties.

The native Catawbiense and Maximum types we offer are all nursery grown. healthy and vigorous. We can, through our collector, furnish these types in collected types of any quantity desired. Write giving sizes and quantities wanted, and we will make special quotations.

Our prices for Rhododendrons as well as for Evergreens includes balling and burlapping (B & B). The prices of the various sizes of hardy Hybrid Rhododendrons except Boule de Neige are as follows:

| | Each | | Each |
|--------|------|------|-------|
| 2 ft | 8 00 | 4 ft | 18 00 |
| 3½ ft. | | 0 16 | 41 00 |

We can furnish the following varieties in the sizes, viz.:

| Album Elegans (Large white) 3 ft. 5 ft. 3½ ft. 5½ ft. \$24 00 4 ft. 6 ft.] 27 00 4½ ft. | $\begin{array}{ccc} \text{Delicatissimum (Blush white)} \\ 2 \text{ ft.} & 3 \frac{1}{2} \text{ ft.} \\ 2 \frac{1}{2} \text{ ft.} & 4 \text{ ft.} \\ 3 \text{ ft.} & 4 \frac{1}{2} \text{ ft.} \end{array}$ |
|---|---|
| Album Grandiflorum | Everestianum (Rosy lilac) 2 ft. 2½ ft. |
| $2\frac{1}{2}$ ft. $3\frac{1}{2}$ ft. $3\frac{1}{2}$ ft. $4\frac{1}{2}$ ft. | Lee's Dark Purple 2 ft. 3 ft. |
| Atrosanguineum (Scarlet) 2 ft. 2 ft. | 2½ ft. 3½ ft. 4 ft. |
| Boule de Neige (Dwarf White) | Roseum Elegans (Fine Rose) 2 ft. 3½ ft. |
| 18 x 18 in \$4 00 | $2\frac{1}{2}$ ft. 4 ft. 3 ft. |
| Catawbiense Grand. Alba (White) 2 ft. 3½ ft. | |
| 2½ ft. 4½ ft. 3 ft. 5 ft. | |

We have a number of Hybrid Rhododendrons composed of many different varieties, but there are too few of any one variety to make it worth while listing them, and we have therefore decided to sell them by color. These are all desirable varieties and are composed of such sorts as Abraham Lincoln, Candidissimum, Charles Dickens, Gen. Grant, H. W. Sargent, Kettledrum, Lady Armstrong, Roseum Superbum, and many others. Every plant will be labeled its true name. We can furnish these from 2 to 5 ft. at the prices given at the top of this page in the following colors:

| Crimson | Purple | Scarlet |
|----------|----------------------|---------|
| Lavender | Red | White |
| Dinle | | |

RHODODENDRON CATAWRIENSE GRANDIFLORUM

5 ft. specimens.....

| As hardy as the native Catawbiense. | Each | Per 10 | Per 1 | 00 |
|-------------------------------------|-------|--------|-------|----|
| 3 ft. specimens | 7 00 | | | |
| $3\frac{1}{2}$ ft. specimens | 10 00 | | | |
| 4 ft. specimens | 12 50 | | | |
| 4½ ft. specimens | 15 00 | | | |

| RHODOD | ENDRON ALPINE — Dwarf Hybrid V | Variet | ties | | | |
|----------|---|--------|--------------|------|-----|------------------|
| hirsutun | Scarlet, | very o | dwarf | | | |
| | 18 to 24 in. | | 4 00 | | | |
| myrtifol | | | | | | |
| 0 | 15 to 18 in | | 2 75 | 25 | 00 | |
| | 18 to 24 in. | | 3 50 | | 00 | |
| | 2 to 2½ ft. | | 4 00 | | 00 | |
| | 2½ to 3 ft. | •••• | 5 00 | 45 | 00 | |
| ovatum | Pink | | 9 00 | 077 | 00 | |
| | 12 to 15 in | •••• | 3 00 4 00 | | 00 | |
| wilsoni | 15 to 18 in | •••• | 4 00 | 50 | 00 | |
| WIISOIII | 15 to 18 in | | 3 00 | 27 | 00 | |
| | 18 to 24 in. | | 4 00 | | 00 | |
| | 2 to 2½ ft | | 5 00 | 45 | 00 | |
| | 2½ to 3ft | | 7 00 | | | |
| RHODOD | ENDRON CAROLINIANUM | | | | | |
| | 18 in. | | 2 50 | 22 | 00 | 200 00 |
| | 2 ft. bushy specimens | | 3 50 | 32 | 00 | 300 00 |
| | 2½ ft. bushy specimens | | 4 50 | 40 | | |
| | 3 ft | •••• | 5 50 | 52 | 00 | |
| RHODOD | ENDRON CATAWBIENSE (Native) | | | | | |
| | planted nursery stock, with good balls. | | | | | |
| | 2 ft | | 3 00 | 25 | | |
| | 2½ ft. | | 4 00 | | 00 | |
| | 3 ft | | 5 00 | | 00 | |
| | 3½ ft | •••• | 6 00 | 99 | 00 | |
| | ENDRON MAXIMUM (Native) | | | | | |
| Trans | planted with good balls. | | | | | |
| | 2 ft | | 3 00 | | 00 | 260 00 |
| | 2½ ft | •••• | 4 00 5 00 | | 00 | 350 00 435 00 |
| | 3 ft | •••• | 6 00 | | 00 | 525° 00 |
| | 4 ft. | •••• | 7 00 | | 00 | 600 00 |
| | | •••• | | - 00 | - 0 | 500 00 |

Special quotations by the car load for collected plants. See CONDITIONS OF SALE on page 2.

DECIDUOUS SHRUBS

Our shrubs are grown with plenty of space in the nursery rows to insure good, vigorous growth, and they lift with strong roots. They are healthy and make quick development after planting.

| quick development after planting. | Each | Per | 10 | Per 100 |
|--|--------------------|-----------------|------------|--------------------------|
| ACANTHOPANAX pentaphyllum | Fiveleaf Aralia | 1 01 | 10 | 1 01 100 |
| 3 to 4 ft | | | 50 | 36 00 |
| 4 to 5 ft | | | 40 00 | 45 00 52 00 |
| AMELANCHIER canadensis | Downy Shadblow | · | | 02 00 |
| 3 to 4 ft | | | 00 | 48 00 |
| 4 to 5 ft | | 6 9 | 50 | |
| rotundifolia | European Shadblor | - | 00 | |
| 2 to 3 ft | | 5 | 00 | |
| AMORPHA canescens | Leadplant | | | |
| 2 to 3 ft | | 5 | 00 | |
| fruticosa | Indigobush | | | |
| 3 to 4 ft | | 4 5 | | 36, 00 |
| 5 to 6 ft. | | 6 | | |
| 6 to 8 ft | 1 00 | 8 | 00 | |
| ARALIA — See Acanthopanax | D-1 Cl-1-1 | | | |
| ARONIA arbutifolia 2 to 3 ft. | Red Chokeberry 60 | 5 | 00 | 45 00 |
| 3 to 4 ft. | | | 00 | 45 00 |
| melanocarpa | Black Chokeberry | | | |
| 2 to 3 ft | | 4 5 | | 45 00 |
| 3 to 4 ft | 60 Sweet Azalea | Э | 00 | 45 00 |
| All Azaleas will be balled and burlap | | | | |
| 15 to 18 in | 2 00 | 18 | | |
| 18 to 24 in | | $\frac{22}{27}$ | | 210 00 |
| $2 \frac{10}{2} \frac{2}{2} \frac{1}{10} \frac{1}{2} \frac{1}{10} \frac$ | | 38 | | |
| calendulacea | Flame Azalea | | | |
| 18 to 24 in. 2 to 3 ft. | | 22 27 | 50 | 250 0 0 |
| 3 to 4 ft. | | 37 | | 350 00 |
| canadense — See RHODORA canadens | sis | | | |
| canescens | Gray Azalea | | | |
| 18 to 24 in | | | | |
| $2\frac{1}{2}$ to 3 ft. | | | | |
| kaempferi | Torch Azalea | | | |
| 18 to 24 in | | 25 | | 210 00 |
| $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ $2\frac{1}{2} \text{ to } 3 \text{ ft.}$ | | 33 (| | |
| mollis (mixed colors) | Chinese Azalea | - 14 | | |
| 15 to 18 in | 2 50 | 22 | 50 | |
| 18 to 24 in | 3 00 | | | |
| nudiflora | Pinxter Bloom | 01 | 0.0 | 200 00 |
| 15 to 18 in | | 21 25 | 00 00 = | 200 00 240 0 0 |
| poukhanensis | Korean Azalea | 20 , | | 210 00 |
| 15 to 18 in. | 3 00 | 27 | 00 | |
| | | | | |

| | lach | Per | 10 | Per 100 |
|--|---|---|--|-------------------------|
| | | 27 (| 20 | |
| | 3 50 | 33 | 00 | |
| Swamp Azale | a | 20 | | |
| | | | | |
| • | 3 50 | 32 (| 00 | |
| | | | | |
| Holly Rarbers | | 9U (|)0 | |
| | 60 | 5 8 | 50 | |
| Siebold Barber | rry | | | |
| • | 50 | 4 (| 00 | |
| | 60 | 5 (| 0 | |
| | | | | |
| | | | | 12 00 18 00 |
| | | | | 27 00 |
| | 60 | | | 36 00 |
| ctive orange yellow | fruit) | Verno | Ba | rberry |
| | 75 | 6 8 | 50 | |
| European Bar | | 9 1 | - | 20.00 |
| | | | | 30 00 |
| Purple Barbers | ry | | | |
| | 50 | | | 40 00 |
| | | | - | 50 00 |
| or var. Atropurpur | ea outsi | de of No | ew E | ingland on |
| Veitch Butter | flubush | | | |
| | 90000 | | | |
| | 50 | 4 (| 00 | 36 00 |
| Common Swee | 50 etshrub | 4 (| | 36 00 |
| Common Swee | 50 etshrub 60 | 4 (5 { | 50 | 36 00 |
| Common Swee | 50 etshrub 60 75 | 4 (| 50 | 36 00 |
| Common Swee | 50 etshrub 60 75 | 5 8 6 5 | 50 50 | |
| Common Swee | 50 etshrub 60 75 ree 50 60 | 4 (5 { | 50 50 50 | 36 00 36 00 |
| Common Sweet | 50 etshrub 60 75 ree 50 60 onbush | 4 (5 8 6 8 | 50 50 50 | |
| Common Swee | 50 etshrub 60 75 ree 50 60 onbush 50 | 4 (5 6 6 5 4 6 5 (4 (| 50 50 50 | |
| Common Swee | 50 etshrub 60 75 ree 50 60 onbush | 4 (5 6 6 5 5 (| 50 50 50 | |
| Common Swee Siberian Pea-t Common Butto | 50 ttshrub 60 75 ree 50 60 onbush 50 60 | 4 (5 6 5 6 5 (4 (5 (| 50 50 50 50 50 50 | 36 00 |
| Common Swee Siberian Pea-t Common Butte Summersweet | 50 etshrub 60 75 ree 50 60 onbush 50 | 4 (5 6 6 5 4 6 5 (4 (| 50 50 50 50 00 00 | |
| Common Swee Siberian Pea-t Common Butto | 50 etshrub 60 75 ree 50 60 onbush 50 60 | 4 (5 { 5 { 5 { 5 { 6 { 5 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 }}}}}}}}}} | 50 50 50 50 00 00 | 36 00 36 00 |
| Common Swee Siberian Pea-t Common Butte Summersweet Tatarian Dog | 50 etshrub 60 75 ree 50 60 onbush 50 60 | 4 (5 { 5 { 5 { 5 { 6 { 5 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 { 6 { 5 }}}}}}}}}} | 550 550 550 000 000 550 000 | 36 00 36 00 |
| Common Sweet Siberian Pea-t Common Butte Summersweet Tatarian Dog | 50 etshrub 60 75 ree 50 60 onbush 50 60 wood 50 60 | 4 (5 ! 6 ! 4 (5 (4) 5 (4) | 550 550 550 550 00 00 00 550 00 00 | 36 00 36 00 42 00 |
| Common Sweet Siberian Pea-t Common Butto Summersweet Tatarian Dog | 50 etshrub 60 75 ree 50 60 enbush 50 60 wood 50 60 ed | 4 (5 4 5 (4 5 (4 5 (4 5 (5 (5 (| 50 50 50 50 00 00 50 50 00 00 00 | 36 00 36 00 42 00 |
| Common Sweet Siberian Pea-t Common Butte Summersweet Tatarian Dog | 50 etshrub 60 75 ree 50 60 enbush 50 60 wood 50 ed 60 ed 60 | 4 (5 4 5 (4 5) 4 (5 5) 5 (5 5) | 50 50 50 00 00 00 00 00 00 00 00 00 | 36 00 36 00 42 00 |
| Common Sweet Siberian Pea-t Common Butte Summersweet Tatarian Dog Spaeth Dogwoo | 50 etshrub 60 75 eree 50 60 enbush 50 60 wood 50 d 60 ed 60 75 | 4 (5 4 5 (4 5 (4 5 (4 5 (5 (5 (| 50 50 50 00 00 00 00 00 00 00 00 00 | 36 00 36 00 42 00 |
| Common Sweet Siberian Pea-t Common Butto Summersweet Tatarian Dog Spaeth Dogwoo | 50 etshrub 60 75 eree 50 60 enbush 50 60 wood 50 ed 60 75 end | 4 (5 4 5 (5 6 (5 6 (6 (6 (6 (6 (6 (6 (| 50 50 50 00 00 00 00 00 00 00 00 00 | 36 00 36 00 42 00 |
| Common Sweet Siberian Pea-t Common Butto Summersweet Tatarian Dog Spaeth Dogwoo | 50 etshrub 60 75 eree 50 60 enbush 50 60 wood 50 d 60 ed 60 75 | 4 (5 4 5 (4 5) 4 (5 5) 5 (5 5) | 550 550 550 000 000 000 000 000 000 000 | 36 00 36 00 42 00 |
| Common Sweet Siberian Pea-t Common Butto Summersweet Tatarian Dog Spaeth Dogwoo | 50 etshrub 60 75 eree 50 60 enbush 50 60 wood 50 ed 60 75 end 75 end 75 end 75 end 75 | 4 (5 4 5 (5 6 (6 (6 (6 (6 (6 (6 (6 (6 | 550 550 550 560 560 560 560 560 560 560 | 36 00 36 00 42 00 |
| | Pinkshell Aza Swamp Azale Holly Barberr Siebold Barber Japanese Barb European Barb Purple Barberr | Pinkshell Azalea 3 00 3 50 Swamp Azalea 2 25 3 50 4 25 5 50 Holly Barberry 60 Siebold Barberry 25 36 40 Japanese Barberry 25 35 50 60 Active orange yellow fruit) 75 European Barberry 40 50 Purple Barberry 50 65 s or var. Atropurpurea outsices | Pinkshell Azalea 3 00 27 (3 50 33 () Swamp Azalea 2 25 20 () 3 50 32 () 3 50 32 () 4 25 40 () 5 50 50 () Holly Barberry 60 5 () Siebold Barberry 25 2 () 35 3 () 50 4 () 60 5 () Cutive orange yellow fruit) Verna 50 4 () 60 5 () Cutive orange yellow fruit) Verna 50 4 () 60 5 () Cutive orange yellow fruit) Verna 50 4 () 60 5 (| Pinkshell Azalea |

| CORNUS | — continued | Ea | | Per | 10 | Per 100 |
|------------|------------------------------|---|------------------|----------|----------|-----------------|
| kousa | 2 to 3 ft. | Kousa Dogwoo | | | | |
| | 2 to 3 it | ••••• | 5 0 60 | | 00 | |
| mas | 3 to 4 ft | Cornelian-Chern | าบ ru | 9 | 00 | |
| mas | 2 to 3 ft | | 50 s | 4 | 00 | |
| | 3 to 4 ft | ••••• | 60 | - | | |
| panicula | ta | Gray Dogwood | | | | |
| | 2 to 3 ft. | ••••• | 50 | | 00 | |
| | 3 to 4 ft. 4 to 5 ft. | | $\frac{75}{00}$ | | 00 | |
| | 5 to 6 ft. | | 50 | | 00 | |
| | 6 to 7 ft. | | 00 | 14 | 00 | |
| rugosa | | Roundleaf Dog | wood | | | |
| , | 2 to 3 ft | ******* | 60 | 5 | 00 | |
| stolonife | ra flaviramea | Goldentwig Dog | | | | 22.00 |
| | 2 to 3 ft | ••••• | 50 60 | | 50 00 | 36 00 |
| | 3 to 4 ft | | 70 | 9 | 00 | |
| COTONE | ASTER francheti | Franchet Cotons | | | | |
| 00101111 | 18 to 24 in. | | 60 | 5 | 50 | |
| | 2 to 3 ft | ****** | 75 | | 50 | |
| CYDONIA | A japonica | Flowering Quin | | | | |
| | 18 to 24 in. | ••••• | 75 | 6 | 50 | |
| DEUTZIA | 2 to 3 ft. | Slender Deutzie | . 90 | 8 | 00 | |
| DEUIZIA | 12 to 15 in | Sienaei Deuizia | 50 | 1 | 00 | 33 00 |
| | 18 to 24 in. | | 60 | | 00 | 42 00 |
| | 2 to 2½ ft. | ••••• | 75 | | 00 | 12 00 |
| lemoinei | | Lemoine Deutz | ia | | | |
| | 2 to 3 ft. | | 50 | 4 | | 40 00 |
| | 3 to 4 ft | *************************************** | 60 | | 50 | 45 00 |
| scabra c | 4 to 5 ft | Single White D | 75 Sautaia | ь | 50 | 60 00 |
| Scabla C | 3 to 4 ft | Dingie White D | 50 | 4 | 20 | 36 00 |
| | 4 to 5 ft. | | 60 | 5 | 00 | 42 00 |
| s. var. p | ride of rochester | Pride of Roche | ster | | | |
| | 3 to 4 ft | • | 50 | 4 | | 36 00 |
| | 4 to 5 ft | | 60 | _ | 00 | 42 00 |
| s. watere | 5 to 6 ft | Waterer Deutzio | 75 | ь | 00 | 48 00 |
| s. watere | 2 to 3 ft | Waterer Demosit | 50 | 4 | 50 | |
| | 3 to 4 ft. | | 60 | | 50 | |
| DIERVIL | LA trifida | Dwarf Bush-H | oneus | uckle | | |
| | 2 to 3 ft | , | 50 | | 00 | |
| | 3 to 4 ft | | 60 | 5 | 00 | |
| ELEAGNI | JS angustifolia 2 to 3 ft | Russian-Olive | | | | |
| | 2 to 3 ft | ••••• | 50 | 4 | | 33 00 |
| | 3 to 4 ft | | 60 | 5 | 00 | |
| longipes | | Cherry Elaeagr | ıus | | | |
| | 2 to 3 ft | | 75 90 | | | |
| DIIONIS/NA | | | | | | |
| EUONYM | - 12 - 13-13-13-13 | Winged Euony | | 10 | 00 | 00.00 |
| | 3 to 4 ft. 4 to 5 ft. | | | 10 15 | 00 | 80 00 120 00 |
| | 5 to 6 ft. | | 50 | 22 | | 200 00 |
| | 6 to 7 ft. | 3 | 50 | 32 | 00 | 300 00 |
| | 8 to 10 ft | | 00 | 45 | | |
| europaeu | S | European Burn | ringbu | sh | | |
| | 3 to 4 ft | | 75 | 6 | 00 | |
| | 4 to 5 ft | | 00 | 8 | 00 | |
| | 5 to 6 ft | 1 | 25 | | | |

| EUONYMUS — Continued | | Per | 10 | Per 100 |
|---|-----------------------------|-----|----------|------------------------|
| latifolius Broadleaf | Burningbu s | h | | |
| 3 to 4 ft | 90 | | 00 | 54 00 75 00 |
| EXOCHORDA grandiflora Common P | | | | |
| 2 to 3 ft | 60 75 | | 50 50 | <i>c</i> o oo |
| 3 to 4 ft | 90 | | 00 | 60 00 |
| 5 to 6 ft | 1 25 | 11 | | |
| FORSYTHIA intermedia Border For | syth i a | | | |
| 3 to 4 ft | 50 | | 00 | |
| 4 to 5 ft | 60 75 | | 00 | |
| *** | | 0 | 00 | |
| suspensa Weeping F | 50 | 4 | 50 | 40 00 |
| 4 to 5 ft. | 60 | | 50 | 48 00 |
| 5 to 6 ft | 75 | 6 | 50 | |
| s. fortunei Fortune Fo | rsyth i a | | | |
| 3 to 4 ft | 50 | | 00 | 33 00 |
| 4 to 5 ft | 60 75 | | 00 | 40 00 45 00 |
| s. sieboldi Siebold For | | U | 00 | 40 00 |
| 4 to 5 ft. | • | 5 | 00 | |
| 5 to 6 ft | 75 | | 50 | |
| viridissima Greenstem | Fo rs yth i a | | | |
| 3 to 4 ft | - 50 | | 00 | 30 00 |
| 4 to 5 ft | 60 75 | | 00 | 40 0 0 45 00 |
| GENISTA tinctoria Woadwaxen | | U | 00 | 40 00 |
| 2 to 3 ft | 50 | 4 | 00 | 36 0 0 |
| HALESIA tetraptera Great Silver | bell | | | |
| 3 to 4 ft | 90 | | | |
| 4 to 5 ft | 1 25 | | | |
| HAMAMELIS virginiana Common W | | | | |
| 2 to 3 ft | 60 75 | | 50 50 | 50 00 60 00 |
| | | U | 90 | 00 00 |
| HIBISCUS syriacus Shrub-Alth | | | | |
| Varieties;—Amplissima Lady S Bicolor Peonifl | tanley | | | |
| Boule de Feu Totus | | | | |
| Jeanne d'Arc | | | | |
| 18 to 24 in | 40 | 3 | 60 | 33 00 |
| Double red | 1 0" | 4.0 | 0.0 | |
| 6 to 7 ft | 1 25 | 10 | 00 | |
| HYDRANGEA arborescens Smooth Hy 2 to 3 ft. | | Λ | 50 | |
| 3 to 4 ft. | 60 | | 00 | |
| a. grandiflora Snowhill H | udranaea | | | |
| 2 to 3 ft | 60 | | 00 | 45 00 |
| 3 to 4 ft | 75 | 6 | 50 | 60 00 |
| paniculata Panicle H | ydrangea | | 50 | 40.00 |
| 2 to 3 ft. 3 to 4 ft. | 50 75 | 6 | 50 | 40 00 50 00 |
| 4 to 5 ft. | 90 | | 50 | 65 00 |
| | | | | |

| HYDRAN | • | ontinued) | | Each | Per 10 | Per 100 |
|-------------|---|-----------------|--|--|--|----------------------------------|
| p. grand | iflora | | Hydrangea . | | | |
| | 18 to 24 | 1 in | | 50 | 4 50 | 39 00 |
| | 2 to 3 f | t | | 75 | 6 50 | 48 00 |
| | 3 ft | | | 90 | 8 00 | 60 00 |
| | Tree for | m | | 1 60 | | |
| radiata | | | Silverleaf H | ydrangea | | |
| | 2 to 3 f | t | | 50 | 4 00 | |
| | 3 to 4 f | t | | 60 | 5 00 | |
| HYPERIC | | | Golden St. J | ohnswort | | |
| II II DIVIC | | in. | | 50 | 4 50 | 39 00 |
| densiflo | | | St. Johnswo | | 1 00 | 00 00 |
| densino | | 4 in | | 40 | 3 50 | 30 00 |
| | | t | | 50 | 4 00 | 36 00 |
| ILEX vert | icillata | 0. | Common W | | 4 00 | 30 00 |
| ILIEA VEIG | 2 to 3 f | t | Continuon vv | 60 | 5 50 | 48 00 |
| | 3 to 4 fr | t | ••••• | 75 | 6 50 | 60 00 |
| | 5 to 6 f | t | | 1 50 | 0 50 | 00 00 |
| | | t | | 2 00 | | |
| TENDDIA. | | | Kerria | 2 00 | | |
| KERRIA | | | | | | |
| | 18 to 24 | 1 in | | 75 | 6 50 | |
| jap. fl. p | l. | | Double Kerr | ria | | |
| J 1 1 | | 't | | 75 | 7 00 | |
| LESPEDE | | | Purple Bush | | . 00 | |
| LESPEDE | | | | | 5 00 | 45 00 |
| TATIOND | | | | ., 60 | 5 00 | 45 00 |
| LIGUSTR | | | Amur Prive | 40 | 3 -00 | 04.00 |
| | 2 40 0 1 | t | •••••• | 50 | 4 00 | 24 00 30 00 |
| | 0 10 4 I | t | •••••• | 60 | | 39 00 |
| | | t | | 75 | 5 00 6 00 | 59 00 |
| ibota | 9 10 0 1 | t | Thata Duinat | | 0 00 | |
| IDUta | 2 to 3 f | t . | Ibota Privet | 40 | 3 00 | 18 00 |
| | | t | | 50 | 4 50 | 27 00 |
| | | t | | 60 | 5 00 | 21 00 |
| | | t | | 80 | 3 00 | |
| | | t | | 1 00 | | |
| i momolie | | | Regel Privet | | | |
| i. regelia | | 1 in | | 45 | 4 00 | 28 00 |
| | 2 +0 21 | 4 in | •••••• | 50 | 4 50 | 36 00 |
| | 216 to | ½ ft. 3 ft. | •••••• | 60 | 5 00 | 42 00 |
| | 3 to 4 f | t | •••••• | 75 | 6 00 | 45 00 |
| | 1 to 5 f | t | ••••• | 90 | 8 00 | 40 00 |
| 1:6 -1: | | 0 | | • • | 0 00 | |
| ovalifoli | | | California I | | | |
| | | 24 in | | 20 | 1 50 | 8 00 |
| | 2 to 3 | 3 f t | | 25 | 1 80 | 10 00 |
| | 4 00 C | | | | | 10 00 |
| | 3 to 4 | ft | | 30 | 2 20 | 12 00 |
| | 3 to 4 | 1 ft 5 ft | | 30 50 | 4 00 | 12 00 |
| vulgare | 3 to 4 | 1 ft 5 ft | | 50 | | 12 00 |
| vulgare | 3 to 4 4 to 5 | 5 ft | European . | 50 Privet | 4 00 | |
| vulgare | 3 to 4 4 to 5 | 5 ft. t. | European . | 50 Privet 40 | 4 00 3 00 | 27 00 |
| | 3 to 4 4 to 5 2 to 3 f 3 to 4 f | 5 ft t t | European . | 50 Privet 40 50 | 3 00 4 00 | |
| vulgare | 3 to 4 4 to 5 2 to 3 f 3 to 4 f A bella | 5 fttt | European | 50 Privet 40 50 le Honey | 3 00 4 00 vsuckle | 27 00 |
| LONICER | 3 to 4 4 to 5 2 to 3 f 3 to 4 f A bella 3 to 4 | 5 ft t t | European White Bell | 50 Privet 40 50 Le Honey 50 | 3 00 4 00 vsuckle 4 00 | |
| | 3 to 4 4 to 5 2 to 3 f 3 to 4 f A bella 3 to 4 | 5 fttt | European White Bell | 50 Privet 40 50 Le Honey 50 | 3 00 4 00 vsuckle 4 00 | 27 00 |
| LONICER | 3 to 4 4 to 5 2 to 3 f 3 to 4 f A bella 3 to 4 tissima | 5 ftt | European White Bell Winter H | 50 Privet 40 50 le Honey 50 oneysuck | 3 00 4 00 suckle 4 00 le | 27 00 |
| LONICER | 3 to 4 4 to 5 2 to 3 f 3 to 4 f 2A bella 3 to 4 tissima 2 to 3 | 5 ftt | European White Bell Winter H | 50 Privet 40 50 Le Honey oneysuck 50 | 3 00 4 00 suckle 4 00 le 4 00 | 27 00 |
| LONICE F | 3 to 4 4 to 5 2 to 3 f 3 to 4 f 4 to 5 4 to | 5 ftt | European White Beli Winter H | 50 Privet 40 50 Le Honey 50 oneysuck 50 60 | 3 00 4 00 suckle 4 00 le 4 00 5 00 | 27 00 |
| LONICER | 3 to 4 4 to 5 2 to 3 f 3 to 4 f A bella 3 to 4 tissima 2 to 3 3 to 4 | 5 ft | European White Bell Winter H Morrow H | 50 Privet 40 50 le Honey 50 oneysuck 50 60 oneysuck | 3 00 4 00 suckle 4 00 le 4 00 5 00 | 27 00 33 00 45 00 |
| LONICE F | 3 to 4 4 to 5 2 to 3 f 3 to 4 f A bella 3 to 4 tissima 2 to 3 3 to 4 i 3 to 4 | 5 ft | European White Beli Winter H Morrow H | 50 Privet 40 50 le Honey 50 oneysuck 50 60 oneysuck 50 50 | 3 00 4 00 suckle 4 00 le 4 00 5 00 le 4 00 | 27 00 33 00 45 00 33 00 |
| LONICE F | 3 to 4 4 to 8 2 to 3 f 3 to 4 f A bella 3 to 4 tissima 2 to 3 3 to 4 i 3 to 4 | 5 ft | European White Bell Winter H Morrow H | 50 Privet 40 50 le Honey 50 oneysuck 50 60 oneysuck | 3 00 4 00 suckle 4 00 le 4 00 5 00 | 27 00 33 00 45 00 |

| LONICERA—continued | | Each | Per 10 | Per 100 |
|-----------------------------------|---------------|-------------|---|------------------------------|
| ruprechtiana | Manchurian | Honey | | |
| 3 to 4 ft | | 50 | 4 00 | 33 00 |
| 4 to 5 ft | | 60 70 | 5 00 6 00 | 36 00 45 00 |
| 5 to 6 ft | | 90 | 8 00 | 45 00 |
| tatarica | Tatarian Ho | | | |
| | 1 atartan 110 | 50 | 4 00 | 33 00 |
| 4 to 5 ft. | | 60 | 5 00 | 36 00 |
| | | 70 | 6 00 | 45 00 |
| t. alba | White Tatari | an Hor | neusuckle | 3 |
| | | 50 | 4 00 | |
| LYONIA ligustrina (Andromeda | | | | |
| 2 to 3 ft | | 1 00 | 9 00 | 75 00 |
| 3 to 4 ft | | 1 50 | 12 00 | 10 00 |
| MYRICA carolinensis (cerifera) | Northern Bay | | - | |
| 18 to 24 in | U | 50 | 4 50 | |
| gale | Sweet Gale | 90 | 4 00 | |
| 18 to 24 in | 2 | 50 | 4 50 | |
| | | | | |
| 2 to 3 ft | | 60 | 5 00 | |
| NEMOPANTHUS mucronatus | Mountain-H | | F 00 | |
| 3 to 4 ft | | 60 75 | 5 00 | |
| PHILADELPHUS coronarius | Sweet Mockord | | | |
| 3 to 4 ft | | - | 4 00 | 00 00 |
| 4 to 5 ft. | | 50 60 | 4 00 5 00 | 33 00 39 00 |
| 5 to 6 ft. | | 75 | 6 00 | 45 00 |
| 6 to 7 ft. | | 90 | 8 00 | 70 00 |
| c. foliis aureis | Golden Mocko | ranae | | |
| 12 to 15 in | | 60 | 5 00 | |
| 18 to 24 in | | 75 | | |
| gordonianus | Gordon Mocke | | | |
| 4 to 5 ft. | | 60 | 5 00 | 5 0.00 |
| 6 to 8 ft | | 90 | 8 00 | 70 00 |
| grandiflorus 3 to 4 ft. | Big Scentless | | ange | 22.00 |
| 4 to 5 ft. | | 50 60 | 4 00 5 00 | 33 00 39 00 |
| 5 to 6 ft. | | 75 | 6 00 | 45 00 |
| 6 to 7 ft | | 90 | 8 00 | 70 00 |
| Hybrid Mockorange | | | | |
| Avalanche | | | | |
| 2 to 3 ft | | 60 | 5 00 | 42 00 |
| Lemoine | | CO | F 00 | |
| 2 to 3 ft | | 60 75 | 5 00 6 00 | |
| Mont Blanc | ••••••• | 1.0 | 0 00 | |
| 3 to 4 ft | | 75 | 6 50 | |
| PHYSOCARPUS opulifolia 3 to 4 ft. | Common Nin | ebark | | |
| 3 to 4 ft | | 50 | 4 00 | 30 00 |
| 4 to 5 ft | | 60 | 5 00 | 45 00 |
| 5 to 6 ft | | 75 | 6 00 | 50 00 |
| o. aureus | Goldleaf Nine | | 4 00 | |
| 3 to 4 ft | | 50 | 4 00 | |
| 4 to 5 ft | | 60 75 | $\begin{array}{ccc} 5 & 00 \\ 6 & 00 \end{array}$ | |
| 5 to 6 ftPOTENTILLA fruticosa | Shrubby Cinq | | 0 00 | |
| 2 to 3 ft. | Shruooy Cinq | иејон 50 | 4 50 | 42 00 |
| 3 to 4 ft. | | 60 | 5 00 | 44 00 |
| | | 0.0 | | |

| | Ea | ch | Per | 10 | Per 1 | 00 |
|-------------------------|---|----------|------------|----------|----------|----|
| DDIINIIC alandulase alb | | | | _ ` | 101 1 | |
| PRUNUS glandulosa alb | iplena Dble. Pinkflowe | | | | | |
| 2 to 3 it | | 75 90 | | 50 00 | | |
| g. sinensis | Dble Whiteflowe | | | | | |
| o . | | | | | | |
| | Rogal Dlam | 75 | б | 50 | | |
| maritima | Deach Fram | | | | 40 | |
| | | 50 60 | | 50 00 | 42 | 00 |
| 4 to 5 ft | | 75 | | 00 | | |
| | | 90 | | 00 | 75 | 00 |
| | | 25 | Ŭ | | | |
| triloba | Flowering Plun | n | | | | |
| | | 75 | 6 | 50 | | |
| 3 to 4 ft | | 90 | | 00 | 75 | 00 |
| virginiana | Common Choked | horry | | | | |
| | | 40 | 2 | 50 | | |
| 4 to 5 ft | | 50 | | 00 | | |
| 5 to 6 ft | | 60 | | 00 | | |
| RHAMNUS caroliniana | Carolina Buckth | | | | | |
| | | 50 | 4 | 00 | 33 | 00 |
| 4 to 5 ft | | 60 | | 00 | 99 | 00 |
| 6 to 8 ft | | 75 | | 00 | | |
| carthartica | Common Buckth | iorn | | | | |
| | | | 3 | 60 | 33 | 00 |
| 3 to 4 ft | | 50 | 4 | 00 | | |
| RHODORA canadensis | Rhodora | | | | | |
| | | 60 | 15 | | | |
| | | 00 | 18 | | | |
| | | 50 | 2 2 | 00 | | |
| RHODOTYPOS kerrioid | | | | | | |
| 2 to 3 ft | | 60 | | 00 | 45 | |
| | | 75 | 6 | 50 | 52 | 00 |
| RHUS canadensis | Fragrant Sumae | | _ | | | |
| | | 60 | 5 | 00 | | |
| copallina | Shining Sumac | | | | | |
| 2 to 3 ft | | 50 | 4 | 50 | 39 | 00 |
| cotinus | Common Smoke | tree | | | | |
| | | 60 | | | | |
| | | 75 | | | | |
| | | 00 | | | | |
| | 1 | 50 | | | | |
| glabra | Smooth Sumac | | | 0.0 | 0.0 | |
| | | 50 | | 00 | 36 | |
| 6 to 8 ft | | 60 75 | | 00 | 42 50 | 00 |
| typhina | Staghorn Sumae | | U | 00 | 90 | 00 |
| ~ - | · · · · · · · · · · · · · · · · · · · | 60 | 5 | 00 | | |
| 4 to 5 to 6 ft | | 75 | | 00 | | |
| ROBINIA hispida | Rose-Acacia | | U | 00 | | |
| | Nose-Acacia | 60 | F | 00 | 45 | 00 |
| | | 75 | | 00 | 40 | 00 |
| ROSA blanda | Meadow Rose | . 0 | - 3 | 00 | | |
| | 2/2 *********************************** | 40 | 0 | | 9.0 | 00 |
| | | 40 50 | | 50 00 | 30 36 | |
| 4 to 5 It | | 90 | 4 | 00 | 90 | UU |

| ROSA—co | ntinued | | Each | Per | 10 | Per : | 100 |
|-----------|---------------------------|----------------|---------------------|------|----------|----------|-----|
| hugonis | | Hugonis Rose | | 10 | | | |
| | 2 yrs | | 1 50 | 12 | 50 | | |
| lucida | | Virginia Rose | | | | | |
| | 15 to 18 in. | | 40 50 | | 50 00 | | 00 |
| | 18 to 24 in | | 60 | | 00 | 33 | .00 |
| multiflo | | Japanese Ros | | Ů | 00 | | |
| muitino | 3 to 4 ft | | 50 | 1 | 00 | 30 | 00 |
| nitida | 5 00 4 10. | Bristly Rose | 00 | - | 00 | 00 | 00 |
| mua | 18 to 24 in | | 50 | 1 | 00 | | |
| poluatria | (carolina) | Swamp Rose | 90 | - | 00 | | |
| parustris | | * | | | | 0.0 | |
| | 2 to 3 ft | •••••• | 50 60 | | 00 | 30 | |
| | 3 to 4 ft | | | 9 | 00 | 40 | 00 |
| rubigino | | Sweetbrier Ros | | | | | |
| | 2 to 3 ft. | | 50 | | 00 | 36 | 00 |
| | 3 to 4 ft | •••••• | 60 | 5 | 00 | | |
| rugosa | | Rugosa Rose | | | | | |
| | 18 to 24 in | | 50 | | 50 | | 00 |
| ,, | 2 to 3 ft | | 60 | 5 | 00 | 36 | 00 |
| r. alba | | White Rugosa | | _ | | | |
| | 18 to 24 in | ••••• | 55 | | 00 | 45 | 00 |
| | 2 to 3 ft | | 65 | 6 | 00 | | |
| setigera | 0.1.0.01 | Prairie Rose | 4.0 | 0 | | 0= | |
| | 2 to 3 ft | | 40 50 | | 50 00 | 27 30 | |
| : -1 | 3 to 4 ft | Wichurian Ro | | 4 | 00 | 50 | UU |
| wichurai | | | | | 0.0 | 0.0 | 00 |
| | to 3 ft | | 50 | 4 | 00 | 36 | UU |
| RUBUS o | | Flowering Ras | spberry | | | | |
| | 2 to 3 ft | ••••• | 50 | 4 | 00 | 36 | 00 |
| SAMBUC' | US canadensis | American Ele | ler | | | | |
| | 2 to 3 ft | | 50 | 4 | 00 | 36 | 00 |
| | 3 to 4 ft | | 60 | • | 00 | 39 | 00 |
| nigra au | rea | Golden Europe | ean Ele | ler | | | |
| | 2 to 3 ft | | 60 | 5 | 00 | | |
| SOBARIA | sorbifolia | Ural False-Sn | oirea | | | | |
| | 2 to 3 ft | | 50 | 4 | 00 | 36 | 00 |
| | 3 to 4 ft | | 60 | 5 | 00 | 40 | |
| SPIREA a | rguta | Garland Spir | ·ea | | | | |
| | 3 to 4 ft | | 50 | 4 | 50 | 36 | 00 |
| | 4 to 5 ft | | 60 | | 00 | 40 | 00 |
| | 5 to 6 ft | | 75 | 6 | 50 | | |
| bumalda | | Bumalda Spin | rea | | | | |
| | 2 to 3 ft | | 50 | | 50 | | |
| b. antho | ny waterer | Anthony Wate | erer Sp | irea | | | |
| | 18 to 24 in | | 50 | | 50 | | 00 |
| | 2 to 2½ ft | | 60 | 5 | 00 | 42 | 00 |
| fortunei | (callosa rosea) | Fortune Spire | a | | | | |
| | 2 to 3 ft | | 50 | 4 | 00 | 32 | 00 |
| | 3 to 4 ft | | 60 | 4 | 50 | 36 | 00 |
| | | | | | | | |
| japonica | ovalifolia (callosa alba) | White Japan | ese Spi | rea | | | |
| japonica | | White Japan | ese Spi 50 60 | 4 | 00 50 | 30 | 00 |

| SPIREA — continued | E | ach - | Per 10 | Per 100 |
|------------------------------------|-----------------|-----------------|--|----------------|
| superba | Striped Spirea | | | |
| 18 to 24 in | | 40 50 | $\begin{array}{ccc} 3 & 50 \\ 4 & 50 \end{array}$ | 33 00 40 00 |
| opulifolia (See PHYSOCARPUS) | ••••••• | 30 | 4 50 | 40 00 |
| prunifolia | Bridalwreath | | | |
| 5 to 6 ft | | 90 | 8 00 | |
| sorbifolia)See SORBARIA) | | • | | |
| thunbergi | Thunberg Spire | еа | | |
| 2 to 3 ft | | 50 | 4 50 | 40 00 |
| 3 to 4 ft | | 60 | 5 50 | 45 00 |
| vanhouttei | Vanhoutte Spin | | | |
| 2 to 3 ft | | 40 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 30 00 |
| 3 to 4 ft | | 60 | 5 00 | 36 00 40 00 |
| 5 to 6 ft. | | 75 | 6 00 | 54 00 |
| STEPHANANDRA flexuosa | Cutleaf Stephan | andra | | |
| 2 to 3 ft | | 50 | 4 00 | 36 00 |
| SYMPHORICARPOS racemosus | Common Snow | erru | | |
| 2 to 3 ft | | 50 | 4 00 | 36 00 |
| 3 to 4 ft | | 60 | 5 00 | |
| vulgaris | Coralberry | | | |
| 2 to 3 ft | | 50 | 4 00 | 33 00 |
| 3 to 4 ft | | 60 | 5 00 | 39 00 |
| SYRINGA japonica (See Deciduous Tr | ees) | | | |
| chinensis (rothomagensis) | Chinese Lilac | 0.0 | 0.00 | |
| 2 to 3 ft | | $\frac{90}{25}$ | 8 00 | |
| 4 to 5 ft. | | 50 | | |
| iosikaea | Hungarian Lil | ac | | |
| 2 to 3 f ⁺ | | 75 | 6 50 | |
| 3 to 4 ft | | 90 | 8 50 | |
| pekinensis | Peking Lilac | 75 | | |
| 3 to 4 ft | | 75 90 | 8 00 - | |
| 5 to 6 ft. | | 00 | 9 00 | |
| persica | Persian Lilac | | | |
| 2 to 3 ft | | 75 | 6 50 | |
| 3 to 4 ft. | White Persian | UU Lálac | 9 00 | |
| 4 to 5_ft | 1 | 00 | | |
| villosa | Late Lilac | | | |
| 2 to 3 ft | | 90 | 8 00 | |
| 3 to 4 ft | | 25 | 11 00 | |
| vulgaris 2 to 3 ft | Common Lilac | co | 5 50 | 50.00 |
| 3 to 4 ft. | ••••••• | $\frac{60}{75}$ | 5 50 6 50 | 50 00 60 00 |
| 4 to 5 ft. | 1 | 0.0 | 9 00 | 80 0 0 |
| 5 to 6 ft | 1 | 25 | 11 00 | |
| v. alba | Common White | Lilac | | |
| 3 to 4 ft | | 60 | 5 50 6 50 | 50 00 |
| 4 to 5 ft | 1 | 75 00 | 9 00 | 60 00 80 00 |
| 6 to 7 ft. | | 50 | 12 00 | |
| HYBRID LILACS | • | | | |
| Alba grandiflora | | | | |
| 3 to 4 ft | 1 | 50 | 14 00 | |
| | | 0.0 | | |

| HYBRID LILACS — continued | Each | Per 10 | Per 100 |
|--|---|----------------|-------------------------------|
| Charles the Tenth 2 to 3 ft. | 1 25 | 11 00 | 100 00 |
| 3 to 4 ft. | 1 50 | 14 00 | 120 00 |
| 4 to 5 ft | 1 75 | | |
| Jacques Callot 2 to 3 ft | 1 25 | 11 00 | |
| Jeanne d'Arc | 1.0" | 11 00 | |
| 2 to 3 ft. | 1 25 | 11 00 | |
| Ludwig Spaeth 2 to 3 ft | 1 25 | 11 00 | 100 00 |
| 3 to 4 ft. | 1 75 | 14 00 | 120 00 |
| 4 to 5 ft | 2 00 | 18 00 | |
| Marie Legraye | 1.0" | 11 00 | 00 00 |
| 2 to 3 ft | $\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$ | 11 00 14 00 | 90 00 120 00 |
| Michel Buchner | 1 00 | 14 00 | 120 00 |
| 2 to 3 ft | 1 25 | 11 00 | 100 00 |
| 3 to 4 ft | 1 50 | 14 00 | |
| Mme. Casimir Perier | | | |
| 2 to 3 ft | 1 25 1 50 | 11 00 14 00 | 100 00 120 00 |
| 3 to 4 ft | 1 75 | 14 00 | 120 00 |
| Mme. Lemoine | | | |
| 3 to 4 ft | 1 25 | 11 00 | |
| 4 to 5 ft | $\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$ | 14 00 18 00 | |
| 6 to 7 ft. | 2 50 | 10 00 | |
| President Grevy | - 00 | | |
| 2 to 3 ft | 1 25 | 11 00 | |
| 3 to 4 ft | 1 75 | 15 00 | |
| Senateur Volland | 1 50 | | |
| 3 to 4 ft | $\begin{array}{cccc} 1 & 50 \\ -1 & 75 \end{array}$ | | |
| STANDARD HYBRIDS | 1 10 | | |
| 3 to 4 ft. stems | 2 00 | | |
| Varieties:—C. B. Van Ness. President (| Grevy, | | |
| Charles Joly, Volcan | | | |
| Ludwig Spaeth, Waldeck-R | | | |
| TAMARIX africana African To | amarıx 50 | 4 00 | |
| VACCINIUM corymbosum Highbush B | | 4 00 | |
| 3 to 4 ft. | 1 50 | 14 00 | 125 00 |
| 4 to 5 ft. | 2 00 | 17 50 | 150 00 |
| VIBURNUM acerifolium Mapleleaf | Viburnum | | |
| 2 to 3 ft | 50 | 4 50 | |
| cassinoides Withe-Rod | | | |
| 2 to 3 ft | 50 | 4 50 | 40 00 |
| 3 to 4 ft | 75 90 | 6 00 8 00 | 50 00 70 00 |
| 5 to 6 ft | 1 50 | 14 00 | |
| 6 to 7 ft | 2 00 | 18 00 | |
| dentatum Arrowwood | | 0.00 | 45 00 |
| 3 to 4 ft | 75 90 | 6 00 8 00 | $\frac{45}{70} \frac{00}{00}$ |
| 5 to 6 ft | 1 50 | 14 00 | 120 00 |
| 6 to 7 ft | 2 00 | 18 00 | 150 00 |
| 8 to 10 ft. | 2 50 | 22 00 | 180 00 |

| VIBURNU | JM — continued | Ea | ch | Per | 10 | Per 100 |
|------------|--------------------------|--------------------|-------|--------|----|----------------|
| lantana | Wayfo | aring - Tre | e | | | |
| | 3 to 4 ft. | | 75 | 6 | 00 | 45 00 |
| | 4 to 5 ft | | 80 | 7 | 00 | 60 00 |
| | 5 to 6 ft | | 00 | 8 | 00 | 70 00 |
| 1 4 | 6 to 7 ft | | 50 | 12 | 50 | |
| lentago | | yberry | | _ | | |
| | 3 to 4 ft | | 60 | 5 | | 45 00 |
| | 4 to 5 ft. 5 to 6 ft. | | 80 | 7 | 00 | 60 00 70 00 |
| | 6 to 7 ft. | | 50 | | 50 | 10 00 |
| molle | | cky Vibi | | | 00 | |
| mone | 2 to 3 ft. | | 60 | 5 | 50 | 45 00 |
| | 3 to 4 ft. | | 75 | 7 | 00 | 60 00 |
| | 4 to 5 ft. | | 90 | | 00 | 70 00 |
| | 6 to 8 ft | 2 | | | 00 | 160 00 |
| | 8 to 10 ft. | | | | 00 | 220 00 |
| opulus | . Euro | pean Cra | nber | rybush | | |
| | 3 to 4 ft | | 75 | | 00 | 50 00 |
| | 4 to 5 ft | | 90 | | 00 | 70 00 |
| | 5 to 6 ft | | | | 00 | 90 00 |
| | 6 to 7 ft | | 50 | 14 | 00 | |
| o. nanun | | f Cranber | rybu | sh | | |
| | 12 to 15 in | | 50 | | | |
| o. sterile | Comm | on Snowl | all | | | |
| | 2 to 3 ft | | 60 | | 00 | |
| | 3 to 4 ft | | 75 | | 00 | |
| | 5 to 6 ft | | 90 | 8 | 50 | |
| | 5 to 6 ft. standards | | 00 | | | |
| sieboldi | | d Viburn | | | | |
| | 3 to 4 ft | | 75 | 6 | 00 | |
| tomentos | sum plicatum Japan | ese Snow | ball | | | |
| | 2 to 3 ft | | 75 | 7 | 00 | |
| wrighti | Wrigh | t Viburna | ит | | | |
| | 2 to 3 ft | | 60 | 5 | 00 | 45 00 |
| WEIGELA | | Weigela | | | | |
| - | 2 to 3 ft | | 50 | 4 | 50 | 39 00 |
| | 3 to 4 ft | | 75 | | 50 | 00 00 |
| r. varieg | | ated Wei | aela. | | - | |
| | 2 to 3 ft | | 75 | 6 | 00 | |
| Hybrid var | | | , , | · · | 00 | |
| Abel Car | | | | | | |
| Aber Car | | | 75 | C | =0 | |
| | 3 to 4 ft | | 75 | ь | 50 | |
| candida | Snow V | | | | | |
| | 2 to 3 ft | | 60 | | 00 | 48 00 |
| | 3 to 4 ft | | 75 | | 50 | |
| | 4 to 5 ft | | 90 | 8 | 00 | |
| Eva Rat | hke | | | | | |
| | 18 to 24 in | | 60 | 5 | 00 | |
| ZANTHOL | RHIZA apiifolia Yellon | | | | | |
| | 12 to 15 in. | | | 3 | 50 | 27 00 |
| | 15 to 18 in. | | | | 00 | 36 00 |
| | 18 to 24 in. | | 50 | | 50 | 40 00 |
| ZENORIA | | Zenobia | | | | |
| LENODIA | 2 to 3 ft. | | 50 | 1.4 | 00 | |
| | 2 00 0 16 | 1 | 90 | 14 | 00 | |
| | | | | | | |

VINES AND CLIMBING PLANTS

| | | Each | Per | 10 | Per 1 | .00 |
|--|---------------|--|---------|----------|----------|-----|
| ACTINIDIA arguta | Bower Actin | idia | | | | |
| 2 yrs | | $\begin{array}{cc} 1 & 00 \\ 1 & 25 \end{array}$ | 8 11 | 50 00 | | |
| AKEBIA quinata | Fiveleaf Ake | bia | | | | |
| 2 yrs | •••••• | $\begin{array}{c} 75 \\ 1 \ 00 \end{array}$ | | 50 50 | | |
| AMPELOPSIS heterophylla | Porcelain An | npelopsi | 3 | | | |
| 3 yrs 5 yrs | | 50 75 | | 50 00 | 36 | 00 |
| quinquefolia | Virginia Cree | eper | | | | |
| 2 yrs | | 40 | | 00 | | |
| 3 yrs | | 50 | 4 | 00 | 27 | 00 |
| q. engelmanni | Engelmann (| | | | | |
| 3 yrs 4 yrs | | 40 50 | | 50 00 | 27 30 | |
| · · | | | * | 00 | 90 | UU |
| tricuspidata (veitchi) 2 yrs | Japanese Cre | eper 50 | 4 | 50 | | |
| · · | | | | 90 | | |
| ARISTOLOCHIA tomentosa | Southern Du | | _ | F0 | 0.0 | 0.0 |
| 2 yrs. 3 yrs. | | 75 1 00 | | 50 50 | 60 75 | |
| BIGNONIA radicans . | Trumpetcreen | 200 | | | | |
| 3 yrs | | 50 | 4 | 50 | 30 | 00 |
| 4 yrs | | 60 | | 00 | 00 | 00 |
| BOSTON IVY (see Ampelopsis tricuspid | lata) | | | | | |
| CELASTRUS orbiculatus | Oriental Bitt | ersweet | | | | |
| 3 yrs | | 50 | 4 | 50 | 40 | 00 |
| 4 yrs | | 75 90 | | 00 | 50 | 00 |
| 5 yrsscandens | A merican Bi | | ٥ | UU | | |
| scandens 3 yrs | | uersweet 50 | 1 | 50 | 40 | 00 |
| 4 yrs | | 75 | | 00 | 40 | 00 |
| CLEMATIS paniculata | Sweet Autun | ın Clemo | ıtis | | | |
| 2 yrs | | 40 | 3 | 00 | 21 | 00 |
| 3 yrs | | 50 75 | | 00 | 33 45 | |
| 4 yrs | Virgins-bowe | | 0 | UU | 40 | 00 |
| virginiana 3 yrs | | 50 | 4 | 00 | 33 | 00 |
| | | | _ | 00 | 00 | 00 |
| CLEMATIS HYBRIDS Note:—These are splendid plants from | Large-floweri | | utis | | | |
| 3 yrs | _ | 1 50 | 12 | 50 | 100 | 00 |
| Henryi | | _ 00 | | , | 200 | |
| Jackmani | | | | | | |
| Mme. Baron Veillard | | | | | | |
| 3.6 73.1 1.4 1 | | | | | | |

Mme. Edouard Andre

Ramona

| | Е | ach | Per | 10 | Per 100 |
|---------------------------------------|-----------------|---|--|----------|----------------|
| DOLICHOS japonicus (See Pueraria) | | | | | |
| LONICERA flava 4 yrs. extra | Yellow Honey | suckle 50 | 4 | 00 | |
| japonica | Japanese Hon | eysuck | :le | | |
| 3 yrs | | 50 | 4 | 00 | 27 00 |
| j. aureoreticulata | Yellownet Jap | anese | Honey | ysuci | kle |
| 4 yrs | | 50 | 4 | 50 | 30 00 |
| j. halleana | Hall Japanese | Honey | ysuckle | ? | |
| 2 yrs | | 50 50 | | 00 50 | 21 00 24 00 |
| sempervirens | Trumpet Hon | | _ | 90 | 24 00 |
| 3 yrs | | 50 50 | | 50 | 24 00 |
| 4 yrs | | 60 | 4 | 50 | 27 00 |
| LYCIUM chinense | Chinese Matri | mony- | <i>Vine</i> | | |
| 3 yrs | | 50 | - 4 | 00 | 27 00 |
| PERIPLOCA graeca | Grecian Silkvi | ne | | | |
| 4 yrs | | 75 | | | |
| PUERARIA thunbergiana | Kudzu-bean | | | | |
| 2 yrs | | 50 | 4 | 00 | 36 00 |
| TECOMA radicans (See Bignonia) | | | | | |
| VITIS aestavalis 4 yrs | Summer Grape | ? . 75 | | | |
| coignetiae | Gloryvine | | | | |
| 3 yrs | | $\begin{array}{c} 75 \\ 90 \end{array}$ | | 00 | |
| cordifolia | Frost Grape | | | | |
| 4 yrs | | 75 | 6 | 00 | |
| heterophylla (See Ampelopsis heteroph | ylla) | | | | |
| WISTERIA frutescens | American Wis | teria | | | |
| 5 yrs | | 1 50 | 12 | 00 | |
| f. magnifica 5 yrs | Yelloweye Wiste | ria 1 50 | 12 | 00 | |
| multijuga | Longcluster W | isteria | | | |
| 3 yrs | | 90 1 25 | $\begin{array}{c} 7 \\ 10 \end{array}$ | 50 00 | |
| sinensis | Chinese Wista | ria | | | |
| 3 yrs | | 75 | | 00 | 50 00 |
| 4 yrs 5 yrs | | $\begin{array}{ccc} 1 & 00 \\ 1 & 25 \end{array}$ | 8 10 | 00 | 60 00 |
| 2 yr. Grown from cuttings | | | | | e sure to |
| blossom. | | 75 | | 00 | 54 00 |
| s. alba | White Chinese | | | | |
| 3 yrs 5 yrs | | $\begin{array}{c} 75 \\ 1 \ 25 \end{array}$ | $\begin{array}{c} 6 \\ 10 \end{array}$ | | |

HARDY ROSES

Strong field grown plants, \$1.00 each for less than 5 of one kind; 5 or more of one kind, at \$9.00 per 10; unless otherwise noted.

If we are out of the variety ordered, we shall select the variety most closely

resembling it UNLESS OTHERWISE ADVISED.

HYBRID PERPETUAL ROSES

Alfred Colomb-Large carmine-crimson, full, fragrant.

American Beauty-Rich, rosy crimson.

Baron de Bonstettin—Velvety maroon, large and full. Baroness Rothschild—Large, pale rose.

Clio—Large, flesh color, center rosy pink. Frau Karl Druschki—Pure white.

General Jacqueminot—Bright scarlet crimson.

Harrison Yellow—Yellow. Hugh Dickson—Brilliant crimson shaded with scarlet

John Hopper-Bright rose, carmine center.

Magna Charta-Pink and carmine.

Margaret Dickson-White, pale flesh center, large.

M. P. Wilder-Very fragrant full blossoms of cherry-carmine.

Mme. Gabriel Luizet-Light silver pink.

Mme. Plantier-Profusion of medium sized pure white flowers, early in the season.

Mrs. John Laing-Large, soft pink; fragrant and steady bloom.

Mrs. R. G. Sharman-Crawford—Deep rosy pink.

Paul Neyron-Deep rose, very large.

Persian Yellow-vellow

Pink Moss-Pink.

Prince Camille de Rohan-Deep velvety crimson.

Soleil d'or- Lovely Yellow with gold and red shadings.

Ulrich Brunner-Cherry crimson, large.

White Moss-White.

HYBRID TEA ROSES

NOTE: We shall have a larger variety of Hybrid Tea Roses to offer for Spring 1925.

Betty-Large, coppery rose, shaded golden-yellow.

British Queen-Large, well-formed white blossoms.

Dean Hole—Silvery carmine, blooms tinted salmon. Ecarlate—Bears a profusion of medium-sized scarlet flowers.

General MacArthur-Large velvety-scarlet.

Gruss an Teplitz-Scarlet, shading to velvety crimson.

Jonkheer J. L. Mock—Deep pink, petals silvery rose. Kaiserin Augusta Victoria—Soft creamy-white.

Killarney—Deep shell pink, long pointed buds.

Killarney White-Pure white, long pointed buds.

Lady Alice Stanley-Large, fragrant blossoms of deep coral-rose on outside and

of pale flesh on inside. Lady Ashtown-Bears profusion of beautiful carmine-pink flowers, shading to

golden yellow at base of petals.

Lady Ursula—Fragrant blooms of smooth flesh-pink. Los Angeles—Bright flame, pink shaded with gold.

Mme. Caroline Testout—Large bright pink blossoms.

Mme. Edouard Herriott-Coral red, shaded red and bright scarlet.

Mme. Jules Bouche—Bears beautiful white blossoms with light blush centers until late fall.

Mme. Leon Pain—Silvery pink, center yellowish orange.

Mrs. Aaron Ward—Coppery orange in open bud, pinkish fawn when full.

HYBRID TEA ROSES-Continued

Ophelia-Salmon flesh shaded with rose. Premier—Handsome large blooms of pure rose-pink.
Radiance—Brilliant carmine-pink, with salmon-pink and yellow shadings. Red Radiance-Similar to Radiance but color is deep red.

ROSA HUGONIS

A Chinese species bearing single flowers of soft yellow-2-year plant, \$1.50 each \$12.50 per 10.

POLYANTHA ROSES

\$1.00 each, \$9.00 per ten.

Baby Dorothy-Pink Baby Rambler White-White. Catherine Zeimet-White.

CLIMBING ROSES

75c. each, \$6.00 per ten, \$45.00 per 100, except as noted.

American Pillar—Rosy pink, single flowers Baltimore Belle—Double white blossoms with blush center. Climbing American Beauty—Rich carmine blossoms. Crimson Rambler—Deep crimson flowers. Dr. Van Fleet-Deep flesh pink; glossy foliage. Dorothy Perkins-Shell pink

Dorothy Perkins Red—Excelsa. Dorothy Perkins White-Similar to Dorothy Perkins, but white.

Excelsa-Double crimson flowers; good foliage.

Hiawatha—Crimson with white eye.

Lady Gay—Cherry pink.
Paul's Scarlet Climber—Very desirable new rose of vivid scarlet, \$1.00 each, \$9.00 per ten.

Prairie Queen-Bright pink.

Silver Moon—Semi-double, pure white flowers; glossy foliage. (\$55.00 per 100)

Tausendschon-Large trusses pink blossoms. White Rambler—Clusters of small white fragrant flowers.

Yellow Rambler—Medium sized-flowers of very bright yellow.

ROSA RUGOSA HYBRIDS

\$1.00 each, \$9.00 per 10 except as noted

Blanche de Coubert-Semi-double pure white flowers. Conradi Ferdinand Meyer-Fine large silvery pink blossoms. Mme. Georges Bruant—Free-blooming, semi-double, white flowers. Regina Badet—Purplish crimson.
Roseraie de l'Hay—Flowers double, violet red.

WICHURAIANA HYBRIDS

\$1.00 each, \$9.00 per 10

Casimir Moulle—Bright rink purple center, with white petals.

HYBRID SWEET BRIARS

Anne o' Geierstein-Dark crimson Flora McIvor-Pure white flushed with rose.

FRUIT TREES

| | FRUITTREES | | | |
|--|---|-----------------------------|----------------------------|-----------|
| STANDARD APPLES | | Each | Per 10 | Per 100 |
| 2 yr. 5 to 7 ft. 3/4 | (in | 1 25 | 11 50 | 100 00 |
| Baldwin Delicious Duchess Golden Sweet Gravenstein | McIntosh Red Red Astrachan R. I. Greening Sweet Bough Wealthy | William Winter Yellow | | rent |
| 6 to 7 ft. 1 to 1½ | in | 2 00 | 18 00 | |
| Fameuse Gano | Maiden ³ s Blush McIntosh Red | | | |
| | following to offer in the Bes | | | e starred |
| are \$5 00 each. | | 3 50 | | |
| *Duchess Fallawater Fall Pippin | Golden Sweet Newtown Pippin *Stark *Winter Banana | Wolfe R *Yellow *York I | iver Transpa mperial | rent |
| CRAB APPLES | | | | |
| 2 yr. 5 to 7 ft | | . 1 25 | 11 50 | |
| Hyslop | Martha | Transce | ndent | |
| DWARF APPLES | | | | |
| | •••••• | | | |
| Baldwin Delicious Early Harvest | McIntosh Red R. I. Greening Red Astrachan | Stearns Twenty Yellow | Ounce Franspare | ent |
| STANDARD PEARS | | | | |
| 2 yr. 5 to 7 ft | ••••• | 1 50 | 12 50 | |
| Bartlett Beurre Bosc | Clapp's Favorite Seckel | Sheldon Winter 1 | | |
| DWARF PEARS | | | | |
| 2 and 3 yrs | ••••• | 1 50 | 12 50 | |
| Bartlett | Clapp's Favorite | Duche | SS | |
| CHERRIES | | | | |
| · · | -16 in. and up | 1 75 | 15 00 | |
| Black Tartarian Early Richmond Governor Wood | May Duke Napoleon Big Water House | Windsor | | |
| PEACHES | | | | |
| | and up | 75 | 6 00 | 50 00 |
| | Elberta Foster | Old Mi Stump | xon Free | |

| PLUMS | Each | Per 10 | Per 100 |
|---|-------------------------|------------|----------------------|
| 2 yr. 5 to 7 ft | 1 75 | 15 00 | |
| Abundance Lombard Bradshaw Monitor Burbank October Purple Italian Prune Reine Claude | Shrop Stella Wane | . Damson | |
| | | | |
| QUINCES | | | |
| 4 to 5 ft | 1 50 | 12 50 | |
| Champion Orange Meech's Prolific Rea's Mammoth | | | |
| GRAPES. | | | |
| 2 yrs. (except as noted) | 60 | 5 00 | |
| Blue-Black: Concord, Campbell's Early, Moore's I Red: Delaware, Salem, Vergennes White: Green Mountain (\$1.00 each), Moore's Dia | • | | |
| RASPBERRIES | 10 | 90 | |
| Cuthbert Herbert Columbia Marlboro Golden Queen | Rane | re (St. Re | gis) |
| BLACKBERRIES | 10 | 90 | |
| Erie Rathbun Eldorado Snyder | | | |
| RHUBARB | | | |
| Myatt's Linnaeus, Victoria 2 yrs | 50 | 4 50 | 36 00 |
| STRAWBERRIES | | | |
| Potted_Plants | | | |
| Marshall Progressive (Everbearing) Senator Dunlap—Medium Early | | | 5 00 5 00 5 00 |
| ASPARAGUS | Per 25 | Per 100 | Per 1000 |
| 2 yr | 1 00 | 3 00 - | 18 00 |
| 3 yr | | 4 50 | 36 00 |
| 4 yr | 2 00 | 6 00 | |
| Conover's, Colossal Giant Argenteuil | | | |

CURRANTS and GOOSEBERRIES

Palmetto

On account of the "White Pine Blister-rust" which spreads from these plants to White Pines and other five-needled Pines, we have discontinued growing and selling Currants and Gooseberries.

Herbaceous Department

On account of the increasing popularity and demand for Herbaceous Perennials, our acreage has been extended from year to year, so that now this department alone covers about thirty-two acres. We are adding new and choice plants to our collection each year.

About all the plants we grow are strong field-grown; the only exceptions being a few species which transplant better by being grown in pots, also some of the choice new varieties.

HARDY PERENNIALS, FERNS AND GRASSES

Varieties marked with an asterisk (*) are particularly adapted for the rock garden.

Full descriptions will be found in our Handbook of General Information.

See CONDITIONS OF SALE on page 2.

Remember that 25 perennials of one kind are entitled to the hundred rate whenever the hundred rate is given.

| | Each | Per 10 | Per 100 |
|---|------------|--------|---------|
| ACANTHUS mollis—Soft Acanthus | 35 | 3 00 | 21 00 |
| m. latifolius—Broadleaf Acanthus | 3 5 | 3 00 | 21 00 |
| *ACHILLEA—filipendulina (equatorium) | | | |
| Fernleaf Yarrow | 25 | 2 20 | |
| millefolium—Common Yarrow | 25 | 2 20 | 15 00 |
| m. rosea—Pink Yarrow | 25 | 1 80 | 12 00 |
| ptarmica—"The Pearl" | 25 | 2 20 | 15 00 |
| p. Perry White | 30 | 2 40 | 18 00 |
| *tomentosa—Wooly Yarrow | 25 | 2 20 | 15 00 |
| ACONITUM autumnale — Autumn Monkshood | 50 | 4 00 | 25 00 |
| a. barbatum | 35 | 3 00 | 25 00 |
| a. cammarum Stoerkianum | 40 | 3 50 | 25 00 |
| Fischeri – Azure Monkshood | 40 | 3 50 | 25 00 |
| f. wilson:—Violet Monkshood | 75 | | |
| lycoctonum—Wolf bane | 50 | 4 50 | |
| napellus—Aconite | 35 | 2 70 | 24 00 |
| n. picolor—Bicolor aconite | 40 | 3 50 | |
| n. Spark - Sparks aconite | 35 | 3 00 | 25 00 |
| n. puicheriana | 30 | 2 40 | |
| uncinatum - Clambering Monkshood | 30 | 2 40 | |
| ACORUS calamus—Sweet Flag | 25 | 2 00 | 15 00 |
| c. variegatus—Yellowstripe Sweet Flag | 25 | 2 20 | 15 00 |
| ACTAEA rubra—Red Baneberry | 30 | 2 40 | 18 00 |
| spicata—Black Barberry | 30 | 2 40 | 18 00 |
| AEGOPODIUM podograria variegatum—Silveredge | | | |
| Goutweed | 25 | 2 20 | 15 00 |
| AGROSTEMMA (See Lychnis) | | | |
| *AJUGA—genevensis—Geneva Bugle | 30 | 2 40 | |
| *metallica crispa—Curly Bugle | 35 | 3 00 | |
| *reptans rubra—Purpleleaf Bugle | 30 | 2 40 | 18 00 |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| ALTHAEA rosea—Hollyhock | | | |
| Double varieties—Pink, red, white, yellow | 25 | 2 20 | 15 00 |
| Single varieties—Pink, red white, yellow | 25 | 2 20 | 15 00 |
| Allegheny | 25 | 2 00 | 15 00 |
| *ALYSSUM argenteum—Silver Alyssum | 25 | 2 20 | 15 00 |
| *rostratum—Yellowhead Alyssum | 25 | 2 20 | 15 00 |
| *saxatile compactum—Dwarf Goldentuft | 25 | 2 20 | 15 00 |
| AMSONIA tabernaemontana | 30 | 2 40 | 18 00 |
| salicifolia—Willow Amsonia | 30 | 2 40 | 18 00 |
| ANCHUSA barrelieri—Early Bugloss | 30 | 2 40 | 18 00 |
| italica—Italian Bugloss | 25 | 2 00 | 15 00 |
| i. Dropmore—Dropmore Bugloss | 30 | 2 40 | 18 00 |
| i. opal—Opal Bugloss | 30 | 2 40 | 18 00 |
| *myosotidiflora—Siberian Bugloss | 35 | | |
| sempervirens—Evergreen Bugloss | 30 | 2 40 | 18 00 |
| ANEMONE (canadensis) pennsylvanica | | | |
| Meadow Anemone | 30 | 2 40 | 18 00 |
| japonica—Japanese Anemone | 30 | 2 40 | 18 00 |
| j. albaWhite Japanese Anemone | 30 | 2 40 | 18 00 |
| j. elegantissima | 30 | 2 50 | 20 00 |
| j. Lady Ardilaun | 30 | 2 40 | 18-00 |
| j. Mt. Rose | 30 | 2 50 | 20 00 |
| j. Prince Heinrich | 30 | 2 50 | 20 00 |
| j. Queen Charlotte | 30 | 2 40 | 18 00 |
| j. rosea superba | 30 | 2 40 | 18 00 |
| j. Whirlwind | 30 | 2 40 | 18 00 |
| *pulsatilla — European pasqueflower | 30 | 2 40 | 18 00 |
| *p. alba—White pasqueflower | 35 | 3 00 | 24 00 |
| *p. rubra-Red pasqueflower | 30 | 2 40 | 20 00 |
| ANTHEMIS tinctoria—Yellow Camomile | 25 | 2 20 | 15 00 |
| t. kelwayi-Kilway Camomile | 30 | 2 40 | 18 00 |
| t. E. C. Buxton | 30 | 2 50 | 20 00 |
| t. Sulphur Queen | 30 | 2 50 | 20 00 |
| ANTHERICUM liliago—St. Bernardlily | 30 | 2 50 | 20 00 |
| *AQUILEGIA caerulea—Colorado Columbine | 30 | 2 40 | 18 00 |
| c. alba—White Colorado Columbine | 25 | 2 20 | 15 00 |
| *Californica (See Formsa Truncata) | 20 | | 10 00 |
| *canadensis—American Columbine | 25 | 2 20 | 15 00 |
| *chrysantha—Golden Columbine | 30 | 2 40 | 18 00 |
| *flabellata nana—Fan Columbine | 25 | 2 20 | 15 00 |
| f. nana alba – White Fan Columbine | 25 | 2 20 | 15 00 |
| formosa truncata (Californica) | | | |
| California Columbine | 25 | 2 20 | 15 00 |
| skinneri – Mexican Columbine | 25 | 2 20 | 15 00 |
| vulgaris—European Columbine. | 25 | 2.20 | 15 00 |
| v. alba – White European Columbine | 25 | 2.20 | 15 00 |
| v. flore pleno—Dble. European Columbine | 25 | 2 20 | 15 00 |
| v. flore plena alba—Dble. White | | | |
| European Columbine | 25 | 2 20 | 15 00 |
| v. nivea—Munstead White Columbine | 25 | 2 20 | 15 00 |
| | | | |

| | | Each | Per 10 | Per : | 100 |
|--|---|------------------|--|-------|-----|
| ARABIS albida—Wallcress | | 30 | 2 40 | 18 | 00 |
| *alpina - Alpine Rockcress | | 25 | 2 20 | 15 | 00 |
| *ARENARIA balearica— (3½ in po | ts) | | | | |
| Corsican Sandwort | | 25 | 2 20 | 15 | 00 |
| *montana-Mountain Sandwort | | . 30 | | | |
| verna caespitosa—Moss Sandwort | | 30 | 2 40 | 18 | 00 |
| *ARMERIA cephalotes rubra-Sea F | | 30 | 2 40 | 18 | 00 |
| *formosa rosea | •••••• | 25 | 2 20 | 15 | 00 |
| *Launcheana | | 25 | 2 20 | 15 | 00 |
| *l. robusta | • | 30 | 2 40 | 18 | 00 |
| *maritima | • | 25 | 2 20 | 15 | 00 |
| *m. alba | | | 2 40 | | |
| ARRHENATHERUM bulbosum van | | | | | |
| Variegated Oakgrass | | 30 | 2 40 | 18 | 00 |
| ARTEMISIA abrotanum-Southern | | | 4 50 | 10 | 00 |
| | | | | 10 | 00 |
| absinthium—Common Wormwood | | | 2 40 | | 00 |
| dracunculus—Tarragon | | 25 | 2 20 | 15 | 00 |
| *frigida—Fringed Wormwood | | | 2 50 | | 0.0 |
| gnaphaloides | | 25 | 2 20 | | 00 |
| lactiflora - White Mugwort | | 35 | 3 00 | | 00 |
| pontica—Roman Wormwood | | 25 | 2 20 | | 00 |
| Stellariana—Beach Wormwood | | 25 | 2 20 | | 00 |
| ARUNCUS sylvester—Common Goa | tsbeard | 35 | 3 00 | 20 | 00 |
| ASCLEPIAS incarnataSwamp Mil | kweed | 30 | 2 40 | 18 | 00 |
| tuberosa—Butterflyweed | | 35 | 3 00 | 24 | 00 |
| ASPERULA odorata—Sweet Woodr | uff | 30 | 2 40 | 18 | 00 |
| ASPHODELINE lutea—Common Ja | acobs-rod | 30 | 2 50 | 20 | 00 |
| ASTER | | 25 | 2 20 | 15 | 00 |
| Varieties—(See Handbook of Gene | ral Information | for descrip | otions) | | |
| | ALPINE ASTE | | , , , , | | |
| *Alpinus altaic | | *Himal: | aicus | | |
| | Beauty | rubrus | | | |
| FALL FLOWER | ING HARDY | ASTERS | | | |
| acris Grace | | novi-b | elgii | | |
| Amellus hessarahicus Isahe | 1 | ptarmi | coides | | |
| a. Perry's White Lady | Trevellyn | pulche | | | |
| var. major laevis Combe Fishacre l. flor | ibunda | Snowfl Tartar | | | |
| Dumosus Made | | Top Sa | | | |
| ericoides multi | | T. S. V | Vare | | |
| | e-angliae | | | | |
| longifolia var. r | oseus | | | _ | |
| ASTER—Choice Varieties | | Each | Per 10 | Per | |
| Beauty of Colwall—Double lavend | er | 30 30 | 2 40 | | 00 |
| Climax—Light lavender—blue Feltham—Blue with yellow center. | | 30 | 2 40 2 40 2 40 2 40 2 40 2 40 | | 00 |
| Japanese—Double white | | 30 | 2 40 | | 00 |
| Novelty—Deep pink | | 30 | 2 40 | | 00 |
| Perry's Favorite—Bright rose | | 30 | 2 40 | | 00 |
| Shorti—Light blue | maon | 30 35 | 2 40 2 40 3 00 | 18 | 00 |
| Spectabilis Nenco—Deep lavender | 1115011 | 30 | 2 40 | 18 | 00 |
| St. Egwyn—Bright pink | | 30 | 2 40 | | 00 |
| | | | | | |

| | Each | Per 10 | Per 100 |
|---|----------|--|---|
| ASTILBE Arendsi Varieties | ~0 | | |
| Ceres—Rosy Lilac Crepuscule | 50 50 | $\begin{array}{cccc} 4 & 00 \\ 4 & 00 \end{array}$ | |
| Feerie | 50 50 | 4 50 | |
| Gerbe d' Argent (pure white) | 50 | 4 00 | |
| Gevser | 50 | 4 50 | |
| Gloria—(deep pink) | 50 | 4 00 | |
| Juno—(violet rose) | 50 50 | 4 00 4 00 | |
| Moerheimi | 50 | 4 00 | |
| Mont Blanc | 50 | $\frac{1}{4} \stackrel{\circ}{00}$ | |
| Nebuleux | 50 | 4 00 | |
| Plumet Ne geux | 50 | 4 00 | |
| Pyramidal Rose Pearl—(shell pink) | 50 40 | $\begin{array}{ccc} 4 & 00 \\ 3 & 50 \end{array}$ | 30 00 |
| Salland—(red.) | 50 | 4 00 | 50 00 |
| Solferino | 50 | - "" | |
| Tourbillon | 50 | 4 00 | |
| Vesta—tillacrose) | 40 30 | $\begin{array}{ccc} 3 & 50 \\ 2 & 40 \end{array}$ | 30 00 |
| chinens's — Chinese Astilbe | 30 | $\frac{2}{2} \frac{40}{50}$ | 18 00 20 00 |
| davidi—David Astilbe | 35 | 3 00 | 20 00 |
| grandis—Great Astilbe | 35 | 4 00 | |
| japonica—Japanese Astilbe | 30 | 2 50 | 20 00 |
| j. compacta multiflora — Dwf Japanese Astilbe | 35 | 3 00 | |
| japonica varieties : Peach Blossom | 50 | 4 00 | |
| Queen Alexandra | 50 | 4 00 | |
| Washington | 35 | 3 00 | 25 00 |
| W. E. Gladstone | 50 | 4 00 | 30 00 |
| *AUBRIETIA deltoidea (3½ in. pots)—Common | | | |
| Aubrietia | 30 | 2 50 | 18 00 |
| *d. Bougainvillei—Bougainville Aubrietia* *d. graeca (3½ in. pots)—Greek Aubrietia | 30 30 | $\begin{array}{ccc} 2 & 50 \\ 2 & 40 \end{array}$ | 18 00 18 00 |
| *d. purpurea (3½ in. pots)—Purple Lady | 90 | 4 40 | 18 00 |
| Aubrietia | 30 | 2 40 | 18 00 |
| BAPTISIA australis—Blue Wild-indigo | 25 | 2 20 | 15 00 |
| tinctoria—Yellow Wild-indigo | 25 | 2 20 | 15 00 |
| BELAMCANDA chinensis—Blackberry-lily | 30 | 2 40 | |
| BELLIS perennis (English Daisy) | 25 | 2 20 | 15 00 |
| p. Giant White | 25 | 2 20 | 15 00 |
| p. Giant Pink | 25 | 2 20 | 15 00 |
| BOCCONIA cordata—Pink Plumepoppy | 30 | 2 40 | 18 00 |
| BOLTONIA asteroides—White Boltonia | 25 | 2 20 | 15 00 |
| latisquama—Violet Boltonia | 25 | 2 20 | 15 00 |
| l. nana—Dwarf Pinkray Boltonia | 30 | 2 40 | 18 00 |
| laevigata | 25 | 2 20 | 15 00 |
| BUPHTHALMUM salicifolium—Willowleaf Oxeye | 30 | 2 40 | |
| speciosum—Heartleaf Oxeye | 30 | 2 50 | 20 00 |
| CALIMERIS incisa—Starwort | 30 | 2 40 | |
| CALTHA palustris—Marshmarigold | 30 | 2 40 | 18 00 |
| *CAMPANULA carpatica—Carpathian Bellflower | 30 | 2 40 | 18 00 |
| *c. alba—White Carpathian Bellflower | 30 | 2 40 | 18 00 |
| *c. turbinata—Top Bellflower*c. turbinata alba—White Top Flower | 30 30 | $\begin{array}{cccc} 2 & 40 \\ 2 & 40 \end{array}$ | $\begin{array}{cccc} 20 & 00 & -20 & 00 & -20 & 00 & -20 & 00 & -20 & 00 & 0$ |
| glomerata—Danesblood | 30 30 | 2 40 | 20 00 |
| STOTTE TALL DATE SHOULD INCOME. | 90 | 2 40 | |

| CAMPANULA—Continued | | | |
|--|----------|--|----------------|
| g. acaulis—Low Cluster Bellflower | 30 | 2 40 | 20 00 |
| g. superba—Showy Cluster Bellflower | 30 | 2 40 | 20 00 |
| lactiflora—Milky Bellflower | 30 | 2 40 | 18 00 |
| latifolia—Great Bellflower | 30 | 2 40 | 18 00 |
| l. macrantha—Royal Bellflower | 30 | 2 40 | |
| latiloba (Grandis)—Olympic Bellflower | 30 | 2 40 | |
| medium—(pink, blue, white and mixed) | | | |
| Canterbury-Bell | 30 | 2 40 | 18 00 |
| m. calycanthema (pink, blue, white and mixed) | | | |
| Cup-and-saucer Bellflower | 30 | 2 40 | 18 00 |
| persicaefolia—Peachleaf Bellflower | 30 | 2 40 | 18 00 |
| p. alba—White Peachleaf Bellflower | 30 | 2 40 | 18 00 |
| p. Cloche Bleue | 40 | 3 50 | |
| p. moerheimi—Moerheim Bellflower | 30 | 2 40 | 18 00 |
| pulcherrima | 25 | 2 20 | 15 00 |
| pyramidalis—The Chimney Bellflower | 30 | 2 40 | 18 00 |
| p. alba—White Chimney Bellflower | 30 | 2 40 | |
| *rotundifolia—Harebell | 30 | 2 40 | |
| r. superba | 30 | 2 40 | 20 00 |
| trachelium—Coventry-Bells | 30 | 2 40 | |
| *CAREX morrowi variegata—Silveredge Morrow | | | |
| Sedge | 35 | 3 00 | |
| CASSIA marilandica—Wild Senna | 30 | 2 40 | 18 00 |
| CATANANACHE caerulea—Blue Cupids-dart | 30 | 2 40 | 18 00 |
| c. alba—White Cupids-dart | 30 | 2 40 | 18 00 |
| CEDRONELLA cana—Hoary Cedronella | 35 | 3 00 | 20 00 |
| CENTAUREA dealbata—Persian Centaurea | 30 30 | 2 40 | 18 00 |
| macrocephala—Globe Centaurea | 30 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| | 25 | 2 40 | 18 00 15 00 |
| montana—Mountain-bluet | | 2 40 | 15 0 0 |
| m. alba—White Mountain-bluetm. rosea—Rose Mountain-bluet | 30 | 3 00 | 00 00 |
| ruthenica—Ruthenian Centaurea | 35 | 3 00 | 20 00 |
| | 35 | | |
| CENTRANTHUS ruber—Jupitersbeard | 30 | 2 40 | 20 00 |
| r. alba—White Jupitersbeard | 30 | 2 40 | 18 00 |
| CEPHALARIA tatarica—Tatarian Cephalaria | 30 | 2 40 | 18 00 |
| *CERASTIUM biebersteini—Taurus Cerastium | 30 | 2 50 | 18 00 |
| *tomentosum—Snow-in-summer | 25 | 2 20 | 15 00 |
| *CERATOSTIGMA plumbaginoides—Larpente | | | |
| plumbago | 30 | 2 40 | |
| CITII ONE white worth and | | 2 40 | 10 00 |
| CHELONE glabra—White turtlehead | 30 | | 18 00 |
| lyoni—Pink turtlehead | 30 | 2 40 | 18 00 |
| CHRYSANTHEMUM Hardy Pompom Eight colors, | | | |
| including pink, white, yellow, etc | 30 | 2 40 | 18 00 |
| Named varieties. (See Handbook of Information | | | |
| for description) | 30 | 2 40 | 18 00 |
| • | | | |
| Those marked (LF) are the large flowering Gold | en Pheas | ant-oran | ge |

varieties Aberdeen—Bright maroon Agrippina—Large double pink

A. Neilson—Wine color, silvery reverse petals Johnson's Favorite—Double Autumn Glow—Rose crimson (LF) Autumn Queen—Rose pink Baby-Button type, yellow Boston—Golden bronze Brutus—Old Gold Eve-Dwarf, deep pink (LF) Field of Snow-Pure white (LF)

yellow Golden Queen—Yellow (LF) James Boone—Large white rosy-pink Julia Lagravere—Large velvety maroon Old Homestead—Pink (LF) Ruby Queen—Dark ruby-red Victory—White (LF) Viola—Violet pink

| CHRYSANTHEMUM—continued | Each | Per 10 | Per 100 |
|--|--|---|---|
| *arcticum—Arctic chrysanthemum | 30 | 2 40 | 18 00 |
| latifolium | 25 | 2 20 | 15 00 |
| latifolium leucanthemum hybridum (Shasta Daisy) | 25 | 2 20 | 15 00 |
| maximum—Pyrenees chrysanthemum | 25 | 2 20 | 15 00 |
| m. Alaska m. King Edward | 30 30 | 2 40 2 40 | 18 00 18 00 |
| m. Robinsoni | 25 | 2 20 | 18 00 15 00 |
| m. The Speaker | 30 | 2 50 | 20 00 |
| m. Triumph | 30 | 2 40 | 18 00 |
| uliginosum | 25 | 2 20 | 15 00 |
| CIMICIFUGA foetida simplex-Kamchatka Bug- | | | |
| baneracemosa—Cohosh Bugbane | 75 35 | 3 00 | 20 00 |
| | | | |
| CLEMATIS recta—Ground Clematisviticella—Italian Clematis | 35 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 20 00 |
| CONOCLINIUM. (See Eupatorium) | 90 | 4 00 | |
| CONVALLARIA majalis—(Lily of the Valley) | | | |
| clumps | 50 | 4 50 | 40 00 |
| strong pips | 15 | 1 00 | 7 50 |
| *COPTIS trifolia—Goldthread | 25 | 2 20 | 15 00 |
| COREOPSIS delphinifolia—Larkspur Coreopsis | 25 | 2 20 | 15 00 |
| grandiflora—Big Coreopsis | 25 25 | 2 20 | 15 00 |
| lanceolata—Lance Coreopsis | $\frac{25}{25}$ | $\frac{2}{2} \frac{20}{20}$ | 15 00 |
| rosea—Rose Coreopsis | 25 | 2 20 | 15 00 |
| verticillata—Threadleaf Coreopsis | 25 | 2 20 | 15 00 |
| *CORONILLA varia—Crownvetch | 30 | 2 40 | |
| CYNANCHUM acuminatifolium—Mosquito-trap | 30 | 2 40 | 18 00 |
| CYPRIPEDIUM acaule—Pink Ladyslipper | 30 | 2 40 | 18 00 |
| DELPHINIUM (Hardy Larkspur) | | | |
| Hybrid varieties (except Moerheimei) | 90 | 7 50 | |
| | | | |
| Amos Perry Langport Glory | | of War | |
| J. C. Jenkins Mrs. James Kelway | Star o | f Langpo | ort |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust | Star of True E | f Langpo | ort |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust | Star o | f Langpo Blue | ort 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei | Star of True H | f Langpe Blue 2 40 3 00 | 18 00 20 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) | Star of True H 1 50 30 35 35 | f Langpe Blue 2 40 3 00 3 00 | 18 00 20 00 20 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur | Star of True E 1 50 30 35 35 30 | f Langpo Blue 2 40 3 00 3 00 2 40 | 18 00 20 00 20 00 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur g. chin. azurea | Star of True H 1 50 30 35 35 30 30 | f Langpo Blue 2 40 3 00 3 00 2 40 2 40 | 18 00 20 00 20 00 18 00 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur g. chin. azurea g. chin. alba | Star of True E 1 50 30 35 35 30 | f Langpo Blue 2 40 3 00 3 00 2 40 2 40 2 40 | 18 00 20 00 20 00 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur g. chin. azurea g. chin. alba | Star of True H 1 50 30 35 35 30 30 30 | f Langpo Blue 2 40 3 00 3 00 2 40 2 40 2 40 2 40 2 40 | 18 00 20 00 20 00 18 00 18 00 18 00 18 00 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur g. chin. azurea g. chin. alba | Star of True H 1 50 30 35 35 30 30 30 30 | f Langpo Blue 2 40 3 00 3 00 2 40 2 40 2 40 2 40 | 18 00 20 00 20 00 18 00 18 00 18 00 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: | Star of True H 1 50 30 35 35 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo Blue 2 40 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 18 00 18 00 18 00 18 00 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white | Star of True F 1 50 30 35 35 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo Blue 2 40 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 | 18 00 20 00 20 00 18 00 18 00 18 00 18 00 18 00 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur. g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink | Star of True F 1 50 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo Blue 2 40 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 18 00 18 00 18 00 18 00 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur. g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink b. Scarlet Beauty | Star of True I 1 50 30 30 35 35 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo Blue 2 40 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 18 00 18 00 18 00 18 00 18 00 18 00 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink b. Scarlet Beauty *caesius | Star of True F 1 50 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo Blue 2 40 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 18 00 18 00 18 00 18 00 18 00 |
| J. C. Jenkins Mrs. James Kelway King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur. g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink b. Scarlet Beauty *caesius carthusianorum—Carthusian pink chinensis Heddewigi—Heddewig pink | Star of True F 1 50 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo Blue 2 40 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 18 00 18 00 18 00 18 00 18 00 18 00 18 00 18 00 |
| J. C. Jenkins King of Delphiniums Rosenlust Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur. g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink b. Scarlet Beauty *caesius carthusianorum—Carthusian pink chinensis Heddewigi—Heddewig pink *deltoides—Maiden pink | Star of True F 1 50 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo 2 40 3 00 3 00 2 40 2 50 2 | 18 00 20 00 20 00 18 00 |
| J. C. Jenkins King of Delphiniums Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink b. Scarlet Beauty *caesius carthusianorum—Carthusian pink chinensis Heddewigi—Heddewig pink *deltoides—Maiden pink *d. alba—White Maiden pink | Star of True I 1 50 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 18 00 18 00 18 00 18 00 18 00 18 00 18 00 18 00 |
| J. C. Jenkins King of Delphiniums Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur. g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink b. Scarlet Beauty *caesius carthusianorum—Carthusian pink chinensis Heddewigi—Heddewig pink *deltoides—Maiden pink da laba—White Maiden pink. latifolius atrococcinea fl. pl.—dble. cluster pink | Star of True F 1 50 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 |
| J. C. Jenkins King of Delphiniums Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur. g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink b. Scarlet Beauty *caesius carthusianorum—Carthusian pink chinensis Heddewigi—Heddewig pink *deltoides—Maiden pink da laba—White Maiden pink. latifolius atrococcinea fl. pl.—dble. cluster pink | Star of True I 1 50 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 |
| J. C. Jenkins King of Delphiniums Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink b. Scarlet Beauty *caesius carthusianorum—Carthusian pink chinensis Heddewigi—Heddewig pink *deltoides—Maiden pink *d. alba—White Maiden pink latifolius atrococcinea fl. pl.—dble. cluster pink plumarius—Grass pink p. semperflorens—Perpetual pink Hardy Garden Pinks Abbotsford—Crimson | Star of True I 1 50 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 |
| J. C. Jenkins King of Delphiniums Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur. g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink b. Scarlet Beauty *caesius carthusianorum—Carthusian pink chinensis Heddewigi—Heddewig pink *deltoides—Maiden pink deltoides—Maiden pink latifolius atrococcinea fl. pl.—dble. cluster pink plumarius—Grass pink p. semperflorens—Perpetual pink Hardy Garden Pinks Abbotsford—Crimson. *Carmen—Light pink, fragrant | Star of True F 1 50 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 |
| J. C. Jenkins King of Delphiniums Moerheimei Gold Medal Hybrids belladonna bellamosum (the dark blue form of belladonna) grandiflorum chinensis—Slender Larkspur. g. chin. azurea g. chin. alba elatum—Bee Larkspur formosum—Hardy Larkspur f. coelestinum—Skyblue Larkspur DIANTHUS barbatus—(Sweet-William) Colors: pink, red and white b. Newport Pink b. Scarlet Beauty *caesius carthusianorum—Carthusian pink chinensis Heddewigi—Heddewig pink *deltoides—Maiden pink *d. alba—White Maiden pink latifolius atrococcinea fl. pl.—dble. cluster pink plumarius—Grass pink p. semperflorens—Perpetual pink Hardy Garden Pinks Abbotsford—Crimson. | Star of True I 1 50 30 30 30 30 30 30 30 30 30 30 30 30 30 | f Langpo 3 00 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 20 00 20 00 18 00 |

| The second secon | | | |
|--|------------|-----------|----------------|
| DIANTHUS -continued | Each | Per 10 | Per 100 |
| Her Majesty—Large pure white | 30 | 2 40 | |
| Homer—Dark red | 30 | 2 50 | 20 00 |
| Juliet—White Lord Lyons—Pink Louisa M. Alcott—Large, deep pink | 30 | 2 40 | 18 00 |
| Lord Lyons—Pink | 30 | 2 40 | 18 00 |
| Louisa M. Alcott—Large, deep pink | 30 | 2 40 | 10.00 |
| Mrs. Sinkins—Large white, fragrant Souvenir de Sale—Soft pink | 30 | 2 40 | 18 00 |
| White Reserve—Everblooming pure white | 30 30 | 2 40 2 40 | 18 00 18 00 |
| | 90 | 2 40 | 10 00 |
| Hardy Carnations | 30 | 2 40 | 18 00 |
| Double pink Grenardin's Scarlet | 30 | 2 40 | 18 00 |
| Grenardin's White | 30 | 2 40 | 18 00 |
| *DICENTRA eximea—Fringed Bleeding heart | 30 | 2 40 | 18 00 |
| *formosa—Western Bleedingheart | 30 | 2 40 | 18 00 |
| spectabilis—Bleedingheart | 90 | 8 00 | 10 00 |
| DICTAMNUS fraxinella — Gasplant | 40 | 3 50 | 25 00 |
| d. alba — White Gasplant | 40 | 3 50 | 25 00 |
| d. caucasica — Giant Gasplant | 40 | 3 50 | 25 00 |
| DIGITALIS ambigua—Yellow Foxglove | 25 | 2 20 | 15 00 |
| roseum | 25 | 2 20 | 15 00 |
| roseumgloxinaeflora—Gloxinia Foxglove | 25 | 2 20 | 15 00 |
| lanata—Grecian Foxglove | 30 | 2 40 | 18 00 |
| purpurea—Common Foxglove | 25 | 2 20 | 15 00 |
| p. alba—Common White Foxglove | 25 | 2 20 | 15 00 |
| DORONICUM magnificum—Sunflower Leopard- | | | |
| baneplantagineum excelsum—Showey Leopardbane | 50 | 4 00 | |
| | 50 | 4 00 | |
| ECHINACEA purpurea—Purple Coneflower | 30 | 2 40 | 18 00 |
| ECHINOPS pumilum—Globethistle | 3 0 | 2 40 | 18 00 |
| ritro—Steel Globethistle | 30 | 2 40 | 18 00 |
| sphaerocephalus—Common Globethistle | 30 | 2 40 | 18 00 |
| EPILOBIUM angustifolium—Blooming Sally | 30 | 2 40 | 18 00 |
| *EPIMEDIUM alpinum rubrum—Red Alpine Epi- | | | |
| medium | 40 | 3 00 | |
| bicolorum | 40 | 3 00 | |
| erectum | 40 | 3 00 | |
| macranthum niveum—Snowy Epimedium | 40 | 3 00 | |
| pinnatum eleganssulphureum—Yellow Persian Epimedium | 40 40 | 3 00 | |
| ERIGERON aurantiacus—Orange Fleabane | 30 | 2 40 | |
| *coult eri | 30 30 | 2 40 | 18 00 |
| Quakeress | 40 | 2 10 | 10 00 |
| speciosus—Oregon Fleabane | 30 | 2 40 | 18 00 |
| ERYNGIUM alpinum—Bluetop Eryngo | 30 | 2 40 | 18 00 |
| amethystinum—Amethyst Eryngo | 30 | 2 40 | 18 00 |
| aquaticum—Button—Snakeroot | 30 | 2 40 | 18 00 |
| *ERYSIMUM pulchellum—Rockery Blistercress | 30 | 2 40 | 18 00 |
| EULALIA (See Miscanthus) | | | |
| EUPATORIUM aromaticum melissoides (frazeri) | | | |
| Melissa Thoroughwort | 30 | 2 40 | 18 00 |
| coelestinum—Mistflower purpureum—Joe-Pye-weed urticaefolium (ageratoides) Snow Thorough- | 30 | 2 50 | 20 00 |
| purpureum—Joe-Pye-weed | 25 | 2 20 | 15 00 |
| urticaefolium (ageratoides) Snow Thorough- | 9.0 | 0.50 | 20.00 |
| wort | 30 | 2 50 | 20 00 |
| EUPHORBIA corrollata—Flowering Spurge | 25 | 2 20 | 15 00 |
| FERNS-Hardy Ferns | 30 | 2 40 | 18 00 |
| *ADIANTUM pedatum—American Maindenhair | | | |
| Fern | | | |

| ASPLENIUM platyneuron (ebeneum) Ebony | Each | Per 10 | Per 100 |
|---|-----------------|--|----------------|
| Spleenwort | | | |
| *ATHYRIUM filixfemina—Lady Fern | | | |
| CAMPTOSORUS rhizophyllus—Walking Fern | | | |
| *CRYTOGRAMMA acrostichoides — American Rockbrake | | | |
| *DENNSTEDTIA punctilobula — Hay-scented Fern | | | |
| DRYOPTERIS goldiana—Goldie Fern | | | |
| *D. marginalis—Leather Woodfern D. spinulosa—Toothed Woodfern | | | |
| ONOCLEA sensibilis—Sensitive Fern | | | |
| OSMUNDA cinnamomea—Cinnamon Fern | | | |
| O. regalis—Royal Fern | | | |
| POLYPODIUM vulgare—Common Polypody | | | |
| *POLYSTICHUM acrostichoides — Christmas Fern | | | |
| PTERETIS nodulosa—Ostrich Fern | | | |
| *WOODSIA Ilvensis—Rusty Woodsia | | | |
| | | | |
| WOODWARDIA areolata — (angustifolia) Chainfern | | | |
| *FESTUCA glauca—Blue Fescue | 30 | 2 40 | 18 00 |
| FILIPENDULA camtschatica (Spiraea gigantea) | | | |
| Kamchatka Meadowsweet | $\frac{30}{25}$ | $\begin{array}{ccc} 2 & 40 \\ 2 & 20 \end{array}$ | 18 00 15 00 |
| hexapetala (Spiraea pendula) Dropwort hex. fl. pl.—Double Dropwort | 30 | 2 40 | 19 00 |
| hex. fl. pl.—Double Dropwort palmata (Spiraea Palmata) Siberian Meadow- | 0.0 | 0.40 | 10.00 |
| p. alba—White Siberian Meadowsweet | 30 30 | $\begin{array}{cc}2&40\\2&40\end{array}$ | 18 00 18 00 |
| p. elegans | 25 | $\begin{array}{ccc} 2 & 20 \\ 2 & 40 \end{array}$ | 15 00 |
| rubra venusta—Carmine Meadowsweetulmaria fl. pl.—Double European Meadowsweet. | 30 30 | 2 40 | 18 00 18 00 |
| FUNKIA (See Hosta) | | | |
| GAILLARDIA aristata—Common perennial Gail- | | | |
| lardia | $\frac{25}{25}$ | $\begin{array}{ccc} 2 & 20 \\ 2 & 20 \end{array}$ | 15 00 15 00 |
| grandiflora maxima | 25 25 | 2 20 | 15 00 |
| GALEGA Heldrichi | 30 | 2 50 | 20 00 |
| officinalis—Common Goatsrue | 30 | 2 40 | 18 00 |
| o. alba—Albino Goatsrue o. Hartlandi—Hartland Goatsrue | 30 35 | $\begin{array}{cccc} 2 & 40 \\ 3 & 00 \end{array}$ | 18 00 24 00 |
| *GALIUM boreale—Northern Bedstraw | 30 | 2 40 | 18 00 |
| *GERANIUM sanguineum-Bloodred Cranesbill | 30 | 2 40 | 18 0 0 |
| *s. album—White Cranesbill | 30 | 2 40 | 18 00 |
| grandiflorum—Lilac Cranesbillmaculatum—Wild Geranium | 30 30 | $\begin{array}{ccc} 2 & 40 \\ 2 & 40 \end{array}$ | 18 00 18 00 |
| GEUM avens atrosanguineum—Double crimson | | | |
| geum | 30 30 | $\begin{array}{c}2 \ 40\\2 \ 40\end{array}$ | 18 00 18 00 |
| *atrococcinea flore plena a. Mrs. Bradshaw | 30 35 | 3 00 | 20 00 |
| montanum Heldrichi—Orange Geum | 30 | 2 50 | 20 0 0 |
| GILLENIA trifoliata—Bowmansroot | 35 | 3 00 | |

Each Per 10 Per 100 GLADIOLI—Our list of Gladioli is not long but includes the very best varieties in an assortment of colors. Our bulbs are good first class size. America, Soft lavender-pink 2 50 20 00 Baron Hulot, Rich violet Halley, Delicate salmon-pink 1 25 10 00 Kunderdi Glory, Creamy apricot with light tint of pink, crimson stripe centering each petal, 2 00 15 00 ruffled L'Immaculee, Pure white 2 50 20 00 Mary Fennell, Light lavender, penciled with 3 00 25 00 1 00 8 00 Mrs. Frank Pendleton, Flushed rose pink with beautiful carmine blotch 2 00 15 00 Niagara, Delicate cream blending to canary yellow, throat splashed carmine..... 2 00 2 00 Panama, Beautiful pale pink 15 00 Prince of Wales, Beautiful light salmon on orange shade 2 25 18 00 War-Deep red of brilliant color 15 00 2 00 PRIMULINUS HYBRIDS Alice Tiplady, Orange Saffron 3 00 25 003 00 25 00 3 00 25 00 GLYCERIA (see PANICULARIA) GYPSOPHILA acutifolia—Green Gypsophila..... 30 2 40 18 00 paniculata—Babysbreath
paniculata fl. pl.—Double Babysbreath
*repens—Creeping Gypsophila 2 40 18 00 3 50 30 00 40 2 40 18 00 2 40 steveni-Steven Gypsophila 30 HELENIUM autumnale—Common Sneezeweed... 30 2 40 18 00 30 2 50 20 00 a. Gartensonne a. Pumilum—Dwarf Sneezeweed 20 00 40 a. Pumilum julesoni 3 00 25 00 2 40 20 00 a. pumilum magnificum a. Riverton Beauty
a. Riverton Gem 30 2 40 20 00 3 00 24 00 35 3 00 24 00 a. rubrum 35 nudiflorum striatum 30 2 40 18 00 hoopesi-Orange Sneezeweed 3 00 HELIANTHEMUM chamaecistus (vulgare) — 18 00 Common Sunrose 30 2 40 *c. tomentosum (angustifolium) Rosemary Sunrose 30 2 40 18 00 *c. citrinum 2 40 30 18 00 *hyssopifolium 30 2 40 18 00 *perfoliatum roseum 30 2 40 18 00 *multiflorum-Morocco Sunrose 2 40 18 00 30 HELIANTHUS decapetalus—Thinleaf Sunflower. 2 20 25 15 00 d. multiflorus fl. pl .- Double Golden Thinleaf Sunflower 40 d. multiflorus plenus Meteor 30 2 40 maximiliana—Maximilian Sunflower 2 20 25 15 00 mollis—Ashy Sunflower 25 2 20 15 00 18 00 rigidus 2 40 30 r. Miss Mellish 2 40 30 18 00 r. Woolly Dodd 2 40 18 00 30

| | Each | Per 10 | Per 100 |
|---|--------|--|---------------|
| ITELLODGIC believe beider (leavie) Conflower | Liucii | 1 01 10 | 1 01 100 |
| HELIOPSIS helianthoides (laevis)—Sunflower | 0.0 | 0.40 | 10 00 |
| Heliopsis | 30 | 2 40 | 18 00 |
| h. pitcheriana—Pitcher Heliopsis | 30 | 2 40 | 18 00 |
| h. pitcheriana semi-plena | 30 | 2 40 | |
| scabra—Rough Heliopsis | 30 | 2 40 | 18 0 0 |
| HEMEROCALLIS aurantiaca major — Great | | | |
| Orange Daylily | 35 | 3 30 | |
| Anricot | 25 | $\frac{5}{2} \frac{50}{20}$ | 15 00 |
| Auriola | 30 | 2 40 | 18 00 |
| citrina—Citron Daylily Dr. Regel Oranga Man | 30 | $\frac{1}{2}$ $\frac{1}{40}$ | 18 00 |
| Dr Regel | 30, | $\frac{2}{2}$ $\frac{10}{40}$ | 18 00 |
| Orange Man | 30 | 2 40 | 18 00 |
| dimention: Farly Davilly | 30 | 2 40 | 18 00 |
| dumortieri—Early Daylily flava—Lemon Daylily | 30 | 2 40 | 18 00 |
| figure Lemon Daying | | | 10 00 |
| florum | 30 | 2 40 | 1 = 00 |
| fulva—Tawny Daylily f. Kwanso fl. pl. | 25 | 2 20 | 15 00 |
| i. Kwanso il. pl | 30 | 2 40 | 18 00 |
| Gold Dust | 30 | 2 40 | 18 00 |
| gracilis | 25 | 2 20 | 15 00 |
| lutacle Colden Devilly | 30 | 2 40 | 18 00 |
| middendorffi—Amur Daylily | 30 | 2 40 | 18 00 |
| Siepoldi (See Dumortieri) | | | |
| thunbergi—Japanese Daylily HEPATICA acutiloba—Sharplobe Hepatica | 30 | 2 40 | 18 00 |
| HEPATICA acutiloba—Sharplobe Hepatica | 30 | 2 40 | 18 00 |
| triloba—Roundlobe Hepatica | 30 | $\frac{1}{2}$ $\frac{1}{40}$ | 18 00 |
| *HESPERIS matronalis—Dames Rocket | 30 | $\frac{2}{2} \frac{10}{40}$ | 18 00 |
| *m alba White Dames Rocket | 30 | 2 40 | 18 00 |
| *m. alba—White Dames Rocket* *HEUCHERA sanguinea—Coralbells | 35 | 3 00 | 10 00 |
| a alba White Caralballa | 35 | 3 00 | 24 00 |
| s. alba—White Coralbells | | | |
| *s. americana—American Alumroot | 35 | 3 00 | 24 00 |
| s. brizoides—Pinkbells | 35 | 3 00 | 24 00 |
| *s. gracillima (gracilis rosea)—Grassleaf Coral- | | | |
| bells | 35 | 3 00 | $24 \cdot 00$ |
| s. Grenade scarlet | 40 | 3 50 | |
| s. Shirley | 30 | 2 40 | |
| s. splendens | 30 | $\frac{2}{2} \frac{10}{40}$ | |
| HIERACIUM aurantiacum—Orange Hawkweed | 30 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 18 00 |
| HIBISCUS militaris—Soldier Rosemallow Marvel Mallows, Red, White, Pink and Mixed | 25 | 2 20 | 15 00 |
| Marvel Mallows, Red. White, Pink and Mixed | 30 | $\frac{1}{2}$ 40 | 20 00 |
| moscheutos—Common Rosemallow | 30 | 2 40 | 18 00 |
| oculiroseus Crimson-Eye Rosemallow | 30 | 2 40 | 18 00 |
| Rosemallow | 30 | $\frac{1}{2}$ 40 | 18 00 |
| HOSTA (Funkia) caerulea—Blue Plantainlily | 30 | 2 40 | 18 00 |
| lancifolia—Lanceleaf Plantainlily | 30 | 2 40 | 18 00 |
| l. marginata—Silveredge Lanceleaf Plantainlily | 30 | 2 40 | 18 00 |
| 1. marginata—Silvereuge Dancelear Transaminy | 30 | $\frac{2}{2} \frac{40}{40}$ | 18 00 |
| l. undulata variegata—Wavyleaf Plantainlily | | | |
| ovata | 30 | | 18 00 |
| o. Thomas Hogg | 30 | 2 40 | 18 00 |
| plantaginea grandiflora (subcordata grandi- flora) Big Plantainlily | | | 00.00 |
| flora) Big Plantainlily | 50 | 4 00 | 30 00 |
| sieboldiana—Cushion Plantainlily | 30 | 2 40 | 18 00 |
| HUMULUS lupulus—Common Hop | 50 | 4_00 | |
| *HYSSOPUS officinalis—Hyssop *IBERIS gibraltarica *saxatilis corifolia | 30 | 2 40 | 18 00 |
| *IBERIS gibraltarica | 30 | 2 40 | 18 00 |
| *saxatilis corifolia | 30 | 2 40 | 18 00 |
| *sempervirens—Evergreen candytuft | 30 | 2 40 | 18 00 |
| *s. fl. pl.—Double Evergreen Candytuft | 30 | $\frac{1}{2}$ $\frac{1}{40}$ | |
| *s. Little Gem | 30 | $\frac{1}{2}$ $\frac{1}{40}$ | 18 00 |
| *s. Snowflake | 30 | 2 40 | 18 00 |
| *s. Snowflake | 35 | 2 40 3 00 | 22 00 |
| grandiflora | 35 | 3 00 | 25 00 |
| INULA glandulosa—Caucasian Inula | 30 | 2 40 | 18 00 |
| silicana—Willowleaf Inula | 30 | 2 40 | 18 00 |
| Sincalla—Willowlear Inula | 50 | 2 40 | 10.00 |

IRIS

"Irises for the Beginner", published by the American Iris Society will prove of value to all gardeners \$.50.

We have upwards of one hundred and fifty varieties in our collection, including all classes in both named varieties and separate colors. For

| description see our Catalog. | | |
|--|-------------------------------------|--|
| | Each Per 10 Per 100 | |
| *IRIS Alpine—Early flowering Iris, Mar | | |
| 6 to 9 in | | |
| Varieties: | | |
| Alida | Grandee | |
| Balceng | Josephine | |
| Biflora | Lutescens Statellae | |
| Blue King | Midnight | |
| Bluestone | Miss H. M. White | |
| Charmer | Nudicaulis | |
| Chameiris Aurea Maculata | Orange Queen | |
| Citrea | Othello | |
| Cyanea | Queen | |
| Delicata | Stewart | |
| Diana | Stray in Florida | |
| Eburnea | Sulphurea | |
| Excelsion | Virgo | |
| Florida | 00 0 00 15 00 | |
| GERMANICA Named Varieties | | |
| Admiral Togo | Horatius | |
| Atroviolacea (Purple) | Johan De Witt | |
| Augustina | L'Africaine | |
| Brooklyn | Leopold | |
| Canary Bird | Lizzie | |
| Charlotte Patti | Lord Macaulay | |
| Charles Dickens | Madame Chereau | |
| Comte de St. Clair | Mrs. Charles Darwin | |
| Darius | Oroya | |
| Flavescens | Pauline | |
| lorentina Alba | Pecutum | |
| Florentina Blue | Purple King | |
| Garrick | Rebecca | |
| Gen. Grant Gold Bound | Sir Robert Peel | |
| | Striata | |
| Hector Herant | Ulysses Violette | |
| | William III. | |
| Hokanum Pallida Dalmatica | | |
| | | |
| Pallida Speciosa | | |
| Queen of May | IC Now Variation | |
| | | |
| We are offering this list of Tall Bo | that the vericties described here | |
| tion to those listed above. We believe | that the varieties described here | |
| offer a good variety of color and are vari | ties are being produced constantly | |
| years to come despite the fact that nove | noteles "E" felle on leven notele | |
| "S" represents standards or upper The figures which follow the names of | f the eniginators denote the value | |
| rating according to the symposium of the | . the originators denote the value | |
| in May, 1922. | le American iris Society, published | |
| | ft crossich | |
| Afterglow (Sturtevant 1917) 8.6. Some pink shading to rich yellow the | to greyisii | |
| | | |
| Alcazar (Vilmorin 1910) 8.9. S. Lig | rht hluich | |
| violet; F. deep purple with bro | nza-vainad | |
| throat 3-4 ft | 1 00 | |
| throat. 3-4 ft | ery large. | |

40

3 50

Amas 7.8.

| | | | |
|--|----------------|--------------|-----|
| A 1 (777) '- 1011\ 0.0 C lear w wle | Each | Per 10 Per 1 | 100 |
| Archeveque (Vilmorin 1911) 8.3. S. deep purple violet; F. deep velvety violet. 2 ft | 1 00 | | |
| Caprice (Vilmorin 1904) 7.5. S. rosy red; F. deeper rosy red. 2 ft | 30 | 2 50 | |
| Her Majesty (Perry 1903) 7.3. S. rose pink; F. bright crimson, shaded darker. 22 in | 35 | 3 00 | |
| Iris King (Goos & Koenemann 1907) 7.9. S. lemon-yellow. F. rich maroon boardered yellow. 22 inches. | 60 | 5 00 | |
| Juniata (Farr 1909) 8.1. S. and F. clear blue; large fragrant flowers. 44 inches | 40 | 3 50 | |
| Loreley (Goos & Koenemann 1909) 7.9. S. light yellow; F. deep sea-blue; with creamy edging. 32 in. | 35 | 3 00 | |
| Monsignor (Vilmorin 1907) 8.4. S. pale violet; F. with a groundwork of the same color but richly overlaid and veined with deep purple. | | | |
| 28 inches | 50 | 4 00 | |
| base. 2 ft | 30 | 2 50 | |
| Nibelungen (Goos & Koenemann 1910) 7.3. S. fawn-yellow; F. violet purple on bronze. Large. 30 inches | 30 | 2 20 | |
| plum-purple. S. arching, ruffled; F. drooping. 30 inches | 50 | 4 00 | |
| purple-black with conspicuous orange beard. | 35 | 3 00 | |
| Pocahontas (Farr 1915) 7.7. S. and F. pure white with S. faintly bordered pale blue. 28 inches | 50 | | |
| Princess Victoria Louise (Goos & Koenemann 1910) 7.2. S. sulphur-yellow; F. rich plum bordered cream. 30 inches | 30 | 2 20 | |
| bronze-red; F. deep velvety crimson richly veined at the throat. 3 ft | 50 | 4 50 | |
| with yellow shading; F. ageratum blue and old-gold. 32 inches | 50 | 4 50 | |
| pure white; F. deep violet blue with white edge. 3 ft | 50 | 4 20 | |
| Sherwin-Wright (Kohankie 1915) 7.6. Fine golden yellow. Vigorous grower. 2 ft | 40 | 3 50 | |
| absolutely pure white variety without markings; well formed, sweet scented. 18 inches | 1 00 | 9 00 | |
| KAEMPFERI Named Varieties—Japanese Iris | 50 | 4 00 | |
| Alba plena Gold Bound Alida Harlequin | | Georgeson | |
| A. L. Sherwood Helen von Sieboldt Babylon Hyde Park | Pyra | | |
| Beth Hallock Mahogany | Turba | | |
| Blue Bird Navy-Blue Blue Danube Ondine | Venu Willia | s am Tell | |
| Commodore Perry Oscar Eclair Painted Lady | | | |

| | Each | Per 10 | Per 100 |
|---|--|---|--|
| Kaempferi Mixed Colors-Mixed Jap. Iris | 25 | 2 20 | 15 00 |
| MISCELLANEOUS IRIS | | | |
| *cristata—Crested Iris pseudacorus *pumila atroviolacea (Maroon-red) *p. Bride (Ivory White) *cyanea (Deep Blue) *c. lutea (Yellow) Siberica s. alba s. leucanthemum s. orientalis Blue (Yale Color) s. Snow Queen verna versicolor | 30 25 30 30 30 30 30 25 25 25 25 30 | 2 40 2 20 2 50 2 50 2 50 2 50 2 2 20 2 20 2 | 18 00 15 00 20 00 20 00 20 00 18 00 15 00 15 00 15 00 18 00 18 00 18 00 |
| KNIPHOFIA uvaria pfitzeriana — Bonfire | | | |
| Torchlily u. grandiflora—Dayglow Torchlily u. nobilis—Giant Torchlily | 30 40 40 | 2 50 3 00 3 00 | 21 00 24 00 24 00 |
| LATHYRUS latifolius—Perennial Pea | 30 | 2 40 | 18 00 |
| l. albus—White Perennial Pea l. Pink Pearlvernus—Spring Bittervetch | 30 30 30 | 2 40 2 40 2 40 | 18 00 |
| LAVANDULA officinalis (vera) True lavender | 30 | 2 40 | |
| spica—Spike lavender | 30 | 2 40 | |
| pycnostachya—Cattail Gayfeather spicata—Spike Gayfeather | 30 30 | 2 40 2 40 | 18 00 18 00 |
| Weed | 50 50 | 4 00 4 00 | |
| LILIUM auratum—Goldband Lily canadense—Canada Lily candidum—Madonna Lily carolinianum—Carolina Lily | 50 30 40 35 | 4 00 2 40 3 50 3 00 | 30 00 18 00 30 00 |
| elegans—(Deep Maroon) giganteum—Giant Lily hansoni—Hanson Lily | 35 40 75 | 3 00 3 50 6 00 | 20 00 27 00 |
| longiflorum (White) Easter Lily | 40 30 | 3 50 2 40 | 25 00 |
| regale—Royal Lily | 75 40 40 | 7 00 3 50 3 50 | 50 00 25 00 25 00 |
| cap Lily tigrinum—Tiger Lily tigrinum fl. pl.—Double Lily | 30 30 35 | 2 40 2 40 3 00 | 20 00 20 00 25 00 |
| LIMONIUM latifolium—Bigleaf Sea-lavender | 30 | 2 40 | 18 00 |
| p. alba—White Perennial Flax LOBELIA cardinalis—Cardinalflower | 30 30 | 2 40 | 18 00 18 00 |
| Siphilitica—Large Blue Lobelia var. alba—Large White Lobelia | 30 30 | 2 40 2 40 2 40 | 18 00 18 00 |

| | Each | Per 10 | Per 100 |
|--|------------|--|---|
| LUPINUS polyphyllus—Wasington Lupine | 30 | 2 40 | 18 00 |
| p. albus—White Washington Lupine | 30 | 2 40 | 18 00 |
| p. Moerheimi—Moerheim Lupinep. roseum—Blush Lupine | 35 35 | 3 00 | $\begin{array}{ccc} 24 & 00 \\ 24 & 00 \end{array}$ |
| *LYCHNIS alpinus—Arctic Campion | 30 | 2 40 | =1 00 |
| a. chalcedonica | 30 | 2 40 | 18 00 |
| a. alba | 30 30 | 2 40 2 50 | 18 00 18 00 |
| a. rubra plena | 30 | 2 40 | 18 00 |
| c. alba—White Campion | 25 30 | 2 20 2 40 | 15 00 18 00 |
| floscuculi—Ragged—robbin flosjovis—Flower-of-Jove | 30 | 2 40 | 18 00 |
| haageana—Haage Campionviscaria splendens—Rosepink Campion | 30 | 2 40 | 18 00 |
| viscaria splendens—Rosepink Campionviscaria splendens fl. pl.—Dble Rosepink Cam- | 30 | 2 40 | 18 00 |
| pion | 30 | 2 40 | 18 00 |
| LYSIMACHIA nummularia—Moneywort | 25 | 2 20 | 15 00 |
| cletheroides—Clethra Loosestrife LYTHRUM alatum—Winged Lythrum | 30 30 | 2 40 2 40 | 18 00 18 00 |
| Perrys Variety | 30 | 2 40 | 18 00 |
| salicaria roseum—Rose Loosestrife | 30 | 2 40 | 18 00 |
| MALVA alcea—Hollyhock Mallow moschata—Musk Mallow | 30 30 | 2 40 2 40 | 18 00 18 00 |
| m. alba—White Musk Mallow | 30 | 2 40 | 18 00 |
| MELISSA officinalis—Common Balm | 30 | 2 40 | 18 00 |
| MENTHA piperita—Peppermint | 25 | $\begin{array}{ccc} 2 & 20 \\ 2 & 40 \end{array}$ | 15 00 |
| spicata—Spearmint MERTENSIA Virginica—Virginia Bluebells | 30 30 | $\begin{array}{ccc} 2 & 40 \\ 2 & 40 \end{array}$ | 18 00 18 00 |
| MISCANTHUS—sinensis (Eulalia Japonica) Eu- | 95 | 3 00 | |
| lalias. gracillimus—Maiden Grass | 35 35 | 3 00 | |
| s. gracillimus—Maiden Grass s. variegatus—Striped Eulalia | 35 | 3 00 | |
| s. Zebrinus—Zebra Grass | 35 | 3 00 | 10.00 |
| MITCHELLA repens—Partridgeberry MONARDA Cambridge Scarlet—Beebalm | 30 30 | $\begin{array}{cccc} 2 & 40 \\ 2 & 40 \end{array}$ | 18 00 18 00 |
| didyma—Oswego Beebalm | 30 | 2 40 | 18 00 |
| d. salmonea—Salmon Beebalm | 35 30 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 20 00 18 00 |
| d. violacea fistulosa—Wildbergamot | 30 | 2 40 | 10 00 |
| f. alba—White Wildbergamot | 30 | 2 40 | |
| *MYOSOTIS dissitiflora—Swiss Forget-me-not | 25 | 2 20 | 15 00 |
| scorpioides semperflorens — Dwarf Perpetual Forget-me-not | 25 | 2 20 | 15 00 |
| *NEPETA cataria—Catnip | 30 | 2 40 | 18 00 |
| hederacea (glechoma)—Ground-Ivy | 30 30 | 2 40 2 50 | 18 00 20 00 |
| mussini NIEREMBERGIA rivularis—Whitecup | 35 | 3 00 | 20 00 |
| *OENOTHERA eximea—White Evening—primrose | 30 | 2 40 | |
| fruticosa major—Bush Sundrops | 30 | 2 40 | 18 00 |
| f. youngi—Youngs Sundropsglauca fraseri—Fraser Sundrops | 30 - 30 | 2 40 2 40 | 18 00 18 00 |
| missouriensis—Ozark Sundrops | 35 | | |
| speciosa* *OPUNTIA vulgaris missouriensis | 30 30 | 2 40 2 40 | 18 00 |
| OROBUS vernus—(See Lathyrus vernus) | 90 | 40 | 10 00 |
| *vulgaris— | 30 | 2 40 | |

| *ORIGANUM vulgare—Wild Marjoram | Each | Per 10 Per 100 | |
|--|----------------|--|---|
| marjorana—Sweet Marjoram | 30 | 2 40 | |
| *PACHYSANDRA terminalis—Japanese Pachysan- | 30 | 2 40 | |
| dra from 3 in. pots | 30 25 35 | 2 40 16 00 2 00 14 00 2 50 18 00 |) |

| PAEONIES | | | | |
|--|----------|------|------|---------|
| | Rack | . Pa | r 10 | Per 100 |
| Heretofore we have grown paeonias in scores of disposed of all but a few choice varieties—all that | sort | s. N | ow | we have |
| requires viz: Albert Crousse—Large compact rose—white, fra- | | | | |
| grant, late | 75 | | 00 | |
| Alexandre Dumas, early, light violet rose Beaute Francaise, medium, pale lilac—rose | 75 75 | | 00 | |
| Comte de Diesbache, early dark red | 75 | | 00 | |
| Comte de Nippon—Large white with crimson spots | 75 | 6 | 00 | |
| Spots Couronne d'Or, large pure white with a circle of | 75 | c | 00 | |
| golden stamens | 10 | U | 00 | |
| mid season, fragrant | 75 | 6 | 00 | |
| Docteur Caillot, crimson flowers of good size— Free Bloomer | 75 | 6 | 00 | |
| Dorchester—Large, compact flower, pale hydrangea-pink. Fragrant. Late | 00 | 0 | ٥٥ | ** |
| Duc de Cazes, early dark pink | 90 75 | | 00 | |
| Duchesse de Nemours, white tinged with yellow, | | | 0.0 | |
| fragrant Edouard Andre, satiny crimson maroon with rich | 90 | 8 | 00 | |
| golden center | 75 | 6 | 00 | |
| Edulis Superba, early, soft pink | 75 | | 00 | |
| Felix Crousse, medium, bright red, fragrant 1 Festiva Maxima, early, pure white with crimson | . 00 | 9 | 00 | |
| markings in the center, strong grower, fragrant | 75 | 6 | 50 | 50 00 |
| Floral Treasure—Large, strong, pale lilac—rose fragrant, midseason | 75 | 6 | 00 | |
| Francois Ortegat, semi-double, large purplish- | | - | 00 | |
| crimson with brilliant golden yellow antlers Fulgida—Medium size, rose—magenta with silver | 75 | Э | 00 | |
| tips, late | 75 | | 00 | |
| General Bertrand, early bright pink | 75 | 6 | 00 | |
| dwarf, fragrant, midseason | 75 | 6 | 00 | |
| Humei—Large cherry-pink with silver tips, fragrant very late | 75 | б | 00 | |
| Karl Rosenfield—Very large, globular, compact, semi- | | Ū | 00 | |
| rose type. Dark crimson. Very strong, tall, compact grower and free bloomer. Splendid for | | | | |
| cutting | 2 50 | | 00 | |
| Lady Bramwell, medium silvery pink | 75 | | 00 | |
| La Tendresse—Large, milk-white flower, some- | 75 | Э | 00 | |
| times splashed with carmine. Tall, strong, | 00 | ^ | 00 | |
| free bloomer, fragrant | . 00 | 9 | 00 | |
| striped crimson, fragrant, late | 75 | 6 | 00 | |
| L'Indispensable. Large to very large full rose type. Lilac white shading to pale violet at the | | | | |
| | L 00 | 9 | 00 | |

| variegata 30 2 40 18 0 PAPAVER orientale—Oriental Poppy 30 2 40 18 0 orientale hybrids, varieties 35 3 00 35 3 00 Goliath Oriental King Royal Scarlet Salmon Queen Nearch 2 40 18 0 18 0 0 18 0 18 0 18 0 18 0 0 18 0 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 18 0 0 18 0 18 0 18 0 0 18 0 0 18 0 0 18 0 0 | | | | |
|---|---|----------------------------|---|---|
| In flecked with crimson. A very fine variety 2 00 | none better | 90 | 8 00 | |
| white with center tinged with carmine 90 8 00 Modeste Guerin—Large compact rose blossom, very fragrant 90 8 00 Officinalis Alba, blush white 75 7 00 Officinalis Rosea, pink 75 7 00 Officinalis Rosea, pink 75 7 00 Officinalis Rubra, brilliant glowing, deep crimson 1 00 9 00 Queen Victoria—Large, outside white with pink tinge, inside cream white with crimson spots 75 6 00 Rosea Plena Superba, delicate pink and salmon 60 5 00 Sappho—Large, well-formed flower of pure mauve with silvery reflex, prominently tipped silver. Tall and vigorous grower 1 25 11 00 Solfatare—yellow 90 8 00 Walter Faxon 6 00 55 00 Double Pink, Double Red and Double White 50 4 00 Single, Pink, Single Red, and Single White 1 00 9 00 PANICULARIA speciosum—Ribbon grass 30 2 40 18 0 variegata 30 2 40 18 0 Orientale hybrids, varieties 35 3 00 Goliath Oriental King | ly flecked with crimson. A very fine variety | 2 00 | 18 00 | |
| very fragrant 90 8 00 Officinalis Alba, blush white 75 7 00 Officinalis Rosea, pink 75 7 00 Officinalis Rubra, brilliant glowing, deep crimson 1 00 9 00 Queen Victoria—Large, outside white with pink tinge, inside cream white with crimson spots 75 6 00 Rosea Plena Superba, delicate pink and salmon 60 5 00 Each Per 10 Per 10 Sappho—Large, well-formed flower of pure mauve with silvery reflex, prominently tipped silver. Tall and vigorous grower 1 25 11 00 Solfatare—yellow 90 8 00 Walter Faxon 6 00 55 00 Double Pink, Double Red and Double White 50 4 00 Single, Pink, Single Red, and Single White 1 00 9 00 PANICULARIA speciosum—Ribbon grass 30 2 40 18 0 variegata 30 2 40 18 0 orientale hybrids, varieties 35 3 00 Goliath Oriental King Salmon Queen Mrs. Perry Queen Alexandra 30 2 40 18 0 </td <td>white with center tinged with carmine</td> <td>90</td> <td>8 00</td> <td></td> | white with center tinged with carmine | 90 | 8 00 | |
| tinge, inside cream white with crimson spots Rosea Plena Superba, delicate pink and salmon. Sappho—Large, well-formed flower of pure mauve with silvery reflex, prominently tipped silver. Tall and vigorous grower | very fragrant | 75 75 | 7 00 7 00 | |
| Sappho—Large, well-formed flower of pure mauve with silvery reflex, prominently tipped silver. Tall and vigorous grower. 1 25 11 00 | tinge, inside cream white with crimson spots | | 5 00 | |
| Solfatare—yellow 90 8 00 Walter Faxon 6 00 55 00 Double Pink, Double Red and Double White 50 4 00 Single, Pink, Single Red, and Single White 1 00 9 00 PANICULARIA speciosum—Ribbon grass 30 2 40 18 0 variegata 30 2 40 18 0 PAPAVER orientale—Oriental Poppy 30 2 40 18 0 orientale hybrids, varieties 35 3 00 Goliath Oriflame Royal Scarlet Loreley Oriental King Salmon Queen Mrs. Perry Queen Alexandra *nudicaule—Iceland Poppy, Orange, White and Yellow 30 2 40 18 0 PARDANTHUS (See BELAMCANDA) PENSTEMON acuminatus—Stiff Penstemon 30 2 40 18 0 diffusus—Bushy Penstemon 30 2 40 18 0 heterophyllus—Violet Penstemon 30 2 40 18 0 heterophyllus—Violet Penstemon 30 2 40 18 0 ovatus—Eggleaf Penstemon 30 2 40 18 0 <td>with silvery reflex, prominently tipped silver.</td> <td></td> <td></td> <td>Per 100</td> | with silvery reflex, prominently tipped silver. | | | Per 100 |
| variegata 30 2 40 18 0 PAPAVER orientale—Oriental Poppy 30 2 40 18 0 orientale hybrids, varieties 35 3 00 Goliath Oriflame Royal Scarlet Salmon Queen Mrs. Perry Queen Alexandra *nudicaule—Iceland Poppy, Orange, White and Yellow 30 2 40 18 0 PARDANTHUS (See BELAMCANDA) PENSTEMON acuminatus—Stiff Penstemon 30 2 40 18 0 diffusus—Bushy Penstemon 30 2 40 18 0 heterophyllus—Violet Penstemon 30 2 40 18 0 ovatus—Eggleaf Penstemon 30 2 40 18 0 torreyi—Torrey Penstemon 30 2 40 18 0 totreyi—Torrey Penstemon 30 2 40 18 0 tubiflorus—Tube Penstemon 30 2 40 18 0 PHALARIS arundinacea—Reed Canary Grass 30 2 40 18 0 | Solfatare—yellow | 6 00 50 | 55 00 4 00 | |
| orientale hybrids, varieties 35 3 00 Goliath Oriflame Royal Scarlet Loreley Oriental King Salmon Queen Mrs. Perry Queen Alexandra *nudicaule—Iceland Poppy, Orange, White and Yellow 30 2 40 18 0 PARDANTHUS (See BELAMCANDA) PENSTEMON acuminatus—Stiff Penstemon 30 2 40 18 0 diffusus—Bushy Penstemon 30 2 40 18 0 heterophyllus—Violet Penstemon 30 2 40 18 0 laevigatus digitalis—Foxglove Penstemon 30 2 40 18 0 ovatus—Eggleaf Penstemon 30 2 40 18 0 torreyi—Torrey Penstemon 30 2 40 18 0 tubiflorus—Tube Penstemon 30 2 40 18 0 PHALARIS arundinacea—Reed Canary Grass 30 2 40 18 0 | | | | 18 00 18 00 |
| *nudicaule—Iceland Poppy, Orange, White and Yellow | orientale hybrids, varieties | 35 Royal S | 3 00 Scarlet | 18 00 |
| PENSTEMON acuminatus—Stiff Penstemon 30 2 40 18 0 diffusus—Bushy Penstemon 30 2 40 heterophyllus—Violet Penstemon 30 2 40 18 0 laevigatus digitalis—Foxglove Penstemon 30 2 40 18 0 ovatus—Eggleaf Penstemon 30 2 40 18 0 torreyi—Torrey Penstemon 30 2 40 18 0 tubiflorus—Tube Penstemon 30 2 40 18 0 PHALARIS arundinacea—Reed Canary Grass 30 2 40 18 0 | Yellow | 30 | 2 40 | 18 00 |
| diffusus—Bushy Penstemon 30 2 40 heterophyllus—Violet Penstemon 30 2 40 18 0 laevigatus digitalis—Foxglove Penstemon 30 2 40 18 0 ovatus—Eggleaf Penstemon 30 2 40 18 0 torreyi—Torrey Penstemon 30 2 40 18 0 tubiflorus—Tube Penstemon 30 2 40 18 0 PHALARIS arundinacea—Reed Canary Grass 30 2 40 18 0 | · · · · · · · · · · · · · · · · · · · | 30 | 2 40 | 18 00 |
| PHALARIS arundinacea—Reed Canary Grass 30 2 40 18 0 | diffusus—Bushy Penstemon heterophyllus—Violet Penstemon laevigatus digitalis—Foxglove Penstemon ovatus—Eggleaf Penstemon torreyi—Torrey Penstemon | 30 30 30 30 30 | 2 40 2 40 2 40 2 40 2 40 2 40 | 18 00 18 00 18 00 18 00 18 00 |
| a. variegata—Rippon Grass | PHALARIS arundinacea—Reed Canary Grass a. variegata—Ribbon Grass | 30 30 | $\begin{array}{ccc} 2 & 40 \\ 2 & 40 \end{array}$ | 18 00 18 00 |

18 00

PHLOX

Each Per 10 Per 100

Our collection of Phlox includes the finest sorts to be found in this country. PHLOX paniculata syn. decussata: All named varieties except as noted are 30 2 40 Albion. Medium white Annie Cook. Flesh pink. Antonin Mercie. Very large; pure white center bordered clear lilac Astrild. Brilliant cochineal carmine, shaded deeper toward center. Atlas. Salmon pink B. Comte. Dark red Baron van Dedem-Blood red Beacon. Brilliant cherry red. Boule de Feu. Cherry red Bridesmaid. White, rose center Coquelicot-Orange scarlet 35 3 00 24 00 Crepuscule. Shading from crimson center through rose-lilac to a white edge. Dora Umgella. White, lilac-pink center. Eclaireur. Carmine, salmon center. Embrasement. Bright orange—scarlet Epopee. Reddish violet, bright center. Etta's Choice. Pure white Elizabeth Campbell-Bright salmon pink, dark red 35 3 00 24 00 eye Eugene Danzanvilliers. Lilac-blue, white center F. G. Von Lassburg. Pure white. Frau Anthony Buchner. The best white. Europa. Snow white, carmine center. Frederick Passy. Fine Dwarf Phlox (12 in.) Lavender pink General Chanzy. Scarlet pink tinted salmon Glow. Scarlet Goliath. Red. Grideur. Ground color, a soft mauve rose, heavily suffused and overlaid with a lovely deep shade of cerise. Gruppenkoenigin. Flesh-colored rose, with carmine eye. Hector. Fine pink Independence. Pure white. Iris. Light purple Japonaise. Delicate rose, white center. Jeanne d'Arc. Pure white Juliet. Light pink, dark red eye. Julius Heurlin. Light salmon—pink LeMahdi—Deep velvety purple; large spikes. LePole du Nord. White crimson center. L'Esperance. Light, lavender, pink white center. L'Evenement. Delicate pink, tinted, salmon. Le Soleil. Brilliant china-rose, rose center. Mme. Meuret. Flame color, carmine center. Mme. Paul Dutrie. Soft pink, suffused with white. Mme. P. Langier. Bright red, vermillion center. Michael Buchner. Dark purple. Mrs. E. E. Jenkins. Pure white very large truss Ornament. Bright pink. Pantheon. Brilliant rose, very effective.

Peach Blow. Delicate pink, rose center.

Pluto. Deep Fuchsia-red

| | Each | Per 10 Per 10 | 00 |
|---|------|---------------|----|
| Prof. Schliemann. Bright red, crimson eye. | | | |
| Prof. Vierschow. Brilliant carmine overlaid with orange scarlet. | | | |
| Queen. Pure white; late. | | | |
| Richard Wallace. Pure White, violet—rose center. Riverton Jewel. Lovely shade of mauve—rose with | | | |
| brilliant carmine—red eye. | | | |
| Rosenberg. Bright reddish—violet, with blood—red eve: large truss. | | | |
| R. B. Struthers. Bright, pinkish salmon crimson | | | |
| eye. Rynstrom. Bright carmine rose. | | | |
| Saison Lierval. White, light pink center. | | | |
| Tapis Blanc—Dwarf, very large pine white blossom | 30 | 2 50 20 0 | 00 |
| blossom | 30 | 2 50 20 0 | 00 |
| Thor. Lively shade of deep salmon—pink, suffused and overlaid with a scarlet glow; analine red eye. | | | |
| Victor—Bright salmon pink, large blossom | 30 | 2 50 20 0 | 00 |
| W. C. Egan. Very large flowers of delicate lilac | | | |
| with large bright solferino eye. The color effect as a whole is a pleasing shade of soft | | | |
| pink | | | |
| Widar. Bright reddish violet with large white center. | | | |
| | | | |

PHLOX Choice Varieties

We have held our prices high on Phlox Debs and Johnson's Favorite while we have been growing a good stock of these varieties. We now have a good quantity to offer and have lowered our prices considerably.

| DEBS—The finest red phlox there is. Color is bright fiery crimson. There is no other phlox that resembles Debs JOHNSON'S FAVORITE—Light salmon—pink with a dark red eye, resembling Elizabeth Campbell, but superior in every way. Strong grower. (This is one that originated here) | 50 50 | 4 50 4 50 | 39 00 39 00 |
|---|--|--|--|
| DWARF OR CREEPING PHLO | X | | |
| *Phlox amoena P. divaricata *P. ovata—Mountain Phlox *P. Stellaria—Mauve Phlox *P. subulata (Moss Pink) *s. alba—White Moss pink s. G. F. Wilson *s. lilacina *s. Nelsoni s. reptans s. The Bride s. Vivid PHLOX suffruticosa Miss Lingard Rose Queen | 30 30 30 30 25 25 25 25 25 25 30 30 30 | 2 40 2 40 2 40 2 40 2 20 2 20 2 20 2 20 | 18 00 18 00 18 00 15 00 18 00 15 00 15 00 15 00 15 00 18 00 18 00 18 00 |
| PHYSALIS francheti—Lantern Groundcherry | 30 | 2 40 | 18 00 |

| | Each | Per 10 | Per 100 |
|--|--|---|---|
| PHYSOSTEGIA virginiana — Virginia False — dragonhead v. alba—White False—dragonhead v. rubra—Red False—dragonhead v. speciosa—Tall Cluster False—dragonhead PLATYCODON grandiflora—Balloonflower g. album—White Balloonflower g. mariesi—Maries Balloonflower PLUMBAGO larpentae—(See CERATOSTIGMA) | 30 30 30 30 30 30 30 | 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 40 | 18 00 18 00 18 00 18 00 18 00 18 00 18 00 |
| *PODOPHYLLUM peltatum—Common Mayapple *POLEMONIUM caeruleum—Greek-valerian *c. album—White Greek-valerian *reptans Creeping Polemonium humile (richardsoni) Dwarf Polemonium | 30 30 30 30 30 | 2 40 2 40 2 40 2 40 2 40 | 18 00 18 00 18 00 18 00 |
| POLYGONATUM commutatum (giganteum) Great Solomonseal POLYGONUM affine—Himalayan Fleeceflower caspidatum—(sieboldi) Japanese fleeceflower fleeceflower fliforme variegatum—Marbled Jumpseed sachalimense—Sacaline *POTENTILLA atrosanguinea—Himalayan Cin- | 30 30 30 30 30 30 | 2 40 2 40 2 40 2 40 2 40 2 40 2 40 | 18 00 18 00 18 00 |
| *grandiflora—Alpine Cinquefoil *Miss Willmot nepalensis—(formosum) Nepal Cinquefoil *purpurea fl. pl. *pyrena'ca—Pyrenees Cinquefoil tridentata 3½ in. pots—Wineleafe Cinquefoil. Mixed dorble varieties PRIMULA acaulis—English Primrose elatior alba—Oxlip Primrose japonica—Japanese Primrose japonica—Japanese Primrose officinalis hybrida—Cowslip (Drooping). *veris—Cowslip Primrose (Upright) *vulgaris PRUNELLA webbiana—Webb Selfheal PYRETHRUM roseum single—Persian Daisy. Varieties: Coccinea (rich, reddish purple), Elsie Gertrude, (nale flesh, very large). Hebe (pure | 30 30 35 30 30 30 30 30 30 30 30 30 30 30 30 30 | 2 40 2 40 3 00 2 40 2 40 2 40 2 40 2 40 2 40 2 40 2 | 18 00 18 00 18 00 18 00 18 00 18 00 24 00 |
| white), James Kelway (vivid scarlet, very large and free), Nimrod (large and free, silvery rose), Rosy Morn (Rose-pink, very pretty). roseum single, mixed | 30 30 30 | 2 40 2 40 2 40 | 18 00 18 00 18 00 |
| uliginosum (Giant Daisy) RANUNCULUS Acris fl. pl.—Tall Double Buttercup repens—Creeping Buttercup ROSMARINUS officinalis RUDBECKIA fulgida—Orange Coneflower Goldstrahl laciniata—Cutleaf Coneflower lac. Golden Glow | 30 25 30 25 25 25 25 | 2 40 2 20 2 50 2 20 2 20 2 20 2 20 2 20 | 18 00 15 00 20 00 15 00 15 00 15 00 15 00 |
| purpurea (See Echinacea purpurea) Reine d'Or (Dwarf Golden Glow) speciosa (newmanni) Showy Coneflower subtomentosa.—Sweet Coneflower triloba—Brown-eyed-Susan | 30 30 30 30 | 2 40 2 40 2 40 2 40 2 40 | 18 00 18 00 18 00 |

| RUTA graveolens—Common Rue 25 2 20 15 00 | | Each | Per 10 | Per 100 |
|--|--|------|--------|---------------|
| SALVIA azurea grandiflora—Great Azure Sage argentea—Silver Sage 30 2 40 18 00 argentea—Silver Sage 30 2 40 18 00 officinalis—Garden Sage 30 2 40 18 00 pratensis—Meadow Sage 30 2 40 18 00 SANTOLINA chamaecyparissus—Lavender—Cotton 50 2 40 18 00 **SANTOLINA chamaecyparissus—Lavender—Cotton 30 2 40 18 00 **SAPONARIA ocymoides—Rock Soapwort 30 2 40 18 00 **SANTPARGA cordifolia—Heartleaf Saxifrage 30 2 50 20 00 **SAXIFRAGA cordifolia—Heartleaf Saxifrage 35 3 00 20 00 **Crassifolia—Leather Saxifrage 35 3 00 20 00 McNabiana 30 2 50 20 00 McNabiana 30 2 40 18 00 Pennsylvanieum 30 2 40 18 00 Pennsylvanieum 30 2 40 18 00 **SEDUM acre—Goldmoss 35 3 00 2 40 18 00 **SEDUM acre—Goldmoss 30 2 40 18 00 **SEDUM acre—Goldmoss 30 2 40 18 00 **album—White Stonecrop 30 2 40 18 00 **anglican 30 2 40 18 00 **maximowiczi—Amur Stonecrop 30 2 40 18 00 **sexangulare—Hexagon Stonecrop 30 2 4 | RUTA graveolens—Common Rue | 25 | 2 20 | 15 00 |
| argentea—Silver Sage | - | | | |
| officinalis—Garden Sage 30 2 40 18 00 SANTOLINA chamaecyparissus—Lavender—Cotton 30 2 40 18 00 *C. incana—Hoary Lavender—Cotton 30 2 40 18 00 *SAPONARIA ocymoides—Rock Soapwort 30 2 40 18 00 *SAXIFRAGA cordifolia—Heartleaf Saxifrage 30 2 40 18 00 *SAXIFRAGA cordifolia—Heartleaf Saxifrage 35 3 00 20 00 *crassifolia—Leather Saxifrage 35 3 00 20 00 *Ingulata—Tongue Saxifrage 35 3 00 20 00 McNabiana 30 2 50 20 00 SCABIOSA caucasica—Caucasian Scabiosa 40 3 50 30 02 japonica—Japanese Scabiosa 40 3 50 30 00 japonica—Japanese Scabiosa 30 2 40 18 00 *SEDUM acre—Goldmoss 30 2 40 18 00 *SEDUM acre—Goldmoss 30 2 40 18 00 *album—White Stonecrop 30 2 40 18 00 *Lamiscaticum—Orange Stonecrop 30 | argentea—Silver Sage | | | |
| Partensis—Meadow Sage | officinalis—Garden Sage | 30 | 2 40 | 18 00 |
| *c. incana—Hoary Lavender—Cotton | pratensis—Meadow Sage | 30 | 2 40 | 18 0 0 |
| *c. incana—Hoary Lavender—Cotton 30 2 40 18 00 *SAPONARIA ocymoides—Rock Soapwort 30 2 40 18 00 *SAPONARIA ocymoides—Rock Soapwort 30 2 40 18 00 *SAXIFRAGA cordifolia—Heartleaf Saxifrage 35 3 00 20 00 *crassifolia—Leather Saxifrage 35 30 2 20 00 lingulata—Tongue Saxifrage 35 30 2 20 00 McNabiana 30 2 50 20 00 SCABIOSA caucasica—Caucasian Scabiosa 35 30 24 00 c. alba—White Caucasian Scabiosa 40 3 50 30 00 japonica—Japanese Scabiosa 40 3 50 30 00 japonica—Japanese Scabiosa 30 2 40 18 00 *SEDUM acre—Goldmoss 30 2 40 18 00 *SIDUM acre—Goldmoss 30 2 40 18 00 *slbum—White Stonecrop 30 2 40 18 00 *anglican 30 2 40 18 00 *anglican 30 2 40 18 00 *maximum—Great Stonecrop 30 2 40 18 00 *sexangulare—Hexagon Stonecrop 30 2 40 18 00 *sexangulare—Roof Houseleek 25 2 20 15 00 *S. Brilliant 30 2 50 20 00 *S. Brilliant 30 2 50 20 00 *S. EMPERVIVUM Arachnoideum—Spiderweb Houseleek 25 2 20 15 00 *SEMPER SEMPER SE | SANTOLINA chamaecyparissus—Lavender—Cot- | | | |
| *SAPONARIA ocymoides—Rock Soapwort. 30 2 40 18 00 *officinalis fl. pl. Double Bouncing—bet. 30 2 40 18 00 *SAXIFRAGA cordifolia—Heartleaf Saxifrage 35 30 2 00 00 *crassifolia—Leather Saxifrage 35 30 2 50 20 00 lingulata—Tongue Saxifrage 35 30 2 50 20 00 McNabiana 30 2 50 20 00 McNabiana 30 2 50 20 00 McNabiana 30 2 50 20 00 SCABIOSA caucasica—Caucasian Scabiosa 35 30 0 24 00 iaponica—Japanese Scabiosa 40 3 50 30 00 japonica—Japanese Scabiosa 40 3 50 30 00 japonica—Japanese Scabiosa 30 2 40 18 00 Pennsylvanicum 30 2 40 18 00 *SEDUM acre—Goldmoss 30 2 40 18 00 *selbum—White Stonecrop 30 2 40 18 00 *anglican 30 30 30 30 30 30 30 30 30 30 30 30 30 | ton | | | |
| *SAXIFRAGA cordifolia—Heartleaf Saxifrage | · · · · · · · · · · · · · · · · · · · | | | 18 00 |
| *SAXIFRAGA cordifolia—Heartleaf Saxifrage | | - | | 18 00 |
| Inigulata | | 35 | 3 00 | 20 00 |
| McNabiana | | | | |
| SCABIOSA caucasica—Caucasian Scabiosa 35 3 00 24 00 00 00 00 00 00 0 | Ingulata—Tongue Saxifrage | | | |
| c. alba—White Caucasian Scabiosa 40 3 50 30 00 japonica—Japanese Scabiosa 30 2 40 18 00 Pennsylvanicum 30 2 40 18 00 sylvatica 35 3 00 20 00 *SEDUM acre—Goldmoss 30 2 40 18 00 *album—White Stonecrop 30 2 40 18 00 *anglican 30 2 40 18 00 *kamtschaticum—Orange Stonecrop 25 2 20 15 00 *maximowiczi—Amur Stonecrop 30 2 40 18 00 *maximum—Great Stonecrop 30 2 40 18 00 *maximum—Great Stonecrop 30 2 40 18 00 *m. stahli 30 2 40 18 00 *m. stahli 30 2 40 18 00 *sexangulare—Hexagon Stonecrop 30 2 40 18 00 *spectabile—Showy Stonecrop 30 2 40 18 00 *spectabile—Showy Stonecrop 25 2 20 15 00 *s. atroourpurea—Purple Showy Stonecrop 30 2 40 18 00 *SEMPERVIVUM Arachnoideum — Spiderwe | | | | |
| japonica—Japanese Scabiosa 30 2 40 18 00 Pennsylvanicum 30 2 40 sylvatica 35 3 00 20 00 *SEDUM acre—Goldmoss 30 2 40 18 00 *album—White Stonecrop 30 2 40 18 00 *anglican 30 2 40 18 00 *anaximowiczi—Amur Stonecrop 30 2 40 18 00 *maximowiczi—Amur Stonecrop 30 2 40 18 00 *maximum—Great Stonecrop 30 2 40 18 00 *maximum—Great Stonecrop 30 2 40 18 00 *maximum—Hexagon Stonecrop 30 2 40 18 00 *sarmentosum—Stringy Stonecrop 30 2 40 18 00 *sexangulare—Hexagon Stonecrop 30 2 40 18 00 *spectabile—Showy Stonecrop 30 2 40 18 00 *spectabile—Showy Stonecrop 30 2 40 18 00 *stoloniferum—Running Stonecrop 30 2 40 18 00 *stoloniferum—Roof Houseleek 25 2 20 15 00 *SEMPERVIVUM Arachnoideum — Spiderweb Houseleek 25 2 20 15 00 *SENECIO clivorum—(See LIGULARIA clivorum) pulcher—Uruguay Groundsel 50 4 00 SIDALCEA candida—White Prairiemallow 30 2 40 18 00 SOULDACEA candida—White Prairiemallow 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 40 18 00 SILYHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SILYHIUM angustifolium (Bermudiamum) Common Blue-eyed-grass 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | | | |
| Pennsylvanicum | | | | |
| sylvatica 35 3 00 20 00 *SEDUM acre—Goldmoss 30 2 40 18 00 *album—White Stonecrop 30 2 40 18 00 *anglican 30 2 40 18 00 *ewersi—Ewers Stonecrop 30 2 40 18 00 *kamtschaticum—Orange Stonecrop 25 2 20 15 00 *maximowiczi—Amur Stonecrop 30 2 40 18 00 *maximum—Grat Stonecrop 30 2 40 18 00 *maximum—Hexagon Stonecrop 30 2 40 18 00 *sarmentosum—Stringy Stonecrop 30 2 40 18 00 *sexangulare—Hexagon Stonecrop 30 2 40 18 00 *spectabile—Showy Stonecrop 25 2 20 15 00 *s. Brilliant | Pennsylvanicum | | | 10 00 |
| *SEDUM acre—Goldmoss | sylvatica | | | 20 00 |
| *album—White Stonecrop | | 30 | 2 40 | 18 00 |
| *ewersi—Ewers Stonecrop | *album—White Stonecrop | 30 | 2 40 | 18 00 |
| *kamtschaticum—Orange Stonecrop | *anglican | | | 18 00 |
| *maximowiczi—Amur Štonecrop | *ewersi—Ewers Stonecrop | | | ÷= 00 |
| *maximum—Great Stonecrop | | | | |
| *m. atropurpureum | | | | |
| *m. stahli | | | | |
| *sexangulare—Hexagon Stonecrop 30 2 40 18 00 *sieboldi—Siebold Stonecrop 25 2 20 15 00 *s. Brilliant 30 2 50 20 00 *s. Brilliant 30 2 50 20 00 *s. atroourpurea—Purple Showy Stonecrop 30 2 40 18 00 *stoloniferum—Running Stonecrop 30 2 40 18 00 *stoloniferum—Running Stonecrop 30 2 40 18 00 *SEMPERVIVUM Arachnoideum — Spiderweb Houseleek 25 2 20 15 00 *tectorum—Roof Houseleek 25 2 20 15 00 SENECIO clivorum—(See LIGULARIA clivorum) pulcher—Uruguay Groundsel 50 4 00 wilsonianus—(See LIGULARIA wilsoniana) veitchianus— 50 4 00 SIDALCEA candida—White Prairiemallow 30 2 40 18 00 Rosy Gem— 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 50 20 00 pensylvanica—Peatpink 30 2 40 18 00 SILENE maritima—Sea Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | *m. stahli | | 2 40 | 18 00 |
| *sexangulare—Hexagon Stonecrop 30 2 40 18 00 *sieboldi—Siebold Stonecrop 25 2 20 15 00 *s. Brilliant 30 2 50 20 00 *s. Brilliant 30 2 50 20 00 *s. atroourpurea—Purple Showy Stonecrop 30 2 40 18 00 *stoloniferum—Running Stonecrop 30 2 40 18 00 *stoloniferum—Running Stonecrop 30 2 40 18 00 *SEMPERVIVUM Arachnoideum — Spiderweb Houseleek 25 2 20 15 00 *tectorum—Roof Houseleek 25 2 20 15 00 SENECIO clivorum—(See LIGULARIA clivorum) pulcher—Uruguay Groundsel 50 4 00 wilsonianus—(See LIGULARIA wilsoniana) veitchianus— 50 4 00 SIDALCEA candida—White Prairiemallow 30 2 40 18 00 Rosy Gem— 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 50 20 00 pensylvanica—Peatpink 30 2 40 18 00 SILENE maritima—Sea Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | *sarmentosum—Stringy Stonecrop | | | |
| *spectabile—Showy Stonecrop | *sexangulare—Hexagon Stonecrop | | | |
| *s. Brilliant | *sneetabile Showy Stonegron | | | |
| *s. atrovurpurea—Purple Showy Stonecrop | *s. Brilliant | | 2 50 | |
| *stoloniferum—Running Stonecrop 30 2 40 18 00 *SEMPERVIVUM Arachnoideum — Spiderweb Houseleek 25 2 20 15 00 *tectorum—Roof Houseleek 25 2 20 15 00 SENECIO clivorum—(See LIGULARIA clivorum) pulcher—Uruguay Groundsel 50 4 00 wilsonianus—(See LIGULARIA wilsoniana) veitchianus— 50 4 00 SIDALCEA candida—White Prairiemallow 30 2 40 18 00 Rosy Gem— 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 50 20 00 pensylvanica—Peatpink 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | *s. atropurpurea—Purple Showy Stonecrop | | 2 40 | |
| Houseleek | *stoloniferum—Running Stonecrop | 30 | | 18 00 |
| SENECIO clivorum—(See LIGULARIA clivorum) 50 4 00 wilsonianus—(See LIGULARIA wilsoniana) 50 4 00 veitchianus— 50 4 00 SIDALCEA candida—White Prairiemallow 30 2 40 18 00 Rosy Gem— 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 40 18 00 pensylvanica—Peatpink 30 2 40 18 00 schafta—Schafta Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 2 40 18 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | *SEMPERVIVUM Arachnoideum — Spiderweb | | | |
| SENECIO clivorum—(See LIGULARIA clivorum) 50 4 00 wilsonianus—(See LIGULARIA wilsoniana) 50 4 00 veitchianus— 50 4 00 SIDALCEA candida—White Prairiemallow 30 2 40 18 00 Rosy Gem— 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 40 18 00 pensylvanica—Peatpink 30 2 40 18 00 schafta—Schafta Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 2 40 18 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | Houseleek | 25 | | 15 00 |
| pulcher—Uruguay Groundsel 50 4 00 wilsonianus—(See LIGULARIA wilsoniana) 50 4 00 SIDALCEA candida—White Prairiemallow 30 2 40 18 00 Rosy Gem— 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 50 20 00 pensylvanica—Peatpink 30 2 40 18 00 schafta—Schafta Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 2 40 18 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | 25 | 2 20 | 15 00 |
| wilsonianus—(See LIGULARIA wilsoniana) 50 4 00 SIDALCEA candida—White Prairiemallow 30 2 40 18 00 Rosy Gem— 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 50 20 00 pensylvanica—Peatpink 30 2 40 18 00 schafta—Schafta Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 2 40 18 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | · · · · · · · · · · · · · · · · · · · | =0 | 4 00 | |
| veitchianus— 50 4 00 SIDALCEA candida—White Prairiemallow 30 2 40 18 00 Rosy Gem— 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 50 20 00 pensylvanica—Peatpink 30 2 40 18 00 schafta—Schafta Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 laciniatum—Compassplant 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 2 40 18 00 Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | pulcher—Uruguay Groundsel | 50 | 4 00 | |
| SIDALCEA candida—White Prairiemallow 30 2 40 18 00 Rosy Gem— 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 50 20 00 pensylvanica—Peatpink 30 2 40 18 00 schafta—Schafta Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 laciniatum—Compassplant 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 2 2 20 15 00 Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | veitchianus— | 50 | 4 00 | |
| Rosy Gem— 30 2 40 18 00 SILENE maritima—Sea Campion 30 2 50 20 00 pensylvanica—Peatpink 30 2 40 18 00 schafta—Schafta Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 laciniatum—Compassplant 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | | | 18 00 |
| SILENE maritima—Sea Campion 30 2 50 20 00 pensylvanica—Peatpink 30 2 40 18 00 schafta—Schafta Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 laciniatum—Compassplant 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 2 2 20 15 00 Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | | | |
| pensylvanica—Peatpink 30 2 40 18 00 schafta—Schafta Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 laciniatum—Compassplant 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 2 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | | | |
| schafta—Schafta Catchfly 30 2 40 18 00 SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 laciniatum—Compassplant 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 2 2 20 15 00 Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | • | | | |
| SILPHIUM perfoliatum—Cup Rosinweed 30 2 40 18 00 laciniatum—Compassplant 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 2 2 20 15 00 Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | schafta—Schafta Catchfly | 0.0 | | |
| laciniatum—Compassplant 30 2 40 18 00 SISYRINCHIUM angustifolium (Bermudiamum) 25 2 20 15 00 Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | | | |
| SISYRINCHIUM angustifolium (Bermudiamum) Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | | | |
| Common Blue-eyed-grass 25 2 20 15 00 SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | 50 | 2 40 | 10 00 |
| SOLIDAGO canadensis—Canada Goldenrod 25 2 20 15 00 rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | 25 | 2 20 | 15 00 |
| rigidus—Stiff Goldenrod 25 2 20 15 00 rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | | | |
| rugosa—Wrinkled Goldenrod 25 2 20 15 00 sempervirens—Seaside Goldenrod 25 2 20 15 00 | | | | |
| sempervirens—Seaside Goldenrod | | | | |
| | | | | |
| | Spiraea aruncus is listed under ARUNCUS | | | |

| | Each | Per 10 | Per 100 |
|---|----------|------------------|-------------|
| SPIRAEA eximia—Billiard Spirea | 30 | 2 40 | 18 00 |
| japonica—Japanese Spirea | 25 | 2 20 | 15 00 |
| multiflora—Snowgarland | 30 | 2 40 | 18 00 |
| m. compacta | 30 | 2 40 | 18 00 |
| STACHYS grandiflora—Big Betony | 30 | 2 40 | 18 00 |
| *g. superba—Mauve Betony | 30 | 2 40 | 18 00 |
| *lanata—Woolly Betony* *STATICE latifolia (See LIMONIUM latifolium) | 30 | 2 40 | 18 00 |
| | 0.0 | 2 10 | 10.00 |
| STELLARIA holostea—Easterbells | 30 | 2 40 | 18 00 |
| STENANTHIUM robustum—Featherfleece | 30 | 2 40 | |
| STOKESIA laevis (cyanea) Stokesia | 30 | 2 40 | 18 00 |
| l. alba—White Stokesia | 30 | 2 40 | 18 00 |
| l. rosea—Rose Stokesia | 30 | 2 50 | 20 00 |
| TELEKIA (See BUPHTHALMUM) | | | |
| TEUCRIUM chamaedrys—Chamaedrys Germander | 30 | 2 40 | |
| THALICTRUM aquilegifolium—Columbine Mead- | | | |
| owrue | 30 | 2 50 | 20 00 |
| aquil. purpureum—Purple Columbine Meadowrue | 30 30 | 2 50 2 50 | 20 00 20 00 |
| delavayiglaucum—Dusty Meadowrue | 30 | 2 40 | 18 00 |
| minus adiantifolium—Maidenhair Meadowrue | 30 | 2 50 | 20 00 |
| polyganum—Tall Meadowrue | 30 | $\frac{1}{2}$ 50 | 20 00 |
| sulfureum—Hybrid Meadowrue | 30 | 2 50 | 20 00 |
| THERMOPSIS caroliniana—Carolina Themopsis | 30 | 2 40 | |
| mollis—Soft Thermopsis | 30 | 2 40 | 18 00 |
| THYMUS vulgaris—Common Thyme | 30 | 2 40 | 18 00 |
| citriodorus *serpyllum album—White Mother-of-Thyme | 25 | 2 20 | 15 00 |
| | 30 30 | 2 50 2 50 | 20 00 20 00 |
| *s. coccineum—Crimson Thymes. lanuginosus—Woolly Thyme | 30 | 2 50 | 20 00 |
| TIARELLA cordifolia—Allegheny Foamflower | 30 | 2 40 | 18 00 |
| TRADESCANTIA virginiana—Virginia Spiderwort | 30 | 2 40 | 18 00 |
| v. alba—White Spiderwort | 25 | 2 20 | 15 00 |
| TRILISA odoratissima—Carolina-vanilla | 30 | 2 40 | 18 00 |
| TRILLIUM grandiflorum—Snow Trillium | 25 | 2 20 | 15 00 |
| erectum—Purple Trillium | 25 | 2 20 | 15 00 |
| TRITOMA (See KNIPHOFIA) | | | |
| TROLLIUS asiaticus—Siberian Globeflower | 50 | 4 00 | 36 00 |
| asiaticus fl. pl.—Double Siberican Globeflower | 50 | 4 00 | 00.00 |
| europaeus—Common Globeflower | 50 50 | 4 00 4 00 | 30 00 |
| e. Eleanor e. loddigesi—Goldenball Trollius fortunei fl. pl. | 50 | 4 00 | |
| fortunei fl. pl. | 50 | 4 00 | |
| gigantea japonicus fl. pl.—Double Japanese Globeflower | 50 | 4 00 | |
| japonicus fl. pl.—Double Japanese Globeflower | 50 | 4 00 | |
| jap. exceisa | 50 | 4 00 | 36 00 |
| Orange Globe T. S. Ware | 75 50 | 6 00 4 00 | |
| | 30 | 2 40 | 18 00 |
| *TUNICA saxifraga—Saxifrage Tunicflower | | | 10 00 |
| VALERIANA officinalis—Common Valerian offic. alba—Common White Valerian | 30 30 | 2 40 2 40 | 18 00 |
| offic. rubra—Red Valerian | 30 | 2 40 | 18 00 |
| VERBASCUM A. M. Burnie—Mullein | 30 | 2 50 | |
| densiflorum | 30 | 2 50 | |
| longifolium pannosum—Golden Gate Mullein | 30 | 2 40 | 18 00 |
| olympicum | 30 | 2 40 | 18 00 |
| Miss Willmot | 35 | 3 00 | 20 00 |
| | | | |

| | Each | Don 10 | Per 100 |
|---|----------|--|-------------|
| | | - 02 20 | - 02 200 |
| VERBENA hastata Blue Vervain | 30 | 2 40 | 18 00 |
| VERNONIA crinita (arkansana) Bur Ironweed | 30 | 2 40 | |
| noveboracensis—Common Ironweed | 30 | 2 40 | |
| *VERONICA gentianoides—Gentian Speedwell | 30 | 2 40 | 18 00 |
| *incana—Wolly Speedwell | 30 | 2 40 | 18 00 |
| longifolia alba—White Beach Speedwelllongifolia subsessilis—Clump Speedwell | 30 30 | $\begin{array}{cccc} 2 & 50 \\ 2 & 40 \end{array}$ | 20 00 20 00 |
| *repens—Creeping Speedwell | 30 | 2 50 | 20 00 |
| spicata—Spike Speedwell | 30 | 2 40 | 18 00 |
| spicata alba—White Speedwell | 30 | 2 40 | 18 00 |
| *spuria (amethystina) Bastard Speedwell | 30 | 2 40 | 18 00 |
| *teucrium rupestris—Rock Speedwell | 30 | 2 50 | 20 00 |
| VINCA minor—Common Periwinkle (potgrown or | ~= | | 40.00 |
| field grown) White Pari | 25 | 2 20 | 12 00 |
| m. alba—(field grown) Common White Peri- | 35 | 3 00 | 25 00 |
| winkle | 25 | 2 20 | 20 00 |
| VINCETOXICUM (See CYNANCHUM) | | | |
| VIOLA cornuta—Tufted Pansy | 30 | 2 40 | 18 00 |
| c. alba—(type) White Tufted Pansy | 30 | 2 40 | 18 00 |
| c. atropurpurea (type) Purple Tufted Pansy | 30 | 2 40 | 20 00 |
| c. G. Wermig | 30 | 2 40 | 20 00 |
| Hybrids—Tufted Pansies | | | |
| Varieties: Admiration, Blue Perfection, Lutea, Mauve Queen, Papilio, Purple Queen, White | | | |
| Perfection Perfection | 25 | 2 20 | 15 00 |
| *cucullata—Blue March Violet | 25 | 2 20 | 15 00 |
| odorata Single Russian—Sweet Violet | 30 | 2 40 | 18 00 |
| o. Double Russian | 30 | 2 50 | 20 00 |
| pedata—Birdsfoot Violet | 30 | 2 40 | 18 00 |
| Wellsiana | 30 | 2 40 | 18 00 |
| YUCCA filamentosa—Common Yucca | 30 | 0.40 | 10 00 |
| 2 years | 30 35 | 2 40 3 00 | 18 00 |
| years | 00 | .0 00 | |

The American Joint Committee on Horticultural Nomenclature have recently issued "Standardized Plant Names", which it is hoped will eliminate much of the confusion on plant names.

We have endeavored to list our plants in accordance with the names as given in "Standardized Plant Names". If you have any difficulty in finding in our price list any varieties you wish, write us and we will give you an immediate reply as to whether or not we can furnish them.

A Word About Transportation

We can deliver your order by express, freight, or motor truck.

We have a siding at our packing house where we have every facility for handling car lots for long distances with promptness and efficiency.

We have several auto trucks which we use to deliver our stock and we can hire more when necessary The auto truck has proved to be very satisfactory in the delivery of nursery stock.

First—Because within a range of one hundred miles from our nurseries, it can travel the distance so quickly that stock arrives as fresh as when taken from the nursery rows.

Secondly—Because the truck lands the stock on the grounds where it is to be planted, thus saving the bother and expense of trucking and unpacking.

Thirdly—Because it can be delivered at less expense than would be the boxing, freight and trucking charges if sent by freight in boxes, providing there is stock sufficient to make a respectable load for a truck.

The charges are made according to the distance travelled and the size of the truck used.

Remember that we are here to serve. Command and see how well we can execute your orders.

A copy of our Handbook of General Information on Trees and Hardy shrubs will be gladly sent on request.

LOCATION OF NURSERIES

The Bay State Nurseries are located in North Abington, Mass., 18 miles south of Boston, on the Plymouth Division of the N. Y. N. H. & H. R. R.—half way from Boston to Plymouth. Trains leave the South Station at frequent intervals during the day. Visitors are always welcome. Our office is ten minutes walk from the station. If notified we gladly meet visitors at the station and show them about the nurseries.

To reach us by motor, go to Quincy, then proceed directly South through Weymouth and South Weymouth until you see our sign at the fork of a road. turn to the left and you cannot miss our office one-half mile farther off. We are just off the road which goes to Middleboro and the Cape.

We are not open for business on Sunday.

THE BAY STATE NURSERIES

W. H. WYMAN & SON, PROPRIETORS

NORTH ABINGTON,

MASS